

## Department of Health

## Central Luzon Center for Health Development MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL



P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105



## REQUEST FOR QUOTATION

Date: August 14, 2023 MS)

					PR No.: 2023-08-05	538 (IHO
A.						
Business Name:						
Address:						
Contact No./ Email:						
TIN:						
В.						
Sir/ Madam:						
		7.0	7 7 7		tes all eligible and PhilGEPS-registered suppliers, co d/or Technical Specifications and within the Approve	
Required Documents/ In	ormation (	o be submitted	as attachments to	the quotation/ Proposal		
<ul> <li>PhilGEPS Registration</li> </ul>	Number/ C	Certificate -		Tax Clearance		
<ul> <li>Mayor's/ Business Per</li> </ul>	nit			<ul> <li>Sample Invoice/ O.R./ C.R.</li> </ul>		
DTI/ SEC Certificate				<ul> <li>Omnibus Sworn Statement (for</li> </ul>	ABCs above 50K; for winning bidder only)	
<ul> <li>BIR Form 2303</li> </ul>				<ul> <li>Income/ Business tax Return (for</li> </ul>	r ABCs above 500K)	
C.						
This pro-forma quotation no procurement.mmwgh@				ic mail to the BAC Secretariat at abo , 5PM_subject to the follow	ve address or email to procurement@mmwgh.gov.pl ing <b>Terms and Conditions:</b>	h
1 All entries shall be type	ed or writter	n in a clear legib	le manner			
				30) calendar days upon issuance of	his document. Alternative bids shall be rejected.	
3 Price quotations to be 1% EWT (Goods) or 2				all applicable government taxes subj	ect to (BIR 2307) 5% VAT/ 1% Non-VAT and (BIR 2	307)
4 MMWGH may require	you to subr	mit additional do	cuments that will pr	ove your legal, financial and technic	al capability to undertake this contract	
5 Salient provisions of the Penalties shall be obs		IRR (RIRR) of R	epublic Act (RA) 91	84: Section 68 - Liquidated Damage	es and Section 69 - Imposition of Administrative	
6 MMWGH reserves the	right to rej	ect any and all c	quotations, declare	a failure, or not award the contract p	ursuant to Section 41 of the same RIRR	
7 In case of tie quotation with GPPB Circular 06		shall adopt and	employ "toss coin"	as the tie-breaking method to finally	determine the single winning provider in accordance	
					Request for Quotation/Proposal and/or Technical Spe	cifications
					or within the working days indicated in the PO.	
10 Payment terms: Fifte	en (15) wor	king days upon	completion of delive	ery		
Very Truly Yours			#			
VINCENT A. ISIP, MF	A					
Chief Administrative C	fficer					
D.						
Itam No OTV	I Imié	ARC	Toohniaal	Specifications/ Description	(to be filled up by the supplier)	

Item No. QTY Unit A		Technical Specfications/ Description	(to be filled up by the supplier)				
	ABC		Brand/ Model	Unit Price	Total Amount		
1	1	Unit	1,025.00	Hole Core Bit 100mm, Heavy Duty Hole Core Bit For Concrete, Wall and Masonry, 4inches x 12T			
2	1	Unit	825.00	Hole Core Bit 80mm, Heavy Duty Hole Core Bit For Concrete, Wall and Masonry, 3-1/8inches x 10T			
3	1	Unit	600.00	Hole Core Bit 50mm, Heavy Duty Hole Core Bit For Concrete, Wall and Masonry, 2inches x 6T			
4	1	Unit	910.00	Hole Saw 75mm, Special Carbide tip 3 - Ply Cutters For Metal, Heavy Duty			
5	1	Unit	750.00	Hole Saw 60mm, Special Carbide tip 3 - Ply Cutters For Metal, Heavy Duty			
6	1	Unit	550.00	Hole Saw 40mm, Special Carbide tip 3 - Ply Cutters For Metal, Heavy Duty			
7	2	Units	1,500.00	Pipe Cutter 42mm, Original industrial grade Cutter Steel Blade Up for Cutting PVC Pipes Hose Cutting Hand Tools, Heavy Duty			
8	20	Units	2,500.00	Waterproof Silicon Sealant Wall Hole Adhesive Plasticine Sealant Clay Air Conditioning Hole Repair, Color White, Weight: 1 * 30g, 5pcs/pack			
9	1	Unit	700.00	Hole Core Bit 65mm, Heavy Duty Hole Core Bit For Concrete, Wall and Masonry, 2-9/16inches x 8T			

10 1 5		Set 2,600		Drill Bits complete set, Premium 103pcs Mixed Accessory Set and Titanium Drill Bits; Genuine and High-end,-9 x metal drill bits (2 x 1.5, 3 x 2, 1 x 2.5, 4 x 3, 1 x 3.2, 1 x 3.5, 1 x 4, 1 x 4.5, 1 x 4.8, 1 x 5, 1 x 5.5, 1 x 6 and 1 x 7mm),-40 x 25mm screwdriver bits (10 x		
11	20	Units	2,156.00	PH (2 x 0, 2 x 1, 3 x 2 and 3 x 3mm), 10 x PZ (2 x 0, 2 x 1, 3 x 2 and 3 x 3mm), - 6 x S (2 x 4, 2 x 6 and 2 x 7mm), - 10 x T (2 x 10, 2 x 15, 2 x 20, 2 x 25, 30 and 40mm), - 4 x H (3, 4, 5 and 6mm)), - 13 x 50mm screwdriver bits (4 x PH (0, 1, 2 and 3mm), - 4 x PZ (0, 1, 2 and 3mm), - 2 x S (4 and 6mm), - 3 x T (10, 20 and 25mm)), - 2 x spade bits (16 and 22mm), - 5 x masonry drill bits (4, 5, 6, 8 and 10mm), - Bit holder, - 4 x holesaws (32, 38, 44 and 54mm)Hole saw adapter, - 9 x wood drill bits (2 x 3, 2 x 4, 1 x 5, 1 x - 6, 1 x 7, 1 x 8 and 1 x 10mm), - 7 x nut setters (5, 6, 8, 10, 11, 12 and 13mm), - Countersink and Allen key  Hole Cover, Split, Durable Plastic Air Conditioner Pipe Holes Cover Removable Wall Vent Decorative Cover		
12	20	Units		Dust Cap for Home Office Use, Suitable for drilling holes of 34mm  Hole Cover, Split, Durable Plastic Air Conditioner Pipe		
12			2,200.00	Holes Cover, Spirit, Durable Plastic Air Conditioner Pipe Holes Cover Removable Wall Vent Decorative Cover Dust Cap for Home Office Use, Suitable for drilling holes of 44mm	6	d
13		Units	1,155.00	Hole Cover, Split, Durable Plastic Air Conditioner Pipe Holes Cover Removable Wall Vent Decorative Cover Dust Cap for Home Office Use, Suitable for drilling holes of 50mm		
14	10	Units	1,188.00	Hole Cover, Split, Durable Plastic Air Conditioner Pipe Holes Cover Removable Wall Vent Decorative Cover Dust Cap for Home Office Use, Suitable for drilling holes of 55mm	4	
15	10	Units	1,210.00	Hole Cover, Split, Durable Plastic Air Conditioner Pipe Holes Cover Removable Wall Vent Decorative Cover Dust Cap for Home Office Use, Suitable for drilling holes of 65mm		
16	3	Units	3,000.00	3/4"x50m PVC Flexible Corrugated Electrical Hose		
17	1	Unit	51,100.00	Fiberglass extension Ladders, Height: 40ft, extra heavy load bearing capacity up to 135 kg, outside slide guides, stell swivel safety shoes with metal shield, marresistant rail end caps, anti-skid and ruggedized D foor bar, solid and anti-skid cast aluminum safety lock, all-weather high strength, polypropylene rope ensures smoothness, hanging pulley device proides smooth extension, provided with ruggedized te clip and anti-skid bas		
18	2	Pieces	7,000.00	Lineman's Safety Belt, safety harness		
				**Nothing Follows**		
					I see . I a	
					Total Amount in	
					Figures Total Amount in	

Note: Incomplete description of item/s will invalidate your quotations.

RFQ served by:

RANDOLPH B. ABUYO
Canvasser

Printed Name/Signature of Bidder

MMH-04-08-01



## PURCHASE REQUEST

Entity Name: MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

Fund Cluster: 0

Office/Section:		PR No.: 2023-08-05 38538	Date: August 07, 2023		
IHOM	S	Responsibility Center Code : HOP-IHO			
Stock/ Property No.	Unit	Item Description	Quantity	Unit Cost	Total Cost
	Unit	Hole Core Bit 100mm, Heavy Duty Hole Core Bit For Concrete, Wall and Masonry, 4inches x 12T (IHO-03)	1	1,025.00	1,025.00
4	Unit	Hole Core Bit 80mm, Heavy Duty Hole Core Bit For Concrete, Wall and Masonry, 3-1/8inches x 10T (IHO-04) (IHO-21)	1	825.00	825.00
	Unit	Hole Core Bit 50mm, Heavy Duty Hole Core Bit For Concrete, Wall and Masonry, 2inches x 6T (IHO-05)	1	600.00	600.00
	Unit	Hole Saw 75mm, Special Carbide tip 3 - Ply Cutters For Metal, Heavy Duty (IHO-06) (「HO-24")	1	910.00	910.00
	Unit	Hole Saw 60mm, Special Carbide tip 3 - Ply Cutters For Metal, Heavy Duty (IHO-07) ((IKO - 2K)	1	750.00	750.00
	Unit	Hole Saw 40mm, Special Carbide tip 3 - Ply Cutters For Metal, Heavy Duty (IHO-08) (IHO-2以 (IHO-78)	1	550.00	550.00
	Units	Pipe Cutter 42mm, Original industrial grade Cutter Steel Blade Up for Cutting PVC Pipes Hose Cutting Hand Tools, Heavy Duty (IHO- 09) ((Ho-42)	2	750.00	1,500.00
	Units	Waterproof Silicon Sealant Wall Hole Adhesive Plasticine Sealant Clay Air Conditioning Hole Repair, Color White, Weight: 1 * 30g, 5pcs/pack (IHO-10)	20	125.00	2,500.00
	Unit	Hole Core Bit 65mm, Heavy Duty Hole Core Bit For Concrete, Wall and Masonry, 2- 9/16inches x 8T (IHO-11) ( IHO -442)	1	700.00	700.00
	Set	Drill Bits complete set, Premium 103pcs Mixed Accessory Set and Titanium Drill Bits; Genuine and High-end,- 9 x metal drill bits (2 x 1.5, 3 x 2, 1 x 2.5, 4 x 3, 1 x 3.2, 1 x 3.5, 1 x 4, 1 x 4.5, 1 x 4.8, 1 x 5, 1 x 5.5, 1 x 6 and 1 x 7mm),- 40 x 25mm screwdriver bits (10 x PH (2 x 0, 2 x 1, 3 x 2 and 3 x 3mm), 10 x PZ (2 x 0, 2 x 1, 3 x 2 and 3 x 3mm),- 6 x S (2 x 4, 2 x 6 and 2 x 7mm),- 10 x T (2 x 10, 2 x 15, 2 x 20, 2 x 25, 30 and 40mm),- 4 x H (3, 4, 5 and 6mm)),- 13 x 50mm screwdriver bits (4 x PH (0, 1, 2 and 3mm),- 4 x PZ (0, 1, 2 and 3mm),- 2 x S (4 and 6mm),- 3 x T (10, 20 and 25mm)),- 2 x spade bits (16 and 22mm),- 5 x masonry drill bits (4, 5, 6, 8 and 10mm),- Bit holder,- 4 x holesaws (32, 38, 44 and 54mm)Hole saw adapter,- 9 x wood drill bits (2 x 3, 2 x 4, 1 x 5, 1 x - 6, 1 x 7, 1 x 8 and 1 x 10mm),- 7 x nut setters (5, 6, 8, 10, 11, 12 and 13mm),- Countersink and Allen key (IHO-12) (110 - 12)	1	2,600.00	2,600.00
	Units	Hole Cover, Split, Durable Plastic Air Conditioner Pipe Holes Cover Removable Wall Vent Decorative Cover Dust Cap for Home Office Use, Suitable for drilling holes of 34mm (IHO-13)	20	107.80	2,156.00

		terials for installation of LAN layout			80,969.00
	Pieces	Lineman's Safety Belt, safety harness (IHO-20) ((11) - 40)	2	3,500.00	7,000.00
	Unit	Fiberglass extension Ladders, Height:40ft, extra heavy load bearing capacity up to 135 kg, outside slide guides, stell swivel safety shoes with metal shield, mar-resistant rail end caps, anti-skid and ruggedized D foor bar, solid and anti-skid cast aluminum safety lock, all-weather high strength, polypropylene rope ensures smoothness, hanging pulley device proides smooth extension, provided with ruggedized te clip and anti-skid base(IHO-19)	. 1	51,100.00	51,100.00
	Units	3/4"x50m PVC Flexible Corrugated Electrical Hose (IHO-18)	- 3	1,000.00	3,000.00
4	Units	Hole Cover, Split, Durable Plastic Air Conditioner Pipe Holes Cover Removable Wall Vent Decorative Cover Dust Cap for Home Office Use, Suitable for drilling holes of 65mm (IHO-17)	10	121.00	1,210.00
	Units	Hole Cover, Split, Durable Plastic Air Conditioner Pipe Holes Cover Removable Wall Vent Decorative Cover Dust Cap for Home Office Use, Suitable for drilling holes of 55mm (IHO-16) ( 147 - 33 )	10	118.80	1,188.00
	Units	Hole Cover, Split, Durable Plastic Air Conditioner Pipe Holes Cover Removable Wall Vent Decorative Cover Dust Cap for Home Office Use, Suitable for drilling holes of 50mm (IHO-15) ( (計) ~33)	10	115.50	1,155.00
	Units	Hole Cover, Split, Durable Plastic Air Conditioner Pipe Holes Cover Removable Wall Vent Decorative Cover Dust Cap for Home Office Use, Suitable for drilling holes of 44mm (IHO-14) (IHO-33)	20	110.00	2,200.00

Signature:

Requested by: SGD.

Printed Name : \*SHIELA ROSE P. ARINGO

Designation:

Computer Maintenance Technologist III

Approved by:

SGD.

MARIA LOURDES L. EVANGELISTA, MD, FPPA

Medical Center Chief II

SGD.

FUNUS AVAILABLE
SGD.
LAAPNI DO MAGLAQUI, MBA