

# **PHILIPPINE BIDDING DOCUMENTS**

(As Harmonized with Development Partners)

**Procurement of IT and Office Supplies  
and Equipment for 2025 (EPA)**

**2024-40**

**Government of the Republic of the Philippines**

**Sixth Edition  
July 2020**

**Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# Table of Contents

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>4</b>
<b>Section I. Invitation to Bid.....</b>	<b>7</b>
<b>Section II. Instructions to Bidders.....</b>	<b>10</b>
1. Scope of Bid .....	11
2. Funding Information.....	11
3. Bidding Requirements .....	11
4. Corrupt, Fraudulent, Collusive, and Coercive Practices .....	11
5. Eligible Bidders.....	12
6. Origin of Goods .....	13
7. Subcontracts .....	13
8. Pre-Bid Conference .....	13
9. Clarification and Amendment of Bidding Documents .....	13
10. Documents comprising the Bid: Eligibility and Technical Components .....	13
11. Documents comprising the Bid: Financial Component .....	14
12. Bid Prices .....	14
13. Bid and Payment Currencies .....	15
14. Bid Security .....	15
15. Sealing and Marking of Bids .....	15
16. Deadline for Submission of Bids .....	15
17. Opening and Preliminary Examination of Bids .....	15
18. Domestic Preference .....	16
19. Detailed Evaluation and Comparison of Bids .....	16
20. Post-Qualification .....	17
21. Signing of the Contract .....	17
<b>Section III. Bid Data Sheet .....</b>	<b>18</b>
<b>Section IV. General Conditions of Contract .....</b>	<b>35</b>
1. Scope of Contract .....	36
2. Advance Payment and Terms of Payment .....	36
3. Performance Security .....	36
4. Inspection and Tests .....	36
5. Warranty .....	37
6. Liability of the Supplier .....	37
<b>Section V. Special Conditions of Contract .....</b>	<b>38</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>43</b>
<b>Section VII. Technical Specifications .....</b>	<b>44</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>64</b>

# *Glossary of Acronyms, Terms, and Abbreviations*

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex-works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

## ***Section I. Invitation to Bid***

### **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.





Department of Health  
Central Luzon Center for Health Development  
**MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL**  
*P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105*  
Mobile: 0968-8525-604; Office of the Medical Center Chief: 0968-852-6726 [mail@mmwgh.gov.ph](mailto:mail@mmwgh.gov.ph) [mmwgh.com](http://mmwgh.com)

## INVITATION TO BID FOR THE PROCUREMENT OF IT AND OFFICE SUPPLIES AND EQUIPMENT FOR 2025 (EPA)

1. The **Mariveles Mental Wellness and General Hospital**, is conducting the Procurement of IT and Office Supplies and Equipment for 2025 (EPA) / 2024-40 through the early procurement activity (EPA) for Fiscal Year 2025, consistent with Section 7.6 of RA 9184, where the procuring entity is allowed to undertake the procurement activities short of an award.

The **Mariveles Mental Wellness and General Hospital**, through the **National Expenditure Program (NEP) of 2025** intends to apply a total of **Six Million Nine Hundred Ninety-Two Thousand Five Hundred Fifty-Three Pesos and 18/100 only (Php 6,992,553.18)** as the ABC to payments under the contract for the **Procurement of IT and Office Supplies and Equipment for 2025 (EPA) / 2024-40**. Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The **Mariveles Mental Wellness and General Hospital** now invites bids for the above Procurement Project. Delivery of the Goods is required by **February to June 2025**. Bidders should have completed, within **two (2) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from **MMWGH** and inspect the Bidding Documents at the address given below during Mondays to Fridays; 08:00 am to 05:00 pm, except holidays and work suspensions.
5. A complete set of Bidding Documents may be acquired by interested Bidders from **December 11, 2024, to January 2, 2025**, from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Ten Thousand Pesos only (Php 10,000.00)**.

The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

6. The **MMWGH** will hold a Pre-Bid Conference on **December 19, 2024, at 03:00 PM** at the given address below and/or through video conferencing or webcasting via [Zoom](#), which shall be open to prospective bidders
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before **January 03, 2025, at 03:00 PM**. Late bids shall not be accepted.

8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.

The MMWGH may request the bidders to extend the validity of the bid securities beyond one hundred twenty (120) calendar days, prior to the expiration, if the funding source has yet to be approved and made effective. A change in the form of bid security is allowed if this is made prior to the expiration of the bid validity sought to be extended. If the bidder refuses to extend the bid validity, the MMWGH shall reject the bid submitted by the said bidder.

9. Bid opening shall be on **January 03, 2025**, at **03:00 PM** at the given address below and/or via [Zoom](#). Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. ***Notice of Award (NOA) will only be issued upon the approval and effectivity of the General Appropriations Act 2025.***
11. The **MMWGH** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:

**MARY RODELINE M. CASUAYAN**  
*BAC Secretariat*  
Procurement Unit  
Mariveles Mental Wellness and General Hospital  
P. Monroe Street, Brgy. Poblacion, Mariveles, Bataan  
Email Address: [procurement@mmwgh.gov.ph](mailto:procurement@mmwgh.gov.ph)  
Website: [www.mmwgh.com](http://www.mmwgh.com)  
Contact No.: +639-688545320

13. You may visit the following website(s):

For downloading of Bidding Documents: <https://mmwgh.com/invitation-to-bid/>

*Date of Issue:* **December 11, 2024**

SGD.

---

**RELIA I. VILLEGAS, RN, MAN, Ed. D**  
*Chairperson, BAC*

## ***Section II. Instructions to Bidders***

### **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and the award of contract.

## 1. Scope of Bid

The Procuring Entity, **Mariveles Mental Wellness, and General Hospital** wish to receive Bids for the **Procurement of IT and Office Supplies and Equipment for 2025 (EPA)**, with identification number **2024-40**.

*[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]*

The Procurement Project (referred to herein as “Project”) is composed of **155 Items**, the details of which are described in Section VII (Technical Specifications).

## 2. Funding Information

2.1. The GOP through the source of funding as indicated below for **2025** in the amount of **Six Million Nine Hundred Ninety-Two Thousand Five Hundred Fifty-Three Pesos and 18/100 only (Php 6,992,553.18)**

2.2. The source of funding is:

**a. NEP, National Expenditure Program.**

## 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules, and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration, and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allows foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
  - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
  - c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements: *[Select either failure or monopoly of bidding based on market research conducted]*
    - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies* of the ABC for this Project; and
    - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.

- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## 7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.

## 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through video conferencing or webcasting *via Zoom* as indicated in paragraph 6 of the **IB**.

## 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## 10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **Two (2) years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in a foreign language other than English, they must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be

authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern the interpretation of the bid.

## 11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

### **13. Bid and Payment Currencies**

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

### **14. Bid Security**

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **May 03, 2025**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

### **15. Sealing and Marking of Bids**

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

### **16. Deadline for Submission of Bids**

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

### **17. Opening and Preliminary Examination of Bids**

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting, or other similar technologies will be used, the attendance of participants shall likewise be recorded by the BAC Secretariat.



In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **18. Domestic Preference**

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case may be. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project that has several items shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## ***Section III. Bid Data Sheet***

### **Notes on the Bid Data Sheet**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# Bid Data Sheet

ITB Clause					
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <p>a. <i>[provide the definition or description of similar contracts].</i></p> <p>b. completed within <b>two (2) years</b> prior to the deadline for the submission and receipt of bids.</p>				
12	<p>The price of the Goods shall be quoted DDP <i>[state place of destination]</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.</p>				
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <p>a. The amount of not less than One Hundred Thirty-Nine Thousand Eight Hundred Fifty-One Pesos and 06/100 only (Php 139,851.06)</p> <p>if bid security is in cash, cashier's/manager's check, bank draft/guarantee, or irrevocable letter of credit; or</p> <p>b. The amount of not less than Three Hundred Forty-Nine Thousand Six Hundred Twenty-Seven Pesos and 66/100 only (Php 349,627.66)</p> <p>if bid security is in Surety Bond.</p>				
19.3	No.	ITEMS	QTY	UNIT	TOTAL AMOUNT
	1	10 in 1 DOCKING STATION, Hard Drive Docking Station, USB 3.0 to SATA Dual Bay External Hard Drive Enclosure for 3.5 or 2.5 inch SATA HDD SSD with Offline Clone	1	unit	13,520.00
	2	Arch file color: Black size: A4 spine width: 2 inches (50 mm) rings: 2-ring design Durable lever arch (LA) Mechanism Spine inserts with metal-reinforced edges Lockable front cover	22	piece	7,260.00
	3	Arch file, size: 3 inches #555, color: blue, type: folio	40	piece	8,800.00
	4	Arch file, size: A3, design: with side lever, vertical orientation, color: black	9	piece	2,250.00
	5	Arch file, size: spine width: 2 inches #555, color: black, type: folio	220	piece	44,000.00
	6	Arch file, size: spine width: 2 inches #555, color: blue, type: folio	58	piece	11,600.00
	7	Battery Series Sony NP-FW50 Battery Capacity 1020 mAh Output Voltage 7.4 VDC Battery Chemistry Lithium-Ion Dimensions 1.8 x 1.25 x 0.75" / 4.5 x 3.1 x 1.8 cm Weight 1.5 oz / 42.5 g	2	Piece	11,450.00

8	Bookends, material: Metal, dimension: Height 130mm x Width 210mm, color: assorted	66	piece	8,712.00
9	Bookends, material: Metal, Size: 9 inches, 200mm x 150mm x 23mm	110	pair	46,200.00
10	CAMERA BAG Holds Camera, Drone, iPad, and More Large Top Opening YKK Zippers Multiple Sized Sleeves/Pockets Tripod Strap on Bottom of Bag Space for a 16 oz Water Bottle Attach Camera Clips/Carabiners to Strap Battery Storage/Power Indicator Pocket Hidden AirTag Pocket	2	piece	18,907.72
11	CAMERA GIMBAL Specs Peripheral Accessory Connections 1/4" Mounting Hole, 3/8" Mounting Hole, Camera Control Port, Accessory Port, USB-C Port, RSA Port Intelligent Battery Model: RB2-2450mAh-7.2V Type: 18650 LiPo Capacity: 2450 mAh Power: 17.64 Wh Max. Battery Life: 11 h Charging Time: 2.5 h (5 V/2 A) Charging Temperature: 5° to 40°C (41° to 104°F) Connections Bluetooth 5.0; USB-C Mobile Assistant Software Requirements iOS 9 or above; Android 5.0 or above Working Performance Tested Payload ≤ 2.0 kg Angular Vibration Range ±0.02° Maximum Controlled Rotation Speed Pan axis control: 180°/s Tilt axis control: 180°/s Roll axis control: 180°/s Mechanical Endpoint Range Pan axis control: 360° continuous rotation Tilt axis control: -202.5° to +112.5° Roll axis control: -95° to +220 Controlled Rotation Range Pan axis control: 360° continuous rotation Tilt axis control: -90° to 145° Roll axis control: ±30° Mechanical & Electrical Characteristics Working Current Static current: 0.2 A Working Frequency 2.400 GHz to 2.4835 GHz Transmission Power ≤ 8 dBm Operating Temperature -20° to 45°C (-4° to 113°F) Weight Gimbal: Approx. 830 g	2	unit	48,078.00

	BG18 Grip: Approx. 258 g Tripod: Approx. 160 g Gimbal Dimensions Folded: 220×200×75 mm Unfolded: 370×165×150 mm			
12	Camera Rig Cage Advance Kit Inclusions: - Rig Cage for Sony Alpha 7 IV Camera Body with multiple mounting points: 1/4"-20 threaded holes, ARRI 3/8" -16 locating holes, cold shoe mounts, QD socket and NATO rails support handles, microphones, LED lights, monitors, etc. - Top handle - Side handle - HDMI cable clamp	1	unit	13,477.00
13	Camera Rig Cage Advance Kit Inclusions: - Rig Cage for Sony Alpha A7R V Camera Body with multiple mounting points: 1/4"-20 threaded holes, ARRI 3/8" -16 locating holes, cold shoe mounts, QD socket and NATO rails support handles, microphones, LED lights, monitors, etc. - Top handle - Side handle - HDMI cable clamp	1	unit	13,477.00
14	Cartolina, Color: blue, Size: 22.5 x 28.5 inches, Thickness: 150 gsm	360	roll	12,960.00
15	Cartolina, color: green, size: 22.5 x 28.5 inches, thickness: 150 gsm	376	roll	13,536.00
16	Cartolina, color: orange, size: 22.5 x 28.5 inches, thickness: 150 gsm	616	roll	22,176.00
17	Cartolina, color: pink, size: 22.5 x 28.5 inches, thickness: 150 gsm	376	roll	13,536.00
18	Cartolina, color: red, size: 22.5 x 28.5 inches, thickness: 150 gsm	376	roll	13,536.00
19	Cartolina, color: white, size: 22.5 x 28.5 inches, thickness: 150 gsm	376	roll	13,536.00
20	Cartolina, color: yellow, size: 22.5 x 28.5 inches, thickness: 150 gsm	376	roll	13,536.00
21	Check Printer Ribbon Specification: * Manufacturer Part Number: 99007 * Print Technology: Dot Matrix * Print Color: Black *Ribbon Life: 9 million Character * Specification: 13mm * Width:12.7MM * Length(M): 16M * Features: Long Lasting * Compatible Hardware: Tally Dascom 1140/1145/1330	10	piece	13,000.00
22	Clear book, type: refill, at least 23 holes, size: A4, Quantity: 20 pieces per pack	74	pack	12,950.00
23	Computer Monitor, at least 23.8 inch, FHD (1920 x 1080)	2	piece	17,500.00
24	CORK BOARD, 2 x 3ft, wall type with aluminum frame	16	piece	25,555.20
25	CORK BOARD, 3 x 4ft, wall type with aluminum frame	13	piece	24,224.20

26	CPU Only Ryzen 5 5600G 6-Core   A520M   16GB DDR4 RAM   500GB NVMe SSD   550W Bronze PSU   Sting Pro mATX Case   CPU Package AMD Ryzen 5 5600G 6-Core Processor ASUS PRIME A520M-K Motherboard G.Skill Ripjaws V F4-3200C16D-16GVKB 16GB DDR4 3200 F4-3200C16D 16GVKB Memory Kingston SNV2S/500G 500GB PCIe 4.0 M.2 NVMe SSD MSI MAG A550BN 550W 80+ Bronze Power Supply Sting Pro N24 Black mATX Gaming PC Case with 120mm fan With the inclusion of Microsoft Windows HOME 11 64-bit OEM Php Microsoft Office Home and Student 2021 64-bit OEM	4	unit	161,448.00
27	CRIMPING TOOL Material: Tool steel, PVC, PC Weight: 260g Size: 200*60*20mm Crimp Modular Plug Packing: Blister Card	5	piece	8,125.00
28	Dry seal type: desk type, machine engraved material: stainless steel size: ranging from at least 1.5 to 2.5 inches in diameter MMWGH Logo	1	piece	3,720.00
29	Envelope material: plastic design: expanding, with snap button color: clear size: Long (15 x 11 inches)	4	piece	220.00
30	Eraser, type: for whiteboard use, with magnet (magnetic)	22	piece	2,200.00
31	EXTERNAL HARD DISK DRIVE 2TB Capacity: 2TB USB type: USB 3.0 (compatible with usb2.0) Supported systems: Windows and MAC OS Dimensions: 2.5 inches Format: ExFAT (NTFS format is not supported) Features: Portable, high-speed, external, ultra-thin	18	piece	79,068.60
32	Fastener, size: 7cm, material: plastic, quantity: pack of 50	560	box	67,760.00
33	File envelope type: expanding file folder document organizer, with flap and cord closure material: waterproof transparent plastic size: at least 2.8 inches expansion, can fit up to Legal sized documents	8	piece	2,720.00
34	File folder, size: A3, color: Blue, material: plastic	20	piece	4,840.00
35	File folder, type: translucent/transparent 2-D ring presentation binders file folder, size: A4, 1 inch spine width, color: white	320	piece	76,800.00
36	File tray, layers: 2 layers, material: metal, dimension: standard size to fit Letter or A4-sized documents	86	piece	42,570.00
37	Flash drive, USB 3.0, 64gb	30	piece	11,385.00
38	FLASHDRIVE 128GB Flash Drive, 128 GB	43	piece	26,105.30

	Read Speed: up to 150 MB/s Generation: USB 3.0 System Requirements: Windows XP, Vista, 7, 8, and 10, Mac OS X 10.5 or Later			
39	FLASHDRIVE 32GB Flash Drive, 32 GB Name: USB 2.0 Material: Metal & Plastic Speed: Read 15MB/s, Write 6MB/s Applicable equipment: Desktop Computers, cell phones, laptops, and more devices Operating Temperature: -13 Size: 58.8*19*10.6mm Weight: 14.5g	5	piece	1,755.00
40	Folder, type: expanding, material: cardboard, size: Legal, color: assorted	154	piece	4,928.00
41	GLUE, all-purpose, non-toxic, 200g	79	bottle	6,083.00
42	HDMI CABLE High-Speed Gold-Plated HDMI TO HDMI Cable - Length: 2Meters - Color: Red - Supports HDMI 2.0b 4K 60hz	12	piece	6,600.00
43	HDMI TO LAN ADAPTOR Length of CAT-6/CAT-5E Cable Between Rx and TX: 60 meters / 120 meters HDMI Input: 1080p/1080i/720p/576p/576i/480p/480i HDMI Output: 1080p/1080i/720p/576p/576i/480p/480i HDMI Input (HDES16 HDES17): 4k/1080p/720p/576p/576i/480p/480i HDMI Input (HDES16 HDES17): 4k/1080p/720p/576p/576i/480p/480i Max Bandwidth: 150MHz Max Bandwidth(HDES16 HDES17): 340MHz Max Baud Rate: 4.5Gbps Max Baud Rate(HDES16 HDES17): 3x3.4Gbps Input Video Signal: 0.5~1.5Volts p-p Output DDC Signal: 5Volts p-p (TTL) Input HDMI Cable Distance: ≤10m AWG26 HDMI standard cable Output HDMI Cable Distance: ≤15m AWG26 HDMI standard cable TX Max Working Current: 300mA TX Max Working Current(HDES16 HDES17): 500mA RX Max Working Current: 300mA Power Adapter Format: Input:AC (50HZ, 60HZ) 100V-240V; Output: DC5V/1A Operating Temperature Range: (-15 to +45°C) Operating Humidity Range: 5 to 90%RH (No Condensation) Dimension (L x W x H): 60x56x19 (mm) / 64x59x22(mm) TX Weight: 53g RX Weight: 53g	3	piece	3,282.00
44	HEADSET - Frequency Response: - Headset: 20Hz-20kHz - Microphone: 100Hz-10 kHz - Input sensitivity: -62 dBV/μbar, -42 dBV/Pa +/- 3 dB - Cable length: 8 feet - Connections: USB compatible (1.1 and 2.0) - System Requirements: Windows 2000, Windows XP,	18	piece	12,420.00



	Windows Vista, Windows 7, Mac OS X (10.2.8 or later), USB Port			
45	ID CARD HOLDER, Transparent Soft Card Holder, Vertical, L85mm x W54mm	1050	piece	28,875.00
46	ID LACE, Customized Lanyard, 1"	1050	piece	51,975.00
47	Indoor Access Point EAP265 HD AC1750 Wireless MU-MIMO Gigabit Ceiling Mount Access Point Fast Dual-Band Wi-Fi: Simultaneous 450 Mbps on 2.4 GHz and 1300 Mbps on 5 GHz totals 1750 Mbps Wi-Fi speeds.† High-Density Connectivity: MU-MIMO, Load Balance, and professional antennas improve capacity in high-density environments to connect more devices simultaneously. Integrated into Omada SDN: Supports Zero-Touch Provisioning (ZTP)‡, Centralized Cloud Management, and Intelligent Monitoring. Centralized Management: Cloud access and Omada app for ultra convenience and easy management. Seamless Roaming: Even video streams and voice calls are unaffected as users move between locations.§ PoE Support: Supports both standard 802.3af/at and Passive PoE (PoE adapter included) for flexible installations. Secure Guest Network: Along with multiple authentication options (SMS/Facebook Wi-Fi/ Voucher, etc.) and abundant wireless security technologies.	15	piece	207,870.00
48	INK, Brother BT5000, cyan, 48.8 ml	27	bottle	18,503.10
49	INK, Brother BT5000, magenta, 48.8 ml	27	bottle	18,503.10
50	INK, Brother BT5000, yellow, 48.8 ml	27	bottle	18,503.10
51	INK, Brother BT6000, black, 108ml	12	bottle	8,144.40
52	INK, Brother BT6000, black, 108ml	45	bottle	30,888.00
53	INK, Brother TN-3448	12	cartridge	78,883.20
54	Ink, Canon GI-71, 70ml, magenta	43	bottle	23,413.50
55	Ink, Canon GI-71, 70ml, yellow	43	bottle	23,413.50
56	INK, Epson 001, black, 127ml	68	bottle	36,278.00
57	INK, Epson 001, cyan, 70ml	32	bottle	11,404.80
58	INK, Epson 001, magenta, 70ml	34	bottle	12,117.60
59	INK, Epson 001, yellow, 70ml	34	bottle	12,117.60
60	INK, Epson 003, black, 65ml	984	bottle	378,840.00
61	INK, Epson 003, cyan, 65ml	407	bottle	156,695.00
62	INK, Epson 003, magenta, 65ml	393	bottle	151,305.00

63	INK, Epson 003, yellow, 65ml	396	bottle	152,460.00
64	Ink, Epson 008, Black, Pigment, 127ml	35	bottle	32,725.00
65	Ink, Epson 008, Cyan, Pigment, 70ml	24	bottle	18,876.00
66	Ink, Epson 008, Magenta, Pigment, 70ml	24	bottle	18,876.00
67	Ink, Epson 008, Yellow, Pigment, 70ml	20	bottle	15,730.00
68	INK, Epson T6734, Yellow 70ml	4	bottle	2,332.00
69	Ink, GT 52 for HP Ink Tank 315, 90ml, Cyan	6	bottle	2,700.00
70	Ink, GT 52 for HP Ink Tank 315, 90ml, Magenta	6	bottle	2,700.00
71	Ink, GT 52, for HP Ink Tank 315, 90ml, Yellow	6	bottle	2,700.00
72	Ink, GT 53 for HP Ink Tank 315, 90ml, Black	18	bottle	8,100.00
73	Ink, marking, permanent, refill, black, 10ml	31	bottle	2,557.50
74	Ink, type: Epson T6641, color: black, volume: 70 mL	28	bottle	12,460.00
75	Ink, type: Epson T6642, color: cyan, volume: 70 mL	10	bottle	4,450.00
76	Ink, type: Epson T6643, color: magenta, volume: 70 mL	10	bottle	4,450.00
77	Ink, type: Epson T6644, color: yellow, volume: 70 mL	10	bottle	4,450.00
78	Ink, type: refill ink for self-inking stamps, daters, color: black, volume: 20mL	30	bottle	4,200.00
79	Keyboard with mouse Keycaps: A-Shape, Round Edge Hotkeys: 12 FN Multimedia Hotkeys Character: Laser Engraving Adjustable Keyboard Legs: Yes Rating: 5 V / 30 mA Dimension: 454 × 153 × 32 mm Weight: 585 g Cable Length: 150 cm Port: USB Mouse: OP-720 Report Rate: 125 Hz Sensor: Optical Resolution: 1000 DPI Rating: 5 V / 100 mA Buttons No.: 3 Ergonomic Design: Symmetric Size: Middle / Big Hands Port: USB or PS2 Demension: 119 × 62 × 37 mm Weight: 86 g Cable Length: 150 cm	34	piece	40,177.80
80	Laminating film type: pre-cut pouches for ID card/business cards thickness: 125 microns size: 70mm x 100mm	24	pack	4,200.00

	material: plastic (typically PET or similar) quantity: pack of 100 sheets			
81	Laminating Film, A4, 250-micron x 100's	117	pack	135,135.00
82	Laminating machine for A3 size, temperature range: 0-220 (degree Celsius) C. time range- 0-999 seconds, voltage 220v/60 Hz	10	unit	70,800.00
83	LICENSED MICROSOFT OFFICE PROFESSIONAL 2021 Minimum Specifications: - Microsoft Office Home and Professional 2021 - Classic 2021 versions of Word, Excel, PowerPoint, and Outlook, plus Publisher and Access - Sealed box with physical license key card (not OEM / not pre-installed) - Inclusion: Warranty Certification	2	license	13,000.00
84	Marker ink type: Permanent color: black tip type: bullet tip design: refillable quantity: box of 12	24	box	3,120.00
85	Marker ink type: Permanent color: black tip type: twin tip (0.4mm and 1mm) design: for all types of surfaces quick dry and smudge-free	362	piece	18,100.00
86	MICROPHONE, WIRELESS Dual UHF Wireless Microphone 200 Selectable Frequencies Auto Frequency Search Function Easy to Sync & Operate Receiver Display Battery Status 2 Battery Charging Slot On Receiver Unit LCD Display On Transmitter & Receiver 1U Space Rack Mountable Dual Antenna Receiving System 3.7V 1100 mAh Li-Ion Rechargeable Battery	2	unit	39,202.80
87	MINI PC Processor CPU, Intel Atom Z3795 (Quad Core 1.6 GHz base/2.39 GHz burst SoC BGA) Display: Internal: 10.1-inch diagonal WUXGA wide-viewing angle , outdoor display (1920 x 1200), Wide-viewing angle Direct bonded, Multi-touch capacitive digitizer, Auto rotate (selectable) Memory: Standard: 4 GB LPDDR3 1067 MHz memory (RAM), Storage: 64 GB eMMC (ROM) Camera: 2.1 MP, 1080p (front-facing); 8 MP, LED flash (rear-facing) Wireless: Broadcom 802.11a/b/g/n (2x2) and Bluetooth® 4.0, WiFi+Bluetooth Audio: HD audio; Headphone/microphone combo jack Battery type: Two 2-cell, long-life 30 WHr Li-ion polymer Ports/Slots: Headphone/Microphone combo jack - One, System connector - One MicroSDXC card slot supported: Supports microSDXC cards up to 2TB(Excluding micro SD) Dimensions (W x D x H) 8.48 x 11.3 x 1.51 in 215.15 x 287.1 x 36.4 mm Optional HP ElitePad docking station with AC adapter	10	set	200,000.00

	Product Features HDMI, VGA, Ethernet/LAN, and four USB 2.0 ports. Ports/Slots USB 2.0 port x 4 HDMI Standard port x 1 VGA Port x 1 Ethernet/LAN Port x 1 Headphone/Microphone combo jack x 1 19.5V/3.34A input port x 1 With Keyboard and Mouse			
88	Monitor 32" Curved VA 100Hz 1920x1080 FHD Freesync Monitor Features: Vivid Color Dynamic Action Sync Black Stabilizer Reader Mode Flicker Safe 3-Side Virtually Borderless Display	4	unit	47,736.00
89	MOUSE AND KEYBOARD - Full-Size - USB Natural_A Fn - Wired Keyboard And Mouse Combo	24	piece	16,560.00
90	Name plate holder material: acrylic transparent clear type: for desks, side-mounted, L-type nameplate size: 12 x 3 inches thickness: at least 2mm	40	piece	15,000.00
91	Name tag holder type: with metal pin/clip material: waterproof PVC size: 2.3inches x 3.5inches (horizontal orientation) color: clear quantity: 50 pieces per box	55	box	33,000.00
92	Paper cutter for A4 size, metal structure, with grid lines and measurement guidelines for A5, B5, B6, B7	9	unit	29,160.00
93	Paper cutter for B4 size, metal structure, with grid lines and measurement guidelines for A4, A5, B4, B5, B6, B7	1	unit	1,860.00
94	Paper, A4, Multicopy, specifically green, 80 gsm, Substance 24; 500 sheets per ream	150	ream	61,500.00
95	Paper, type color, size: 8.5"x11, thickness: 80 gsm, color: light pink, Quantity: 250 sheets per ream	12	ream	3,780.00
96	Paper, type: colored, size: 8.5"x11, thickness: 80 gsm, color: light blue, Quantity: 250 sheets per ream	12	ream	3,780.00
97	Paper, type: colored, size: 8.5"x11, thickness: 80 gsm, color: light green, Quantity: 250 sheets per ream	13	ream	4,095.00
98	Paper, type: colored, size: 8.5"x11, thickness: 80 gsm, color: light orange, Quantity: 250 sheets per ream	7	ream	2,205.00
99	Paper, type: colored, size: 8.5"x11, thickness: 80 gsm, color: light yellow, Quantity: 250 sheets per ream	12	ream	3,780.00
100	Paper, type: Manila, size: 36 x 48 inches (93 x 122 cm), quantity: pack of 10	125	pack	15,000.00
101	Paper, type: multicopy, size: A3, thickness: minimum 80 gsm	14	ream	8,820.00
102	Paper, type: photo paper, matte, size: A4, color: white, thickness: 260 gsm, Quantity: 10 sheets per pack	155	pack	46,500.00

103	Paper, type: printable vinyl sticker paper, matte, size: A4, color: white, thickness: 80 gsm, Quantity: 20 sheets per pack	49	pack	11,760.00
104	Paper, type: specialty board paper, size: Legal, color: Pale Cream, thickness: 200 gsm, Quantity: 10 sheets per pack	130	pack	7,150.00
105	Paper, type: specialty board, size: A4, color: White to Pale Cream, Quantity: 10 sheets per pack	269	pack	12,105.00
106	Paper, type: Sticker paper, matte, size: A4, color: white, quantity: 10 sheets per pack	284	pack	12,780.00
107	Pen, type: ballpoint pen, retractable design, tip point: at least 0.7 mm tip, color: black	1684	piece	26,944.00
108	Pen, type: ballpoint pen, retractable design, tip point: at least 0.7 mm tip, color: red	80	piece	1,280.00
109	Pen, type: ballpoint pen, table pen (conical tip with adhesive back base, with telephone-style plastic coil), color: black, tip point: at least 1.0 mm tip	150	piece	6,000.00
110	Pen, with cover, type: ballpoint pen, color: black, tip size: 0.7 mm or 1.0 mm	1509	piece	19,918.80
111	Photopaper, A4 size, Single Sided; Hi-Glossy, 260 gsm, 20 sheets	45	pack	10,800.00
112	Pin, type: magnetic, size: round, 20mm diameter, quantity: box of 12 pins	10	box	1,050.00
113	Pin, type: push pin, color: assorted, Quantity: 100 pieces per box	70	box	15,400.00
114	Plastic cover, color: clear, thickness: 1.5mm	192	yard	19,200.00
115	POWER SUPPLY UNIT - Connectors and cables: 1x 24 pin 550MM - 1x24 Pin 550mm - 1x8 Pin (4+4) 600mm - 1xPCIE 8 Pin (6+2) - 4x SATA - 4x IDE Connector - 1x AC Power Cable 1.5m	5	piece	7,350.00
116	Presentation Clicker for Powerpoint, Wireless Presenter Remote with Laser Pointer	4	piece	8,800.00
117	PRINTER (PRINT, SCAN, COPY) Printing Technology: Print Method: On-demand inkjet (piezoelectric) Printer Language: ESC/P-R, ESC/P Raster Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Maximum Resolution: 5760 x 1440 dpi Automatic 2-sided Printing: Yes (Up to A4) Print Speed: Photo Default - 10 x 15 cm / 4 x 6 " *1: Approx. 92 sec per photo (Borderless) *2 Approx. 69 sec per photo (Border) *2 Draft, A4 (Black / Colour): Up to 33 ppm / 15 ppm*2 ISO 24734, A4 Simplex (Black / Colour): Up to 10.5 ipm / 5.0 ipm*2 ISO 24734, A4 Duplex (Black / Colour): Up to 6.0 ipm / 4.0 ipm*2	35	unit	822,500.00

		First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec*2			
118		PRINTER (Print, Scan, Copy, Fax with ADF ) Printing Technology: Printer Language: ESC/P-R, ESC/P Raster Print Direction: Bi-directional printing Technology: PrecisionCore Printhead Nozzle Configuration: 400 x 1 nozzles Black, 128 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Minimum Droplet Size: 3.3 pl Maximum Resolution: 4800 x 1200 dpi (with Variable-Sized Droplet Technology) Automatic 2-sided Printing: No Print Speed: Photo Default - 10 x 15 cm / 4 x 6 " *2: Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless) Draft, A4 (Black / Colour): Up to 33.0 ppm / 20.0 ppm ISO 24734, A4 Simplex (Black / Colour): Simplex: Up to 15.0 ipm / 8.0 ipm First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec	7	unit	136,850.00
119		PRINTER FEEDER RUBBER Paper Pickup Roller Rub 5 per Set Pickup Feed Roller SEPARATION PAD Rubber for EPSON L3110	3	Set	1,072.50
120		PRINTER(A3) Printer Type: Print, Scan, Copy, Fax with ADF Printing Technology: Print Method: PrecisionCore™ Printhead Minimum Ink Droplet Volume: 3.3 pl Printer Language: ESC / P-R Print Direction: Bi-directional printing Nozzle Configuration: 400 x 1 nozzles (Black), 128 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution: 4800 x 1200 dpi Automatic 2-sided Printing: Yes (up to A4 / Letter) Print Speed: Photo Default - 10 x 15 cm / 4 x 6 " *1: Approx. 71 sec per photo (Border) / 95 sec per photo (Borderless) Draft, A4 (Black / Colour): Up to 38.0 ppm / 24.0 ppm *2 ISO 24734, A4 Simplex (Black / Colour): Up to 17.0 ipm / 9.0 ipm *2 ISO 24734, A4 Duplex (Black / Colour): Up to 7.0 ipm / 5.0 ipm *2 ISO 24734, A3 Simplex (Black / Colour): Up to 3.5ipm / 2.3 ipm *2 First Page Out Time from Ready Mode (Black / Colour):	2	unit	71,500.00

	Simplex: Up to 10 sec / 16 sec *2 Duplex: Up to 17 sec / 25 sec *2			
121	Projector - Resolution: Full HD - Input Connectivity: HDMI - Projector Features: Wireless - Weight: 3.6kg - Projector Brightness: 3600Lumens - Projector Contrast Ratio: 15000:1 - Dimension (L x W x H): 34"(L) x 38"(W) x 17"(H) - Type: XGA - Normal Lamp Life House: 6000 Hours - Economic Lamp Life Hours: 12000 Hours - Contrast Ratio: 15,000 - Function Type: Basic Projector - Gross Weight: 3.2kg - Net Weight: 2.4kg	5	piece	151,650.00
122	PVC CARD(RFID) 100pcs High Chip Frequency RFID F08 13.56MHZ Quantity: 1000 Frequency: 13.56MHz Protocol: ISO14443A Unique ID: 32bits EEPROM Size: 1024Bytes Material: PVC Temperature: -20°C ~ +50°C Data Retention: 10(year) Write Endurance: 100,000(cycles) Dimension: 85.6 × 54 × 0.86 (mm)	5	Piece	32,955.00
123	Rechargeable Battery with charger Technology: Ni-MH Low Discharge Rechargeable Battery Voltage: 1.2 V Condition: Brand New, Sealed and Original Battery Cell Composition: NiMH Voltage: 1.2 Volts	11	piece	17,985.00
124	Refill ink, for the self-inking stamp, volume: 28mL, color: blue	15	bottle	3,960.00
125	RFID READER Support one card or its compatible RFID card. Frequency:125Khz Read the first 10 digits of the RFID/Proximity card. Support Windows 95/98/2000/XP. Communication speed: 106Kbit/s Power: DC 5V(+/-5%) Reading distance: 5-8cm Interface: USB Operating temperature: -10 degrees - 70 degrees Storage temperature: -20degree - +80 degree Size: ( L*W*H ) 10.8 x 7.8 x 2.8cm Weight: 70g. with USB Cable: 90g Color: black	20	Piece	14,000.00
126	RJ45 METAL SHIELDED Category: Compatible to both Cat6 and Cat6e Type: Metal Shielded (Not Passthrough) Gold Plating: 50 Microns Application: Network cabling Gender: Male Pins: 8P Connector type: MALE PLUG FOR INTERNET CABLE FIT STRANDED AND SOLID CABLE	5	piece	2,700.00

127	Sharpener, type: automatic (battery-operated), design: tabletop, pencil compatibility: adjustable settings to accommodate different sizes	8	piece	4,576.00
128	Sheet Protector model: JC305B size: Legal horizontal orientation material: clear plastic holes: at least 11 holes quantity: pack of 10s	661	pack	181,775.00
129	Sheet Protector size: A3 horizontal orientation material: clear plastic holes: at least 2 to 11 holes quantity: pack of 10s	23	pack	7,590.00
130	Sheet Protector size: A3 horizontal orientation material: clear plastic holes: at least 3 to 11 holes quantity: pack of 10s	15	pack	4,950.00
131	Sheet Protector size: A4 horizontal orientation material: clear plastic holes: at least 11 holes quantity: pack of 10s	738	pack	202,950.00
132	Shredding capacity- 8 sheets, 5 mins. continuous shredding, bin capacity- 15L, overheating protection, infrared sensor automatic paper feeding, with overheat protection.	11	unit	75,240.00
133	SSD (240GB) Capacity: 240GB Interface: SATA Rev. 3.0 (6Gb/s) – with backward compatibility to SATA Rev. 2.0 (3Gb/s) Form Factor: 2.5" Data Transfer: up to 500MB/s Read and 320MB/s Write Power Consumption: 0.195W Idle / 0.279W Avg / 0.642W (MAX) Read 1.535W (MAX) Write Storage temperature -40°C~85°C Operating temperature 0°C~70°C Life expectancy: 1 million hours MTBF	10	piece	18,700.00
134	Stamp type: Self-inking Stamp in dual color Plate size: 41mm x 22mm (LxW) Ink color: Blue Line of text: 3 lines Text content: "RECEIVED", with date format: MMM-DD-YYY, and "BY: _____" "	13	piece	12,870.00
135	Stamp type: Self-inking Stamp Plate size: 60mm x 30mm (LxW) Text Format: "CERTIFIED TRUE COPY" (CAPITAL, Bold text, Aligned to Centered, font: Bodoni MT, size: 16); "Signed and Date" (Aligned to Left, font: Arial Narrow, size:	13	piece	17,160.00



	11) Ink Color: Blue Line of text: 3 lines			
136	Stamp, design: customized (text: "Certified True Copy"), size: 6 x 3 cm, type: self-inking stamp	4	piece	2,376.00
137	Stamp, design: customized, size: 6 x 3 cm, type: rubber stamp or self-inking stamp, "OPU Medical", one line only, black ink	3	piece	1,782.00
138	Sticky notes flags, size: 44 x 12 mm, color: assorted, quantity of 50 sheets per pad	90	pad	5,130.00
139	Synthetic rubber-based construction adhesive, 300 grams	5	pack	1,400.00
140	TABLET Processor: CPU Speed: 2.2 GHz, 2 GHz, CPU Type: Octa-Core Display: Size (Main Display): 8.7" (220.5mm), Resolution (Main Display): 1340 x 800 (WXGA+), Technology (Main Display): TFT, Color Depth (Main Display): 16M Camera: Rear Camera - Resolution: 8.0 MP, Rear Camera - Auto Focus: Yes, Front Camera - Resolution: 2.0 MP, Rear Camera - Flash: No, Video Recording Resolution: FHD (1920 x 1080) @ 30fps, Storage/Memory: Memory (GB): 4, Storage (GB): 64, Available Storage (GB): 44.9, External Storage Support: MicroSD (Up to 1TB) USB Version: USB 2.0 Location Technology: GPS, Glonass, Beidou, Galileo, QZSS Earjack: 3.5mm Stereo, MHL: No Wi-Fi: 802.11 a / b / g / n / ac 2.4G+ 5GHz, VHT80, Wi-Fi Direct: Yes Bluetooth Version: Bluetooth v5.3, PC Sync.: Smart Switch (PC version) OS: Android Form Factor: Tablet Sensors: Accelerometer, Geomagnetic Sensor, Light Sensor, Proximity Sensor Dimension (HxWxD, mm): 211.0 x 124.7 x 8.0 Weight (g): 333 Battery Capacity (mAh, Typical): 5100 Removable: No Inclusions: USB Type-C Cable, Quick Start Guide, Sim Ejector, and Warranty Certification	38	unit	421,800.00
141	Tape, type: double-sided with foam, size: 1 inch, length per roll: 5 meters	127	roll	30,022.80
142	Tape, type: double-sided, size: 1 inch, length per roll: 5 meters	293	roll	18,634.80
143	Thermal Paper, 80mm x 80mm for 80mm POS Thermal Printer, Quantity: 50 rolls, Quality: Glossy	40	Roll	97,064.00
144	Toner cartridge, laser, model: Brother, TN-2380, color: black	41	piece	116,850.00
145	Toner cartridge, type: for laserjet printer, model: CF226A, HP, color: 26A Black	9	piece	75,600.00
146	UNINTERRUPTIBLE POWER SUPPLY (UPS) (4 UNIVERSAL SOCKETS) Minimum Specifications: - Output Power Capacity: 650VA, AVR, 230V - Output Frequency: 50/60 Hz +/-1 Hz - Nominal Input Voltage: 230V - Maximum Input Current: 5A	74	piece	648,388.00

	<ul style="list-style-type: none"> <li>- Battery Type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte leak-proof</li> <li>- Recharging Time: 4 Hours</li> <li>- 4-6 Universal outlets</li> </ul>			
147	USB C HUB Type C 3.1, 7-in-1 USB C HUB, HDMI 4K30Hz + PD 100W + SD + TF + 2x USB3.0 + USB C 5Gbps	2	piece	8,450.00
148	USB HUB, USB 3.0 Hub, 4 Port, Multi Splitter High-Speed OTG for Laptop, PC adaptor, Plug and Play, 7 Port USB Hub, Supports Windows Vista, Windows XP, 2000, 98, and Mac OS 8.6 and higher	2	piece	1,866.80
149	<p>USB WIFI DONGLE</p> <p>Wireless Standard: IEEE 802.11b/g/n 2.4GHz, IEEE 802.11a/n/ac 5GHz</p> <p>Frequency: 2.4GHz, 5GHz</p> <p>Wireless Mode: Ad-Hoc / Infrastructure Mode</p> <p>Wireless Security: WEP, WPA/WPA2, WPA-PSK/ WPA2-PSK</p> <p>Modulation Technology: DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM, 256QAM</p> <p>Interface: USB 2.0</p> <p>LED: Status</p> <p>Dimensions: 0.73 × 0.59 × 0.28 in (18.6 × 15 × 7.1 mm)</p> <p>Windows10/8.1/8/7/XP, Mac OS X 10.9-10.13</p> <p>Dual Band – Selectable 2.4GHz and 5GHz bands to avoid wireless signal interference</p> <p>Easy Installation – A friendly user interface utility on a CD for simple installation</p> <p>Fast Wi-Fi – 200Mbps on 2.4GHz and 433Mbps on 5GHz wireless speeds are ideal for HD streaming video, lag-free gaming and large file downloads</p> <p>Mini design – The Archer T2U Nano is very small and can be left in a computer's USB port once plugged in</p> <p>Active Defense – WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats</p> <p>High Speed WIFI – Up to 600Mbps speeds with 200Mbps on 2.4GHz and 433 Mbps on 5GHz, upgrades your devices to higher AC WIFI speeds.</p> <p>Dual Band Wireless – 2.4GHz and 5GHz band for flexible connectivity, upgrades your devices to work with the latest dual-band WIFI router for faster speed and extended range.</p> <p>Nano design – Small, unobtrusive design allows you to plug it in and forget it is even there</p> <p>Operating System – Supports Windows 10/8.1/8/7/XP, Mac OS X</p> <p>Advanced Security – Supports 64/128-bit WEP, WPA/WPA2, and WPA-PSK/WPA2-PSK encryption standards</p> <p>SKU: PH2120173"</p>	2	piece	3,300.00
150	Vellum Board, Cream, 200GSM	38	piece	1,507.46
151	<p>WEBCAM</p> <p>TECHNICAL SPECS:</p> <ul style="list-style-type: none"> <li>- HD WEBCAM 1080p/720p</li> <li>- Max Resolution: 720p/30fps or better</li> <li>- Camera mega pixel: 0.9</li> <li>- Focus type: fixed focus</li> <li>- Lens type: plastic</li> <li>- Built-in mic: Mono</li> <li>- Mic range: Up to 1 m</li> <li>- Diagonal field of view (dFoV): 55°</li> </ul>	45	piece	82,665.00

		- Universal mounting clip fits laptops, LCDs, or monitors - Inclusion: Warranty Certification			
152		Whiteboard, type: with an aluminum frame, size: 2 x 3 feet	25	piece	52,500.00
153		Whiteboard, type: with an aluminum frame, with a magnetic surface, size: 3 x 4 feet	29	piece	87,000.00
154		Wired Earphones Earbuds 3.5mm Jack Stereo Headset with Built-in Mic (Black)	16	piece	2,880.00
155		WIRELESS MICROPHONE FOR CAMERA 2-Person Interviews, Vlogs & Podcasts Built-In Omni Mics & 3.5mm Mic Inputs 2 x Mini Clip-On Transmitters/Recorders Records 7 Hours of Uncompressed Audio Easy Setup with No Menus Stereo or Dual-Mono Output Modes 7-Hr Rechargeable Batteries + USB Power Powerful Features/Customization via App USB Audio Interface Functionality Up to 8 Mics on Set / 656' Range	2	Set	52,000.00

## ***Section IV. General Conditions of Contract***

### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing the performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, that may be needed, shall be introduced only through the Special Conditions of Contract.

## 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitations that were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## 2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

## 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## **5. Warranty**

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## *Section V. Special Conditions of Contract*

### **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

## Special Conditions of Contract

GCC Clause	
1	<p><i>[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on their applicability to this Contract:]</i></p> <p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered <i>[indicate place of destination]</i>. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered <i>[indicate place of destination]</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <b>Mr. Vincent A. Isip, Chief Administrative Officer</b></p> <p><b>Incidental Services –</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> </ol>
	<ol style="list-style-type: none"> <li>e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> </ol>



The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

**Spare Parts –**

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

*Select appropriate requirements and delete the rest.*

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the cost thereof is included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified. If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

**Packaging –**

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

	<p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity  Name of the Supplier  Contract Description  Final Destination  Gross weight  Any special lifting instructions  Any special handling instructions  Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p><b>Transportation –</b></p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic</p>

	<p>Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p><b>Intellectual Property Rights –</b></p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from the use of the Goods or any part thereof.</p>
2.2	<i>[If partial payment is allowed, state]</i> “The terms of payment shall be as follows: request for partial payment shall be made in writing to HoPE.”
4	The inspections and tests that will be conducted are Inspection and Product checking.

***Section VI. Schedule of Requirements***

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

<b>Item Number</b>	<b>Description</b>	<b>Quantity</b>	<b>Total</b>	<b>Delivered, Weeks/Months</b>
	Refer to the Purchase Order and/or attached Terms of Reference.			

## ***Section VII. Technical Specifications***

### **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality to the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### **Sample Clause: Equivalency of Standards and Codes**

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

# Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidder’s Bid and cross-referenced to that evidence. Evidence shall be in the form of the manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification, or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
1	10 in 1 DOCKING STATION, Hard Drive Docking Station, USB 3.0 to SATA Dual Bay External Hard Drive Enclosure for 3.5 or 2.5 inch SATA HDD SSD with Offline Clone	
2	Arch file color: Black size: A4 spine width: 2 inches (50 mm) rings: 2-ring design Durable lever arch (LA) Mechanism Spine inserts with metal-reinforced edges Lockable front cover	

3	Arch file, size: 3 inches #555, color: blue, type: folio	
4	Arch file, size: A3, design: with side lever, vertical orientation, color: black	
5	Arch file, size: spine width: 2 inches #555, color: black, type: folio	
6	Arch file, size: spine width: 2 inches #555, color: blue, type: folio	
7	Battery Series Sony NP-FW50 Battery Capacity 1020 mAh Output Voltage 7.4 VDC Battery Chemistry Lithium-Ion Dimensions 1.8 x 1.25 x 0.75" / 4.5 x 3.1 x 1.8 cm Weight 1.5 oz / 42.5 g	
8	Bookends, material: Metal, dimension: Height 130mm x Width 210mm, color: assorted	
9	Bookends, material: Metal, Size: 9 inches, 200mm x 150mm x 23mm	
10	CAMERA BAG Holds Camera, Drone, iPad, and More Large Top Opening YKK Zippers Multiple Sized Sleeves/Pockets Tripod Strap on Bottom of Bag Space for a 16 oz Water Bottle Attach Camera Clips/Carabiners to Strap Battery Storage/Power Indicator Pocket Hidden AirTag Pocket	
11	CAMERA GIMBAL Specs Peripheral Accessory Connections 1/4" Mounting Hole, 3/8" Mounting Hole, Camera Control Port, Accessory Port, USB-C Port, RSA Port Intelligent Battery Model: RB2-2450mAh-7.2V Type: 18650 LiPo Capacity: 2450 mAh Power: 17.64 Wh Max. Battery Life: 11 h Charging Time: 2.5 h (5 V/2 A) Charging Temperature: 5° to 40°C (41° to 104°F) Connections Bluetooth 5.0; USB-C Mobile Assistant Software Requirements iOS 9 or above; Android 5.0 or above Working Performance Tested Payload ≤ 2.0 kg Angular Vibration Range ±0.02° Maximum Controlled Rotation Speed Pan axis control: 180°/s	



	<p>Tilt axis control: 180°/s  Roll axis control: 180°/s  Mechanical Endpoint Range  Pan axis control: 360° continuous rotation  Tilt axis control: -202.5° to +112.5°  Roll axis control: -95° to +220  Controlled Rotation Range  Pan axis control: 360° continuous rotation  Tilt axis control: -90° to 145°  Roll axis control: ±30°  Mechanical &amp; Electrical Characteristics  Working Current  Static current: 0.2 A  Working Frequency  2.400 GHz to 2.4835 GHz  Transmission Power  ≤ 8 dBm  Operating Temperature  -20° to 45°C (-4° to 113°F)  Weight  Gimbal: Approx. 830 g  BG18 Grip: Approx. 258 g  Tripod: Approx. 160 g  Gimbal Dimensions  Folded: 220×200×75 mm  Unfolded: 370×165×150 mm</p>	
12	<p>Camera Rig Cage Advance Kit  Inclusions:  - Rig Cage for Sony Alpha 7 IV Camera Body with multiple mounting points: 1/4"-20 threaded holes, ARRI 3/8" -16 locating holes, cold shoe mounts, QD socket and NATO rails support handles, microphones, LED lights, monitors, etc.  - Top handle  - Side handle  - HDMI cable clamp</p>	
13	<p>Camera Rig Cage Advance Kit  Inclusions:  - Rig Cage for Sony Alpha A7R V Camera Body with multiple mounting points: 1/4"-20 threaded holes, ARRI 3/8" -16 locating holes, cold shoe mounts, QD socket and NATO rails support handles, microphones, LED lights, monitors, etc.  - Top handle  - Side handle  - HDMI cable clamp</p>	
14	<p>Cartolina, Color: blue, Size: 22.5 x 28.5 inches, Thickness: 150 gsm</p>	
15	<p>Cartolina, color: green, size: 22.5 x 28.5 inches, thickness: 150 gsm</p>	
16	<p>Cartolina, color: orange, size: 22.5 x 28.5 inches, thickness: 150 gsm</p>	
17	<p>Cartolina, color: pink, size: 22.5 x 28.5 inches, thickness: 150 gsm</p>	

18	Cartolina, color: red, size: 22.5 x 28.5 inches, thickness: 150 gsm	
19	Cartolina, color: white, size: 22.5 x 28.5 inches, thickness: 150 gsm	
20	Cartolina, color: yellow, size: 22.5 x 28.5 inches, thickness: 150 gsm	
21	Check Printer Ribbon Specification: * Manufacturer Part Number: 99007 * Print Technology: Dot Matrix * Print Color: Black *Ribbon Life: 9 million Character * Specification: 13mm * Width:12.7MM * Length(M): 16M * Features: Long Lasting * Compatible Hardware: Tally Dascom 1140/1145/1330	
22	Clear book, type: refill, at least 23 holes, size: A4, Quantity: 20 pieces per pack	
23	Computer Monitor, at least 23.8 inch, FHD (1920 x 1080)	
24	CORK BOARD, 2 x 3ft, wall type with aluminum frame	
25	CORK BOARD, 3 x 4ft, wall type with aluminum frame	
26	CPU Only Ryzen 5 5600G 6-Core   A520M   16GB DDR4 RAM   500GB NVMe SSD   550W Bronze PSU   Sting Pro mATX Case   CPU Package AMD Ryzen 5 5600G 6-Core Processor ASUS PRIME A520M-K Motherboard G.Skill Ripjaws V F4-3200C16D-16GVKB 16GB DDR4 3200 F4-3200C16D 16GVKB Memory Kingston SNV2S/500G 500GB PCIe 4.0 M.2 NVMe SSD MSI MAG A550BN 550W 80+ Bronze Power Supply Sting Pro N24 Black mATX Gaming PC Case with 120mm fan With the inclusion of Microsoft Windows HOME 11 64-bit OEM Php Microsoft Office Home and Student 2021 64-bit OEM	
27	CRIMPING TOOL Material: Tool steel, PVC, PC Weight: 260g Size: 200*60*20mm Crimp Modular Plug Packing: Blister Card	
28	Dry seal type: desk type, machine engraved material: stainless steel	

	size: ranging from at least 1.5 to 2.5 inches in diameter MMWGH Logo	
29	Envelope material: plastic design: expanding, with snap button color: clear size: Long (15 x 11 inches)	
30	Eraser, type: for whiteboard use, with magnet (magnetic)	
31	EXTERNAL HARD DISK DRIVE 2TB Capacity: 2TB USB type: USB 3.0 (compatible with usb2.0) Supported systems: Windows and MAC OS Dimensions: 2.5 inches Format: ExFAT (NTFS format is not supported) Features: Portable, high-speed, external, ultra-thin	
32	Fastener, size: 7cm, material: plastic, quantity: pack of 50	
33	File envelope type: expanding file folder document organizer, with flap and cord closure material: waterproof transparent plastic size: at least 2.8 inches expansion, can fit up to Legal sized documents	
34	File folder, size: A3, color: Blue, material: plastic	
35	File folder, type: translucent/transparent 2-D ring presentation binders file folder, size: A4, 1 inch spine width, color: white	
36	File tray, layers: 2 layers, material: metal, dimension: standard size to fit Letter or A4-sized documents	
37	Flash drive, USB 3.0, 64gb	
38	FLASHDRIVE 128GB Flash Drive, 128 GB Read Speed: up to 150 MB/s Generation: USB 3.0 System Requirements: Windows XP, Vista, 7, 8, and 10, Mac OS X 10.5 or Later	
39	FLASHDRIVE 32GB Flash Drive, 32 GB Name: USB 2.0 Material: Metal & Plastic Speed: Read 15MB/s, Write 6MB/s Applicable equipment: Desktop Computers, cell phones, laptops, and more devices Operating Temperature: -13 Size: 58.8*19*10.6mm Weight: 14.5g	

40	Folder, type: expanding, material: cardboard, size: Legal, color: assorted	
41	GLUE, all-purpose, non-toxic, 200g	
42	HDMI CABLE High-Speed Gold-Plated HDMI TO HDMI Cable - Length: 2Meters - Color: Red - Supports HDMI 2.0b 4K 60hz	
43	HDMI TO LAN ADAPTOR Length of CAT-6/CAT-5E Cable Between Rx and TX: 60 meters / 120 meters HDMI Input: 1080p/1080i/720p/576p/576i/480p/480i HDMI Output: 1080p/1080i/720p/576p/576i/480p/480i HDMI Input (HDES16 HDES17): 4k/1080p/720p/576p/576i/480p/480i HDMI Input (HDES16 HDES17): 4k/1080p/720p/576p/576i/480p/480i Max Bandwidth: 150MHz Max Bandwidth(HDES16 HDES17): 340MHz Max Baud Rate: 4.5Gbps Max Baud Rate(HDES16 HDES17): 3x3.4Gbps Input Video Signal: 0.5~1.5Volts p-p Output DDC Signal: 5Volts p-p (TTL) Input HDMI Cable Distance: ≤10m AWG26 HDMI standard cable Output HDMI Cable Distance: ≤15m AWG26 HDMI standard cable TX Max Working Current: 300mA TX Max Working Current(HDES16 HDES17): 500mA RX Max Working Current: 300mA Power Adapter Format: Input:AC (50HZ, 60HZ) 100V-240V; Output: DC5V/1A Operating Temperature Range: (-15 to +45°C) Operating Humidity Range: 5 to 90%RH (No Condensation) Dimension (L x W x H): 60x56x19 (mm) / 64x59x22(mm) TX Weight: 53g RX Weight: 53g	
44	HEADSET - Frequency Response: - Headset: 20Hz-20kHz - Microphone: 100Hz-10 kHz - Input sensitivity: -62 dBV/μbar, -42 dBV/Pa +/- 3 dB - Cable length: 8 feet - Connections: USB compatible (1.1 and 2.0) - System Requirements: Windows 2000, Windows XP, Windows Vista, Windows 7, Mac OS X (10.2.8 or later), USB Port	
45	ID CARD HOLDER, Transparent Soft Card Holder, Vertical, L85mm x W54mm	
46	ID LACE, Customized Lanyard, 1"	

47	<p>Indoor Access Point EAP265 HD AC1750 Wireless MU-MIMO Gigabit Ceiling Mount Access Point Fast Dual-Band Wi-Fi: Simultaneous 450 Mbps on 2.4 GHz and 1300 Mbps on 5 GHz totals 1750 Mbps Wi-Fi speeds.† High-Density Connectivity: MU-MIMO, Load Balance, and professional antennas improve capacity in high-density environments to connect more devices simultaneously. Integrated into Omada SDN: Supports Zero-Touch Provisioning (ZTP)‡, Centralized Cloud Management, and Intelligent Monitoring. Centralized Management: Cloud access and Omada app for ultra convenience and easy management. Seamless Roaming: Even video streams and voice calls are unaffected as users move between locations.§ PoE Support: Supports both standard 802.3af/at and Passive PoE (PoE adapter included) for flexible installations. Secure Guest Network: Along with multiple authentication options (SMS/Facebook Wi-Fi/ Voucher, etc.) and abundant wireless security technologies.</p>	
48	INK, Brother BT5000, cyan, 48.8 ml	
49	INK, Brother BT5000, magenta, 48.8 ml	
50	INK, Brother BT5000, yellow, 48.8 ml	
51	INK, Brother BT6000, black, 108ml	
52	INK, Brother BT6000, black, 108ml	
53	INK, Brother TN-3448	
54	Ink, Canon GI-71, 70ml, magenta	
55	Ink, Canon GI-71, 70ml, yellow	
56	INK, Epson 001, black, 127ml	
57	INK, Epson 001, cyan, 70ml	
58	INK, Epson 001, magenta, 70ml	
59	INK, Epson 001, yellow, 70ml	
60	INK, Epson 003, black, 65ml	
61	INK, Epson 003, cyan, 65ml	
62	INK, Epson 003, magenta, 65ml	

63	INK, Epson 003, yellow, 65ml	
64	Ink, Epson 008, Black, Pigment, 127ml	
65	Ink, Epson 008, Cyan, Pigment, 70ml	
66	Ink, Epson 008, Magenta, Pigment, 70ml	
67	Ink, Epson 008, Yellow, Pigment, 70ml	
68	INK, Epson T6734, Yellow 70ml	
69	Ink, GT 52 for HP Ink Tank 315, 90ml, Cyan	
70	Ink, GT 52 for HP Ink Tank 315, 90ml, Magenta	
71	Ink, GT 52, for HP Ink Tank 315, 90ml, Yellow	
72	Ink, GT 53 for HP Ink Tank 315, 90ml, Black	
73	Ink, marking, permanent, refill, black, 10ml	
74	Ink, type: Epson T6641, color: black, volume: 70 mL	
75	Ink, type: Epson T6642, color: cyan, volume: 70 mL	
76	Ink, type: Epson T6643, color: magenta, volume: 70 mL	
77	Ink, type: Epson T6644, color: yellow, volume: 70 mL	
78	Ink, type: refill ink for self-inking stamps, daters, color: black, volume: 20mL	
79	<p>Keyboard with mouse</p> <p>Keycaps: A-Shape, Round Edge</p> <p>Hotkeys: 12 FN Multimedia Hotkeys</p> <p>Character: Laser Engraving</p> <p>Adjustable Keyboard Legs: Yes</p> <p>Rating: 5 V / 30 mA</p> <p>Dimension: 454 × 153 × 32 mm</p> <p>Weight: 585 g</p> <p>Cable Length: 150 cm</p> <p>Port: USB</p> <p>Mouse: OP-720</p> <p>Report Rate: 125 Hz</p> <p>Sensor: Optical</p> <p>Resolution: 1000 DPI</p> <p>Rating: 5 V / 100 mA</p> <p>Buttons No.: 3</p> <p>Ergonomic Design: Symmetric</p> <p>Size: Middle / Big Hands</p> <p>Port: USB or PS2</p> <p>Demension: 119 × 62 × 37 mm</p> <p>Weight: 86 g</p> <p>Cable Length: 150 cm</p>	

80	Laminating film type: pre-cut pouches for ID card/business cards thickness: 125 microns size: 70mm x 100mm material: plastic (typically PET or similar) quantity: pack of 100 sheets	
81	Laminating Film, A4, 250-micron x 100's	
82	Laminating machine for A3 size, temperature range: 0-220 (degree Celsius) C. time range- 0-999 seconds, voltage 220v/60 Hz	
83	LICENSED MICROSOFT OFFICE PROFESSIONAL 2021 Minimum Specifications: - Microsoft Office Home and Professional 2021 - Classic 2021 versions of Word, Excel, PowerPoint, and Outlook, plus Publisher and Access - Sealed box with physical license key card (not OEM / not pre-installed) - Inclusion: Warranty Certification	
84	Marker ink type: Permanent color: black tip type: bullet tip design: refillable quantity: box of 12	
85	Marker ink type: Permanent color: black tip type: twin tip (0.4mm and 1mm) design: for all types of surfaces quick dry and smudge-free	
86	MICROPHONE, WIRELESS Dual UHF Wireless Microphone 200 Selectable Frequencies Auto Frequency Search Function Easy to Sync & Operate Receiver Display Battery Status 2 Battery Charging Slot On Receiver Unit LCD Display On Transmitter & Receiver 1U Space Rack Mountable Dual Antenna Receiving System 3.7V 1100 mAh Li-Ion Rechargeable Battery	
87	MINI PC Processor CPU, Intel Atom Z3795 (Quad Core 1.6 GHz base/2.39 GHz burst SoC BGA) Display: Internal: 10.1-inch diagonal WUXGA wide-viewing angle , outdoor display (1920 x 1200), Wide-viewing angle Direct bonded, Multi-touch capacitive digitizer, Auto rotate (selectable) Memory: Standard: 4 GB LPDDR3 1067 MHz memory (RAM), Storage: 64 GB eMMC (ROM) Camera: 2.1 MP, 1080p (front-facing); 8 MP, LED flash	

	<p>(rear-facing)  Wireless: Broadcom 802.11a/b/g/n (2x2) and Bluetooth® 4.0, WiFi+Bluetooth  Audio: HD audio; Headphone/microphone combo jack  Battery type: Two 2-cell, long-life 30 WHr Li-ion polymer  Ports/Slots: Headphone/Microphone combo jack - One, System connector - One  MicroSDXC card slot supported: Supports microSDXC cards up to 2TB(Excluding micro SD)  Dimensions (W x D x H) 8.48 x 11.3 x 1.51 in 215.15 x 287.1 x 36.4 mm  Optional HP ElitePad docking station with AC adapter  Product Features  HDMI,  VGA, Ethernet/LAN, and four USB 2.0 ports.  Ports/Slots  USB 2.0 port x 4  HDMI Standard port x 1  VGA Port x 1  Ethernet/LAN Port x 1  Headphone/Microphone combo jack x 1  19.5V/3.34A input port x 1  With Keyboard and Mouse</p>	
88	<p>Monitor  32" Curved VA 100Hz 1920x1080 FHD Freesync  Monitor  Features:  Vivid Color  Dynamic Action Sync  Black Stabilizer  Reader Mode  Flicker Safe  3-Side Virtually Borderless Display</p>	
89	<p>MOUSE AND KEYBOARD  - Full-Size  - USB Natural_A Fn  - Wired Keyboard And Mouse Combo</p>	
90	<p>Name plate holder  material: acrylic transparent clear  type: for desks, side-mounted, L-type  nameplate size: 12 x 3 inches  thickness: at least 2mm</p>	
91	<p>Name tag holder  type: with metal pin/clip  material: waterproof PVC  size: 2.3inches x 3.5inches (horizontal orientation)  color: clear  quantity: 50 pieces per box</p>	
92	<p>Paper cutter for A4 size, metal structure, with grid lines and measurement guidelines for A5, B5, B6, B7</p>	



93	Paper cutter for B4 size, metal structure, with grid lines and measurement guidelines for A4, A5, B4, B5, B6, B7	
94	Paper, A4, Multicopy, specifically green, 80 gsm, Substance 24; 500 sheets per ream	
95	Paper, type color, size: 8.5"x11, thickness: 80 gsm, color: light pink, Quantity: 250 sheets per ream	
96	Paper, type: colored, size: 8.5"x11, thickness: 80 gsm, color: light blue, Quantity: 250 sheets per ream	
97	Paper, type: colored, size: 8.5"x11, thickness: 80 gsm, color: light green, Quantity: 250 sheets per ream	
98	Paper, type: colored, size: 8.5"x11, thickness: 80 gsm, color: light orange, Quantity: 250 sheets per ream	
99	Paper, type: colored, size: 8.5"x11, thickness: 80 gsm, color: light yellow, Quantity: 250 sheets per ream	
100	Paper, type: Manila, size: 36 x 48 inches (93 x 122 cm), quantity: pack of 10	
101	Paper, type: multicopy, size: A3, thickness: minimum 80 gsm	
102	Paper, type: photo paper, matte, size: A4, color: white, thickness: 260 gsm, Quantity: 10 sheets per pack	
103	Paper, type: printable vinyl sticker paper, matte, size: A4, color: white, thickness: 80 gsm, Quantity: 20 sheets per pack	
104	Paper, type: specialty board paper, size: Legal, color: Pale Cream, thickness: 200 gsm, Quantity: 10 sheets per pack	
105	Paper, type: specialty board, size: A4, color: White to Pale Cream, Quantity: 10 sheets per pack	
106	Paper, type: Sticker paper, matte, size: A4, color: white, quantity: 10 sheets per pack	
107	Pen, type: ballpoint pen, retractable design, tip point: at least 0.7 mm tip, color: black	
108	Pen, type: ballpoint pen, retractable design, tip point: at least 0.7 mm tip, color: red	
109	Pen, type: ballpoint pen, table pen (conical tip with adhesive back base, with telephone-style plastic coil), color: black, tip point: at least 1.0 mm tip	
110	Pen, with cover, type: ballpoint pen, color: black, tip size: 0.7 mm or 1.0 mm	

111	Photopaper, A4 size, Single Sided; Hi-Glossy, 260 gsm, 20 sheets	
112	Pin, type: magnetic, size: round, 20mm diameter, quantity: box of 12 pins	
113	Pin, type: push pin, color: assorted, Quantity: 100 pieces per box	
114	Plastic cover, color: clear, thickness: 1.5mm	
115	POWER SUPPLY UNIT - Connectors and cables: 1x 24 pin 550MM - 1x24 Pin 550mm - 1x8 Pin (4+4) 600mm - 1xPCIE 8 Pin (6+2) - 4x SATA - 4x IDE Connector - 1x AC Power Cable 1.5m	
116	Presentation Clicker for Powerpoint, Wireless Presenter Remote with Laser Pointer	
117	PRINTER (PRINT, SCAN, COPY) Printing Technology: Print Method: On-demand inkjet (piezoelectric) Printer Language: ESC/P-R, ESC/P Raster Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Maximum Resolution: 5760 x 1440 dpi Automatic 2-sided Printing: Yes (Up to A4) Print Speed: Photo Default - 10 x 15 cm / 4 x 6 " *1: Approx. 92 sec per photo (Borderless) *2 Approx. 69 sec per photo (Border) *2 Draft, A4 (Black / Colour): Up to 33 ppm / 15 ppm*2 ISO 24734, A4 Simplex (Black / Colour): Up to 10.5 ipm / 5.0 ipm*2 ISO 24734, A4 Duplex (Black / Colour): Up to 6.0 ipm / 4.0 ipm*2 First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec*2	
118	PRINTER (Print, Scan, Copy, Fax with ADF ) Printing Technology: Printer Language: ESC/P-R, ESC/P Raster Print Direction: Bi-directional printing Technology: PrecisionCore Printhead Nozzle Configuration: 400 x 1 nozzles Black, 128 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Minimum Droplet Size: 3.3 pl Maximum Resolution: 4800 x 1200 dpi (with Variable-Sized Droplet Technology)	

	<p>Automatic 2-sided Printing: No</p> <p>Print Speed:</p> <p>Photo Default - 10 x 15 cm / 4 x 6 " *2:</p> <p>Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless)</p> <p>Draft, A4 (Black / Colour):</p> <p>Up to 33.0 ppm / 20.0 ppm</p> <p>ISO 24734, A4 Simplex (Black / Colour):</p> <p>Simplex: Up to 15.0 ipm / 8.0 ipm</p> <p>First Page Out Time from Ready Mode (Black / Colour):</p> <p>Approx. 10 sec / 16 sec</p>	
119	<p>PRINTER FEEDER RUBBER</p> <p>Paper Pickup Roller Rub</p> <p>5 per Set Pickup Feed Roller SEPARATION PAD</p> <p>Rubber for EPSON L3110</p>	
120	<p>PRINTER(A3)</p> <p>Printer Type:</p> <p>Print, Scan, Copy, Fax with ADF</p> <p>Printing Technology:</p> <p>Print Method:</p> <p>PrecisionCore™ Printhead</p> <p>Minimum Ink Droplet Volume:</p> <p>3.3 pl</p> <p>Printer Language:</p> <p>ESC / P-R</p> <p>Print Direction:</p> <p>Bi-directional printing</p> <p>Nozzle Configuration:</p> <p>400 x 1 nozzles (Black), 128 x 1 nozzles per colour (Cyan, Magenta, Yellow)</p> <p>Maximum Resolution:</p> <p>4800 x 1200 dpi</p> <p>Automatic 2-sided Printing:</p> <p>Yes (up to A4 / Letter)</p> <p>Print Speed:</p> <p>Photo Default - 10 x 15 cm / 4 x 6 " *1:</p> <p>Approx. 71 sec per photo (Border) / 95 sec per photo (Borderless)<sup>2</sup></p> <p>Draft, A4 (Black / Colour):</p> <p>Up to 38.0 ppm / 24.0 ppm *2</p> <p>ISO 24734, A4 Simplex (Black / Colour):</p> <p>Up to 17.0 ipm / 9.0 ipm *2</p> <p>ISO 24734, A4 Duplex (Black / Colour):</p> <p>Up to 7.0 ipm / 5.0 ipm *2</p> <p>ISO 24734, A3 Simplex (Black / Colour):</p> <p>Up to 3.5ipm / 2.3 ipm *2</p> <p>First Page Out Time from Ready Mode (Black / Colour):</p> <p>Simplex: Up to 10 sec / 16 sec *2</p> <p>Duplex: Up to 17 sec / 25 sec *2</p>	
121	<p>Projector</p> <ul style="list-style-type: none"> <li>- Resolution: Full HD</li> <li>- Input Connectivity: HDMI</li> <li>- Projector Features: Wireless</li> <li>- Weight: 3.6kg</li> <li>- Projector Brightness: 3600Lumens</li> <li>- Projector Contrast Ratio: 15000:1</li> </ul>	

	<ul style="list-style-type: none"> <li>- Dimension (L x W x H): 34"(L) x 38"(W) x 17"(H)</li> <li>- Type: XGA</li> <li>- Normal Lamp Life House: 6000 Hours</li> <li>- Economic Lamp Life Hours: 12000 Hours</li> <li>- Contrast Ratio: 15,000</li> <li>- Function Type: Basic Projector</li> <li>- Gross Weight: 3.2kg</li> <li>- Net Weight: 2.4kg</li> </ul>	
122	<p>PVC CARD(RFID)  100pcs High Chip Frequency RFID F08 13.56MHZ  Quantity: 1000  Frequency: 13.56MHz  Protocol: ISO14443A  Unique ID: 32bits  EEPROM Size: 1024Bytes  Material: PVC  Temperature: -20°C ~ +50°C  Data Retention: 10(year)  Write Endurance: 100,000(cycles)  Dimension: 85.6 × 54 × 0.86 (mm)</p>	
123	<p>Rechargeable Battery with charger  Technology: Ni-MH Low Discharge Rechargeable Battery  Voltage: 1.2 V  Condition: Brand New, Sealed and Original  Battery Cell Composition: NiMH  Voltage: 1.2 Volts</p>	
124	<p>Refill ink, for the self-inking stamp, volume: 28mL,  color: blue</p>	
125	<p>RFID READER  Support one card or its compatible RFID card.  Frequency:125Khz  Read the first 10 digits of the RFID/Proximity card.  Support Windows 95/98/2000/XP.  Communication speed: 106Kbit/s  Power: DC 5V(+/-5%)  Reading distance: 5-8cm  Interface: USB  Operating temperature: -10 degrees - 70 degrees  Storage temperature: -20degree - +80 degree  Size: ( L*W*H ) 10.8 x 7.8 x 2.8cm  Weight: 70g. with USB Cable: 90g  Color: black</p>	
126	<p>RJ45 METAL SHIELDED  Category: Compatible to both Cat6 and Cat6e  Type: Metal Shielded (Not Passthrough)  Gold Plating: 50 Microns  Application: Network cabling  Gender: Male  Pins: 8P  Connector type: MALE PLUG FOR INTERNET CABLE  FIT STRANDED AND SOLID CABLE</p>	

127	Sharpener, type: automatic (battery-operated), design: tabletop, pencil compatibility: adjustable settings to accommodate different sizes	
128	Sheet Protector model: JC305B size: Legal horizontal orientation material: clear plastic holes: at least 11 holes quantity: pack of 10s	
129	Sheet Protector size: A3 horizontal orientation material: clear plastic holes: at least 2 to 11 holes quantity: pack of 10s	
130	Sheet Protector size: A3 horizontal orientation material: clear plastic holes: at least 3 to 11 holes quantity: pack of 10s	
131	Sheet Protector size: A4 horizontal orientation material: clear plastic holes: at least 11 holes quantity: pack of 10s	
132	Shredding capacity- 8 sheets, 5 mins. continuous shredding, bin capacity- 15L, overheating protection, infrared sensor automatic paper feeding, with overheat protection.	
133	SSD (240GB) Capacity: 240GB Interface: SATA Rev. 3.0 (6Gb/s) – with backward compatibility to SATA Rev. 2.0 (3Gb/s) Form Factor: 2.5" Data Transfer: up to 500MB/s Read and 320MB/s Write Power Consumption: 0.195W Idle / 0.279W Avg / 0.642W (MAX) Read 1.535W (MAX) Write Storage temperature -40°C~85°C Operating temperature 0°C~70°C Life expectancy: 1 million hours MTBF	
134	Stamp type: Self-inking Stamp in dual color Plate size: 41mm x 22mm (LxW) Ink color: Blue Line of text: 3 lines Text content:	

	"RECEIVED", with date format: MMM-DD-YYY, and "BY: _____"	
135	Stamp type: Self-inking Stamp Plate size: 60mm x 30mm (LxW) Text Format: "CERTIFIED TRUE COPY" (CAPITAL, Bold text, Aligned to Centered, font: Bodoni MT, size: 16); "Signed and Date" (Aligned to Left, font: Arial Narrow, size: 11) Ink Color: Blue Line of text: 3 lines	
136	Stamp, design: customized (text: "Certified True Copy"), size: 6 x 3 cm, type: self-inking stamp	
137	Stamp, design: customized, size: 6 x 3 cm, type: rubber stamp or self-inking stamp, "OPU Medical", one line only, black ink	
138	Sticky notes flags, size: 44 x 12 mm, color: assorted, quantity of 50 sheets per pad	
139	Synthetic rubber-based construction adhesive, 300 grams	
140	TABLET Processor: CPU Speed: 2.2 GHz, 2 GHz, CPU Type: Octa-Core Display: Size (Main Display): 8.7" (220.5mm), Resolution (Main Display): 1340 x 800 (WXGA+), Technology (Main Display): TFT, Color Depth (Main Display): 16M Camera: Rear Camera - Resolution: 8.0 MP, Rear Camera - Auto Focus: Yes, Front Camera - Resolution: 2.0 MP, Rear Camera - Flash: No, Video Recording Resolution: FHD (1920 x 1080) @ 30fps, Storage/Memory: Memory (GB): 4, Storage (GB): 64, Available Storage (GB): 44.9, External Storage Support: MicroSD (Up to 1TB) USB Version: USB 2.0 Location Technology: GPS, Glonass, Beidou, Galileo, QZSS Earjack: 3.5mm Stereo, MHL: No Wi-Fi: 802.11 a / b / g / n / ac 2.4G+ 5GHz, VHT80, Wi-Fi Direct: Yes Bluetooth Version: Bluetooth v5.3, PC Sync.: Smart Switch (PC version) OS: Android Form Factor: Tablet Sensors: Accelerometer, Geomagnetic Sensor, Light Sensor, Proximity Sensor Dimension (HxWxD, mm): 211.0 x 124.7 x 8.0 Weight (g): 333 Battery Capacity (mAh, Typical): 5100 Removable: No Inclusions: USB Type-C Cable, Quick Start Guide, Sim Ejector, and Warranty Certification	

141	Tape, type: double-sided with foam, size: 1 inch, length per roll: 5 meters	
142	Tape, type: double-sided, size: 1 inch, length per roll: 5 meters	
143	Thermal Paper, 80mm x 80mm for 80mm POS Thermal Printer, Quantity: 50 rolls, Quality: Glossy	
144	Toner cartridge, laser, model: Brother, TN-2380, color: black	
145	Toner cartridge, type: for laserjet printer, model: CF226A, HP, color: 26A Black	
146	UNINTERRUPTIBLE POWER SUPPLY (UPS) (4 UNIVERSAL SOCKETS) Minimum Specifications: - Output Power Capacity: 650VA, AVR, 230V - Output Frequency: 50/60 Hz +/-1 Hz - Nominal Input Voltage: 230V - Maximum Input Current: 5A - Battery Type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte leak-proof - Recharging Time: 4 Hours - 4-6 Universal outlets	
147	USB C HUB Type C 3.1, 7-in-1 USB C HUB, HDMI 4K30Hz + PD 100W + SD + TF + 2x USB3.0 + USB C 5Gbps	
148	USB HUB, USB 3.0 Hub, 4 Port, Multi Splitter High-Speed OTG for Laptop, PC adaptor, Plug and Play, 7 Port USB Hub, Supports Windows Vista, Windows XP, 2000, 98, and Mac OS 8.6 and higher	
149	USB WIFI DONGLE Wireless Standard: IEEE 802.11b/g/n 2.4GHz, IEEE 802.11a/n/ac 5GHz Frequency: 2.4GHz, 5GHz Wireless Mode: Ad-Hoc / Infrastructure Mode Wireless Security: WEP, WPA/WPA2, WPA-PSK/ WPA2-PSK Modulation Technology: DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM, 256QAM Interface: USB 2.0 LED: Status Dimensions: 0.73 x 0.59 x 0.28 in (18.6 x 15 x 7.1 mm) Windows 10/8.1/8/7/XP, Mac OS X 10.9-10.13 Dual Band – Selectable 2.4GHz and 5GHz bands to avoid wireless signal interference Easy Installation – A friendly user interface utility on a CD for simple installation Fast Wi-Fi – 200Mbps on 2.4GHz and 433Mbps on 5GHz wireless speeds are ideal for HD streaming video, lag-free gaming and large file downloads Mini design – The Archer T2U Nano is very small and can be left in a computer's USB port once plugged in Active Defense – WPA/WPA2 encryption provides your	

	<p>Wi-Fi network with advanced protection against security threats</p> <p>High Speed WIFI – Up to 600Mbps speeds with 200Mbps on 2.4GHz and 433 Mbps on 5GHz, upgrades your devices to higher AC WIFI speeds.</p> <p>Dual Band Wireless – 2.4GHz and 5GHz band for flexible connectivity, upgrades your devices to work with the latest dual-band WIFI router for faster speed and extended range.</p> <p>Nano design – Small, unobtrusive design allows you to plug it in and forget it is even there</p> <p>Operating System – Supports Windows 10/8.1/8/7/XP, Mac OS X</p> <p>Advanced Security – Supports 64/128-bit WEP, WPA/WPA2, and WPA-PSK/WPA2-PSK encryption standards</p> <p>SKU: PH2120173"</p>	
150	Vellum Board, Cream, 200GSM	
151	<p>WEBCAM</p> <p>TECHNICAL SPECS:</p> <ul style="list-style-type: none"> <li>- HD WEBCAM 1080p/720p</li> <li>- Max Resolution: 720p/30fps or better</li> <li>- Camera mega pixel: 0.9</li> <li>- Focus type: fixed focus</li> <li>- Lens type: plastic</li> <li>- Built-in mic: Mono</li> <li>- Mic range: Up to 1 m</li> <li>- Diagonal field of view (dFoV): 55°</li> <li>- Universal mounting clip fits laptops, LCDs, or monitors</li> <li>- Inclusion: Warranty Certification</li> </ul>	
152	Whiteboard, type: with an aluminum frame, size: 2 x 3 feet	
153	Whiteboard, type: with an aluminum frame, with a magnetic surface, size: 3 x 4 feet	
154	Wired Earphones Earbuds 3.5mm Jack Stereo Headset with Built-in Mic (Black)	
155	<p>WIRELESS MICROPHONE FOR CAMERA</p> <p>2-Person Interviews, Vlogs &amp; Podcasts</p> <p>Built-In Omni Mics &amp; 3.5mm Mic Inputs</p> <p>2 x Mini Clip-On Transmitters/Recorders</p> <p>Records 7 Hours of Uncompressed Audio</p> <p>Easy Setup with No Menus</p> <p>Stereo or Dual-Mono Output Modes</p> <p>7-Hr Rechargeable Batteries + USB Power</p> <p>Powerful Features/Customization via App</p> <p>USB Audio Interface Functionality</p> <p>Up to 8 Mics on Set / 656' Range</p>	



## ***Section VIII. Checklist of Technical and Financial Documents***

### **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during the State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

# Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

### *Class "A" Documents*

#### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR;**
- (b) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

#### Technical Documents

- (c) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (d) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (e) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;  
**or**  
Original copy of Notarized Bid Securing Declaration; **and**
- (f) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (g) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

- (h) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (i) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);  
**or**  
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

### ***Class “B” Documents***

- (j) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;  
**or**  
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

#### **Other documentary requirements under RA No. 9184 (as applicable)**

- (k) *[For foreign bidders claiming by reason of their country’s extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

### **25 FINANCIAL COMPONENT ENVELOPE**

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

*Note: Any missing document in the above-mentioned checklist is a ground for outright rejection of the bid.*

#### **Post Qualification Documents**

1. BIR Form 2303 (BIR Registration Certificate)
2. Business and Income Tax Return

*Note: It is encouraged to submit the above-mentioned Post Qualification documents during Bid Opening to expedite the bidding process.*

#### **Requirements upon delivery**

1. Retention money in an amount equivalent to 2.5% of every progress payment, or a special bank guarantee equivalent to 2.5% of the total contract price.



## Bid Form

---

Date: \_\_\_\_\_  
Invitation to Bid<sup>1</sup> N<sup>o</sup>: \_\_\_\_\_

To: *[name and address of Procuring Entity]*

Gentlemen and/or Ladies:

Having examined the Bidding Documents including Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform] [description of the Goods]* in conformity with the said Bidding Documents for the sum of *[total Bid amount in words and figures]* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

If our bid is accepted, we undertake to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our bid is accepted, we undertake to provide performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in the **BDS** provision for **ITB** Clause 18.2 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:<sup>2</sup>

Name and address of the agent	Amount and Currency	Purpose of Commission or gratuity
_____	_____	_____
_____	_____	_____
_____	_____	_____

(if none, state "None")

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per **ITB** Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, *[for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of Name of Bidder, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the Name of Project of the Name of the Procuring Entity]* *[for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the*

---

<sup>1</sup> If ADB, JICA and WB funded projects, use IFB.

<sup>2</sup> Applicable only if the Funding Source is the ADB, JICA or WB.

Name of Bidder, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for Name of Project of the Name of the Procuring Entity].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_\_.

\_\_\_\_\_  
[signature]

\_\_\_\_\_  
[in the capacity of]

Duly authorized to sign Bid for and on behalf of \_\_\_\_\_

## Omnibus Sworn Statement (Revised)

*[shall be submitted with the Bid]*

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

*[If a sole proprietorship:]* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

*[If a partnership, corporation, cooperative, or joint venture:]* I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

*[If a sole proprietorship:]* As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

*[If a partnership, corporation, cooperative, or joint venture:]* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a partnership or cooperative:]* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a corporation or joint venture:]* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

**IN WITNESS WHEREOF**, I have hereunto set my hand this \_\_\_ day of \_\_\_, 20\_\_ at \_\_\_\_\_, Philippines.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*

*[Insert signatory's legal capacity]*

Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*



### For Goods Offered From Abroad

Name of Bidder \_\_\_\_\_ Invitation to Bid<sup>1</sup> Number \_\_\_\_ Page \_\_\_\_ of \_\_\_\_\_

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

\_\_\_\_\_  
[signature]

\_\_\_\_\_  
[in the capacity of]

Duly authorized to sign Bid for and on behalf of \_\_\_\_\_

\_\_\_\_\_  
<sup>1</sup> If ADB, JICA and WB funded projects, use IFB.

**For Goods Offered From Within the Philippines**

Name of Bidder \_\_\_\_\_ . Invitation to Bid<sup>2</sup> Number \_ . Page . of \_\_\_\_.

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

\_\_\_\_\_  
[signature]

\_\_\_\_\_  
[in the capacity of]

Duly authorized to sign Bid for and on behalf of \_\_\_\_\_

\_\_\_\_\_  
<sup>2</sup> If ADB, JICA and WB funded projects, use IFB.

**Statement of all Ongoing Government & Private contracts including contracts awarded but not yet started**

Business Name : \_\_\_\_\_

Business Address : \_\_\_\_\_

Name of Contract/ Project Cost	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Date of Delivery	Amount		End user's acceptance or official receipt(s) <b>or</b> sales invoice issued for the contract
						Contract	Value of Outstanding Contract	
<u>Government</u>								
<u>Private</u>								
						<b>Total Cost</b>		

Note: This statement shall be supported with:

- 1 Notice of Award , Contract, NTP, and other docs, if necessary

Submitted by : \_\_\_\_\_  
(Printed Name & Signature)

Designation : \_\_\_\_\_

Date : \_\_\_\_\_

**Statement of all completed Government & private contracts which are similar in nature and complexity to the Contract to be Bid**

Business Name : \_\_\_\_\_

Business Address : \_\_\_\_\_

Name of Contract/ Project Cost	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Date of Delivery	Contract Amount	End user's acceptance or official receipt(s) or sales invoice issued for the contract
<u>Government</u>							
<u>Private</u>							

Note: This statement shall be supported with:  
 1 Notice of Award, Contract, NTP, and other docs, if necessary

Submitted by : \_\_\_\_\_  
 (Printed Name & Signature)  
 Designation : \_\_\_\_\_  
 Date : \_\_\_\_\_

### Statement of Bidder's Single Largest Completed Contract (SLCC)

Business Name : \_\_\_\_\_

Business Address : \_\_\_\_\_

Name of Contract/ Project Cost	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Date of Delivery	Amount of completed contracts, adjusted by the Bidder	End user's acceptance or official receipt(s) <b>and</b> sales invoice issued for the contract
<u>Government</u>							
<u>Private</u>							
						<b>Total Cost</b>	

Note: This statement shall be supported with:  
 1 Notice of Award, Contract, NTP, and other docs, if necessary

Submitted by : \_\_\_\_\_  
(Printed Name & Signature)

Designation : \_\_\_\_\_

Date : \_\_\_\_\_