PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Rebidding of Medical Supplies and Devices 2025 2025-09

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract.

For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.

f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	4
Sectio	n I. Invitation to Bid	7
Sectio	n II. Instructions to Bidders	10
1.	Scope of Bid	11
2.	Funding Information	11
3.	Bidding Requirements	11
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5.	Eligible Bidders	
6.	Origin of Goods	12
7.	Subcontracts	
8.	Pre-Bid Conference	
9.	Clarification and Amendment of Bidding Documents	
10.	Documents comprising the Bid: Eligibility and Technical Components	13
11.	Documents comprising the Bid: Financial Component	13
12.	Bid Prices	14
13.	Bid and Payment Currencies	
14.	Bid Security	15
15.	Sealing and Marking of Bids	15
16.	Deadline for Submission of Bids	15
17.	Opening and Preliminary Examination of Bids	
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	
20.	Post-Qualification	
21.	Signing of the Contract	
Sectio	n III. Bid Data Sheet	17
Sectio	n IV. General Conditions of Contract	71
1.	Scope of Contract	
2.	Advance Payment and Terms of Payment	72
3.	Performance Security	72
4.	Inspection and Tests	
5.	Warranty	
6.	Liability of the Supplier	
Sectio	n V.Special Conditions of Contract	74
Sectio	n VI.Schedule of Requirements	78
	n VII.Technical Specifications	
Sectio	n VIII. Checklist of Technical and Financial Documents	126

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



INVITATION TO BID FOR REBIDDING OF MEDICAL SUPPLIES AND DEVICES 2025

- The Mariveles Mental Wellness and General Hospital, through the Government Appropriation Act of 2025 intends to apply the sum of Eighteen Million Seven Hundred Five Thousand Eight Hundred Sixty-Four Pesos and 51/100 Only (₱18,705,864.51) being the ABC to payments under the contract for Rebidding of Medical Supplies and Devices 2025 (2025-09). Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The Mariveles Mental Wellness and General Hospital now invites bids for the above Procurement Project. Delivery of the Goods is required by 10 Working Days upon receipt of Purchase Order. Bidders should have completed, within two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from **MMWGH** and inspect the Bidding Documents at the address given below during M-F; 8am-5pm, except holidays.
- A complete set of Bidding Documents may be acquired by interested Bidders on March 24 April 14, 2025 from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the following amount:

Approved Budget for the Contract	Maximum Cost of Bidding Documents				
	(in Philippine Peso)				
500,000 and below	500.00				
More than 500,000 up to 1 Million	1,000.00				
More than 1 Million up to 5 Million	5,000.00				
More than 5 Million up to 10 Million	10,000.00				
More than 10 Million up to 50 Million	25,000.00				

The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

- 6. The **MMWGH** will hold a Pre-Bid Conference on **April 3, 2025 at 11:00 AM** at the given address below and/or through video conferencing or webcasting *via Zoom*, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before **April 15, 2025 at 11:00AM**. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.

The **MMWGH** may request the bidders to extend the validity of the bid securities beyond one hundred twenty (120) calendar days, prior to the expiration, if the funding source has yet to be approved and made effective. A change in the form of bid security is allowed if this is made prior to the expiration of the bid validity sought to be extended. If the bidder refuses to extend the bid validity, the MMWGH shall reject the bid submitted by the said bidder.

- 9. Bid opening shall be on **April 15, 2025 at 11:00AM** at the given address below and/or via *Zoom*. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The **MMWGH** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

MARY RODELINE M. CASUAYAN

BAC Secretariat Procurement Unit Mariveles Mental Wellness and General Hospital P. Monroe Street, Mariveles, Bataan Email Address: procurement.mmwgh@gmail.com Website: www.mmwgh.com Contact No.: +639-688545320

12. You may visit the following website(s):

For downloading of Bidding Documents: https://mmwgh.com/invitation-to-bid/

Date of Issue: March 24, 2025

SGD.

VINCENT A. ISIP, MPA Chairperson, BAC 3

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Mariveles Mental Wellness and General Hospital wishes to receive Bids for the Rebidding of Medical Supplies and Devices 2025, with identification number 2025-09.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of **299 items**, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2025 in the amount of Eighteen Million Seven Hundred Five Thousand Eight Hundred Sixty-Four Pesos and 51/100 Only (₱18,705,864.51).
- 2.2. The source of funding is:
 - a. NGA, the General Appropriations Act, or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements:

i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies of the ABC for this Project; and

ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through Zoom as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- The Bidder's SLCC as indicated in ITB Clause 5.3 should have been completed within Two (2) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).

- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **August 13, 2025**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follow:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

ITB Claus e 5.3 For this purpose, contracts similar to the Project shall be: Procurement of Various Medical Supplies and Devices a. b. completed within two (2) years prior to the deadline for the submission and receipt of bids. The price of the Goods shall be quoted DDP [state place of destination] or the 12 applicable International Commercial Terms (INCOTERMS) for this Project. 14.1 The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than **P 374,117.29**, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than P 935,293.23 if bid security is in Surety Bond. UNIT 19.3 **ITEMS** UNIT QTY. AMOUNT No. COST 57.20 15,100.80 264 С Adjuncts per piece • Type: Oropharyngeal Airway (OPA) · Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable.. • Size: 00 (50 mm.) • Expiry: with atleast 1 year expiration. 2 Adjuncts 299 57.20 17,102.80 per piece • Type: Oropharyngeal Airway (OPA) • Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. • Size: 0 (60 mm.) • Expiry: with atleast 1 year expiration. 3 333 57.20 19.047.60 Adjuncts per piece Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 2 (80 mm.) Expiry: with atleast 1 year expiration.

Bid Data Sheet

				000	57.00	40,000,00
	4	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 1 (70 mm.) Expiry: with atleast 1 year expiration.	per piece	338	57.20	19,333.60
	5	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 3 (90 mm.) Expiry: with atleast 1 year expiration.	per piece	336	57.20	19,219.20
	6	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 4 (100 mm.) Expiry: with atleast 1 year expiration.	per piece	333	57.20	19,047.60
	7	Baby Crib with Foam w/ Wheels (Stainless) "Frame is made angle bar & legs is of tubular steel & with side rails, one side of this can lowered. Provided with 2" Foam Mattress Size: L-48 x W-25 x H-19" Stainless steel made." Shelf life: 3- 5 years upon delivery	piece	3	19,305.0 0	57,915.00
	8	Bag Type: For hot water Size: Medium Material: Rubber Capacity: 850 ml	piece	51	80.72	4,116.72
	9	Bandage • Type: Cohesive • Material: non-woven • Size: 2 inches x 5 yards • Expiry: At least 1 year upon delivery	piece	320	32.40	10,368.00
	10	Bandage • Type: Cohesive • Size: 2 inches width x 5 yards length • Fabric: non-woven, elastic, breathable and water resistant.	piece	142	77.00	10,934.00

11	Bandage Material: Elastic / Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 4 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	roll	1,171	71.50	83,726.50
12	Bandage Material: Elastic /Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 3 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	roll	801	66.00	52,866.00
13	Bandage Material: Elastic /Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 6 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	roll	325	71.50	23,237.50
14	Bandage Type: elastic, reusable Width: 2 inches (5 cm) Length: 5 yards (4.57 meters) material: Elastic cotton or cotton- poly blend, offering stretch and support. with end-to-end Velcro. Expiry: with at least 1 - 2 year expiration.	per piece	110	103.51	11,386.10
15	Bed Pan • Material: made of lightweight plastic Size: 500-1000ml	per piece	74	102.00	7,548.00
16	Blade Holder #3, Surgical, stainless steel Reusable and autoclavable, Fits #10 #11 #12 #15 Blades Expiry: with at least 1 - 2 year expiration.	piece	13	198.00	2,574.00
17	Blade, Surgical, #10, Sharp, Well- polished x 100's	box	22	1,080.00	23,760.00
18	Blade, Surgical, #11, Sharp, Well- polished x 100's	box	12	1,080.00	12,960.00
19	Blade, Surgical, #15, Sharp, Well- polished x 100's	box	4	1,080.00	4,320.00

	Displant	ana /naal	77	10 007 E	1 000 007 5
20	Blanket Type: Full body for adults. Material: Cotton Dimensions: Length of 84 inches width of 36 inches. Packaging: 10 pieces per case.	case/pack	77	13,337.5 0	1,026,987.5 0
21	Blood Glucose Monitor System for self testing, with strips, (auto- coding, strip ejector function, full automatic coding, 0.5ul small-blood volume, 365 data memory with date and time, automatic power on & start, enhanced data management with PC communication, accurate test results in 5 seconds) -for gluneo lite glucose test strips	unit	16	1,100.00	17,600.00
22	Bonding agent 7th generation self-etching bonding adhesive (nanotechnology) Free from Bisphenol A (BPA) derivatives One-step application process that combines etchibng, priming, and bonding in a single step no separate etching or rinsing required suitale for both direct and indirect restorations compatible with a variety of restorative materials including composites, compomers and resin cements Stable shelf life of at least 24 months when stored under recommended conditions. 5-7ml/bottle Must have US-FDA or CE certification	bottle	4	1,320.00	5,280.00
23	BP Aneroid Child BP Aneroid BP Cuff with Inflation Pedia BP Bulb Sphygmomanometer Long lasting, thicker rubber bladder Authentic, luminous dial face Durable Adult Inflation System Genuine brass gauge 1 x Handy zipper case 1 x Durable adult inflation system 1 x Authentic luminous dial face 1 x Long lasting thicker rubber bladder	piece	19	2,323.20	44,140.80

24	BP aneroid desktype sphygmo. BP cuff with inflation. Spiral Tubing BP bulb. Manual BP (Standard Adult). With metal base pad for desk and metal bracket for wall mount	unit	16	3,850.00	61,600.00
25	Brush Scrub, Surgical, plain	piece	400	26.40	10,560.00
26	Casting Tape type: fiberglass Size: Width: 4 inches (approximately 10 cm) Length: 4 yards (approximately 3.66 meters) Expiry: with at least 1 - 2 year expiration.	pc.	157	372.13	58,424.41
27	Casting Tape type: fiberglass Size: Width: 2 inches (approximately 5 cm) Length: 4 yards (approximately 3.7 meters) Expiry: with at least 1 - 2 year expiration.	pc.	370	372.13	137,688.10
28	Casting Tape type: fiberglass Size: Width: 4 inches (approximately 10 cm) Length: 4 yards (approximately 3.66 meters) Expiry: with at least 1 - 2 year expiration.	pc.	205	537.90	110,269.50
29	Catheter • Type: Umbilical, sterile • Size: French 3.5 • Material: Medical grade plastic • Expiry: with at least 1 - 2 year expiration.	per piece	136	434.50	59,092.00
30	Catheter • Type: Umbilical, sterile • Size: French 5 • Material: Medical grade plastic • Expiry: with at least 1 - 2 year expiration.	per piece	106	1,045.00	110,770.00

r						
	31	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 16 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	3,426.50	13,706.00
	32	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 20 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	3,426.50	13,706.00
	33	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 24, Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	3,426.50	13,706.00
	34	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 32 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	3,426.50	13,706.00
	35	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 36 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	3,426.50	13,706.00
	36	Catheter, Red Rubber, size:12 Expiry: with at least 1 - 2 year expiration.	piece	385	77.00	29,645.00
	37	Catheter, Red Rubber, size:14 Expiry: with at least 1 - 2 year expiration.	piece	380	77.00	29,260.00

38	Cement, Contains Calcium- hydroxide, radiopaque, light-cured,	box	4	1,800.00	7,200.00
	13g substrate + 11g catalyst, with CE or US FDA certification, 1				
	set/box		4	0 750 00	0.750.00
39	Chart Type: Ishihara Test Book - Latest Edition Plate: 38 (diagnosing color vision deficiencies, particularly red-green color blindness.) Design: The plate features a pattern of colored dots with a figure, number, or shape hidden within the design. Colors: The colors used typically include shades of red, green, orange, and brown,	piece	1	2,750.00	2,750.00
	Materials: Printed on high-quality, non-reflective paper or cardboard. Inclusion: Manual and eye occluder				
40	Chemical Integrator, Type/Class 5 Temperature Range: 121-134°C (250-275°F). Sterilization Methods: Suitable for gravity and vacuum-assisted steam sterilization cycles. Technology: Moving front ink technology. Readability: Provides easy-to-read ACCEPT or REJECT results Packaging: 100's/pack	pack	36	1,457.50	52,470.00
41	Cleaner and disinfectant. Efficacy: Tuberculosis (TB): Effective in 3 minutes. Hepatitis B and C viruses, HIV-1, and more: Effective in 2 minutes. Towelletes: Durable non-woven, lint- free, and do not bunch up. Packaging: 160 towelletes per canister.	canister	62	1,193.50	73,997.00
42	Cleaner Type: Dual-action enzymatic cleaner with surfactant. For removing biostains Volume: 1 gallon. At least 1 year upon delivery	gallon	48	4,647.50	223,080.00

r		1			
43	Cleaner type: enzymatic (Proteolytic enzyme-based cleaner) Size: 5000ml (5 Liters) Intended Use: Medical Equipment and endoscopes. Expiry: with at least 1 - 2 year expiration.	container	1	4,070.00	4,070.00
44	Collar • Type: Cervical with pre-formed shape, tracheotomy opening and adjustable Velcro straps. • Material: Polyethylene Foam soft lining • Size: Small • Safety features: hypoallergenic, radiolucent.	piece	16	385.00	6,160.00
45	Composite Restorative Material Set: should contain shades from A1- A3.5, with etchant and bonding agent, hybrid with nanotechnology, with CE or US FDA certification	pack/box	2	3,600.00	7,200.00
46	Composite Shade Guide, should contain shades A1-D4	piece	2	1,320.00	2,640.00
47	Composite Trimming Burs, Cone, tapered, white, for highspeed, per piece	piece	22	50.00	1,100.00
48	Cotton buds Fiber composition: 100% cotton Plastic stem (unbreakable safe plastic stem) 108's/pack	Pack	118	75.00	8,850.00
49	Cotton Plier w/ lock (Hand Instrument).	piece	16	159.50	2,552.00
50	Cotton • Type: balls, hypoallergenic • Packaging: by 300's • Expiry: with at least year expiration.	per pack	361	132.00	47,652.00
51	Cotton • Type: roll, hypoallergenic • Size: 400 grams • Expiry: 1 - 2 years expiration	per pack	407	143.00	58,201.00
52	CPR Board / Cardiac Board, Plastic Size: L-59.5 x W- 41 x H-7cm	piece	8	4,150.30	33,202.40

r						
	53	Curtain Track and Partition Curtains Medical Type: for hospital cubicle Material: Polyester Fiber, Shading Degree: Semi-Shading (40%-70%). Blue Color	рс	5	1,775.73	8,878.65
	54	Dental Absorbable STERILE Hemostatic Gelatin Sponge (32pc Gelfoam/pack)	pack	12	390.00	4,680.00
	55	Dental Caries Indicator/detector, 5ml/bottle, blue or violet color when dyed	bottle	6	300.00	1,800.00
	56	Dental floss mint flavor 50ml Slides easily between teeth without shredding Removes plaque between teeth and below the gum line	Piece	6	290.00	1,740.00
	57	Dental Matrix Band Holder, adjustable and autoclavable	piece	10	290.00	2,900.00
	58	Dental Matrix Band, Stainless, for molar, 20pcs/pack	pack	6	240.00	1,440.00
	59	Dental Sterilization Pouch, Self- sealing, auto-clavable, 135mm*280mm pouch, 200pcs/box	box	6	400.00	2,400.00
	60	Dental Sterilization Pouch, Self- sealing, auto-clavable, 190mm*360mm pouch, 200pcs/box	box	6	850.00	5,100.00
	61	Dental Syringe, Aspirating, autoclavable, stainless steel	piece	5	400.00	2,000.00
	62	Deodorant • With Natural Mineral component • Anti-perspirant • Anti-bacterial • Paraben, alcohol and aluminum chlorohydrate free • Spray bottle • At least 100-118ml	Bottle	390	350.00	136,500.00
	63	Diaper Type: Cloth, for Newborn, Lampin Size: XL (27" x 27") Material: Fabric (Made from Birdseye weave cotton) Packaging: 12 piece per pack	pack	36	466.80	16,804.80

64	Diaper, Tape Type: Newborn weighing up to 10 Ibs (4.5 kg). Features: High Absorbency and Multiple Layers. Material: Soft, breathable outer layer, inner lining is designed to wick away moisture with leak guards. Fit: Adjustable Tabs, Disposable Quantity: Pack of 20. Expiry: with at least 1 -2 years	pack	24	605.00	14,520.00
65	 Expiry: with detroduct 1 2 years expiration. Digital Dental X-ray Sensor (For Periapical X-ray) Technical Specifications: With AED Technology (Automatic Exposure Detection) APS CMOS Technology detector Thin and Ergonomicaly Designed with rounded corners and edges IP68 rating Active Area = 20*30 to 26*36 General Sensor dimension = 4mm 6mm thickness Resolution = Thoretical - 25lp/mm to 27lp/mm Measured - >12lp/mm AD Conversion is 16bit USB 2.0-3.0 Cable Length shoud be > 3m Other Specs: English language Operation System = Desktop/Laptop for Win7,8 and 10 Greater than 400,000-500,000 times sensor life imaging Warranty for 2years 	unit	4	40,000.0	160,000.00

66	Disinfectant and cleaner. Type: Liquid concentrate Usage: For manual disinfection of surgical instruments. Volume: 1 liter bottle. Contains: Cocospropylenediamineguanide diacetate: 1- 3.75 grams. Didecyloxethylmethylammonium propionate: 3 - 5.63 grams. Expiration: At least 1 year upon delivery	bottle	14	17,600.0 0	246,400.00
67	Disinfectant • Type: for instruments, cold-sterilant solution • Composition: Non-gluteraldehyde , alkyl triamine. • Contact time: 14 days. • Quantity: 1000ml (1 liter) bottle. • Expiry: with at least 1 - 2 year expiration.	bottle	12	4,950.00	59,400.00
68	 Disinfectant Type: For skin, Medical-grade alcoholic . Usage: For use prior to punctures, incisions, blood extraction, and both pre- and post-surgical interventions. Packaging: 1 liter bottle. contains: 2-Propanol (Isopropanol): 55 - 63.14 grams Expiration: At least 1 year upon delivery 	bottle	36	2,178.00	78,408.00
69	Disinfectant • Type: high level for medical instruments • Active Ingredient: 0.60% orthophthalaldehyde (OPA). • Form: Ready to use (no activator needed). • Volume: 5 liters. • Expiration: At least 1 year upon delivery	bottle	15	5,494.50	82,417.50
70	Disinfectant, for hand Type: Medical-grade alcoholic , surgical. Efficacy: Effective against Rota and Noro viruses. contains emollients for skin care. Packaging: 1 liter bottle. contains: 2-Propanol (Isopropanol): 55 - 63.14 grams	bottle	148	2,178.00	322,344.00

	Expiration: At least 1 year upon delivery				
71	Disinfectant/Sterilant • Type: High-Level • Active Ingredient: 2.5% Glutaraldehyde Solution • Expiration: At least 1 year upon delivery	Gallon	12	2,640.00	31,680.00
72	Double Action Bone Rongeur Specifications: Length: 6 inches (15 cm) Jaw Design: Slight Angled Jaw Double Action Mechanism Material: High-Grade Surgical Stainless Steel: Finish: Polished Handle: Ergonomic Design	per piece	3	6,087.24	18,261.72
73	Drape • Type: Surgical Incise, Adhesive Size: 56cmx45cm • Packaging: 10pcs/box • Expiration: At least 1 year upon delivery	Box	18	10,450.0 0	188,100.00
74	Draw Sheet Type: Reusable, sliding Size: 26 inches x 53 inches Made: medical polymer material, washable, stain and fluid resistant.	per piece	150	1,093.29	163,993.50
75	Dressing Cart All Stainless Mounted on 4pcs 2" caster wheels Included in Dressing cart 1 small trays 1 small basin 8 small bottle 5 big bottles 2 drawers 1 cabinet	unit	6	15,400.0 0	92,400.00

I I I J		Dav	40	7 700 00	02 400 00
	 6 DRESSING • Type: STERILE, WATERPROOF BREATHABLE TRANSPARENT WITH NON-ABSORBENT NON- ADHERENT PAD • Size: 9cmx 35cm • Packaging: 25 pcs/box • Expiration: At least 1 year upon delivery 	Box	12	7,700.00	92,400.00
7	 7 Dressing Type: Hydrocolloid , Control gel formula dressing Size: (4 x4 inches) Expiration: At least 1 year upon delivery 	piece	20	453.75	9,075.00
7	 B Dressing Type: Sterile, waterproof, breathable transparent . Pad: Non-absorbent, non-adherent pad. Size: 9 cm x 25 cm pad size. Packaging: 25 pieces per box. Expiration: At least 1 year upon delivery 	box	12	372.90	4,474.80
7	 Dressing Typer: Sterile, waterproof, breathable transparent Pad: Non-absorbent, non-adherent pad. Size: 5 cm x 7 cm pad size. Packaging: 50 pieces per box. Expiration: At least 1 year upon delivery 	box	5	313.15	1,565.75
8		box	4	324.50	1,298.00
8		box	12	346.50	4,158.00

			40	057.50	1 000 00
82	Type: Sterile, waterproof, breathable transparent Pad: Non-absorbent, non-adherent pad. Size: 9 cm x 20 cm pad size. Packaging: 25 pieces per box. Expiration: At least 1 year upon delivery	box	12	357.50	4,290.00
83	Electrode Pads Standard Size, Disposable Compatibility: EDAN X12 Quantity: 50's Expiration: At least 1 year upon delivery	pack	82	302.50	24,805.00
84	Electrode Paste Type:Neurodiagnostic Formulation: Conductive Formula and Viscous texture. Key Features: Non-Drying, Hypoallergenic, Easy Application and Removal. Specifically formulated for non- disposable neurodiagnostic electrodes. Expiry: with at least 1-2 years expiration.	piece	30	4,235.00	127,050.00
85	Emergency Stretcher Provided with bumper Railing IV hook Mattress Shelf below with Oxygen holder 5" mounted wheel caster Size: H: 32" x L: 74" x W: 24"	set	6	8,800.00	52,800.00
86	EXAMINATION TABLE - stainless steel frame - Hamilton-type -3 panel padded foam matress - pull out foot stool - elevating back rest - one pair of stirrup - adjustable legrest Backrest Angle: 0 - 80 degrees Legrest Angle: 270 - 360 degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot Stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87 cm	set	5	30,000.0 0	150,000.00

87	Examination table Powder-coated	set	1	12,650.0	12,650.00
	steel frame 3 panel padded foam mattress Pullout foot stool Easy to clean, stain resistant upholstery Four front storage drawers. Large drawer Elevating backrest One pair of Stirrup Adjustable legrest Specifications: Backrest Angle: 0 ~ 80 degrees Legrest Angle: 270 ~ 360 Degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87cm	961		0	12,000.00
88	Film Dressing, transparent, 2x2" x 20's	box	105	2,041.27	214,333.35
89	Film Dressing, transparent, 4x10" x 20's	box	235	2,613.60	614,196.00
90	Film Dressing, transparent, 4x4" x 20's	box	60	2,420.00	145,200.00
91	Fluoride Applicator Brush, any color, x100per pack	pack	12	110.00	1,320.00
92	Fluoride Varnish: White varnish, with Innovative Tri-calcium Phosphate and 5%Sodium Fluoride contains 22,600 ppm Sodium Fluoride, Melon or Mint flavor, (box include 100packs of .5ml dose varnish and 100pcs applicator brush)	box	2	13,750.0 0	27,500.00
93	Foot Stool Single Stainless Size: Height: 22cm x Width: 25cm x Length: 35cm Leg Diameter: 7.5cm Capacity: at least 100kg	set	17	1,760.00	29,920.00
94	Forcep Type: Kelly Haemostatic, curved Material: Stainless Steel Size: 6 inches	PIECE	6	550.00	3,300.00

	95	Forcep type: Toothed pick up	PIECE	6	935.00	5,610.00
		material: stainless steel size: 3 1/2 inches				
	96	Forcep, Mosquito, (Straight), stainless, 7"	per piece	20	715.00	14,300.00
	97	Forceps • Type: Adson Dressing without Teeth. • Size: 4 3/4 inches. • Material: Stainless steel Medical grade	per piece	27	313.50	8,464.50
	98	Forceps Type: Mosquito, curved Material: stainless Size: 5"	piece	112	275.00	30,800.00
	99	Forceps Type: Mosquito, straight Material: medical grade stainless steel Size: 5"	piece	56	275.00	15,400.00
	100	Forceps • Type: Adsom dressing without teeth • Material: Medical grade stainless steel • Size: 4 3/4 inches	per piece	8	330.00	2,640.00
	101	Forceps Type: Alligator biopsy Material: medical grade stainless steel Size: 6 inches	per piece	2	1,595.00	3,190.00
	102	Forceps Type: Alligator biopsy Material: medical grade stainless steel Size: 8 inches	per piece	6	1,595.00	9,570.00
	103	Forceps Type: Allis Tissue, serrated jaw with teeth Material: medical grade stainless steel Size: 7.0"	per piece	19	708.40	13,459.60

r		_				
	104	Forceps type: Foerster Sponge/Kelly Placenta . Curved Jaw Design: Serrated Jaws Material: Typically made from stainless steel or other high-grade surgical-grade metals. Size:Length: 9.5 inches (approximately 24 cm)	Piece	6	1,200.00	7,200.00
	105	Forceps type: Foerster Sponge/Kelly Placenta, Straight Jaw Design: Serrated Jaws Material: Typically made from stainless steel or other high-grade surgical-grade metals. Size: Length: 9.5 inches (approximately 24 cm)	Piece	1	1,200.00	1,200.00
	106	Forceps Type: Kelly, Curved Material: Medical-grade stainless steel Size 5.5 inches	piece	50	93.50	4,675.00
	107	Forceps Type: Kelly, Straight Material: Stainless steel Size 5.5 inches	piece	32	93.50	2,992.00
	108	Forceps Type: Thumb Material: medical grade stainless steel Size: 7 inches	piece	16	544.50	8,712.00
	109	Forceps Type: Tissue material: medical grade stainless steel Size: 7 inches	piece	26	544.50	14,157.00
	110	Forceps, Mosquito • Material: Medical-grade stainless steel • Length: 7 inches (approximately 18 cm). • Jaw Type: Curved jaws and serrated inner surface with fine, blunt tips. • Finish: Matte or Polished	per piece	14	715.00	10,010.00

1	111	Gel, Skin Prep Type: for EEG Key Ingredients: Mild Abrasive Particles with moisturizing agents. Consistency: Gel Formulation pH Balance: Neutral or Slightly Acidic (pH 5.5 - 7) Tube: 114g with resealable cap.	per piece	24	3,025.00	72,600.00
	112	Expiry: with at least 1 - 2 year expiration. Glass ionomer Cement, Type II, universal restorative, radiopaque, powder and liquid, 1 set/box with CE	box	4	3,500.00	14,000.00
1	113	or US FDA certification Gloves, Large Type Nitrile Material: Made from synthetic nitrile rubber, Polyvinyl Chloride (PVC). Features: Powder-Free, Latex-Free, Low Dermatitis Potential, Ambidextrous Color: Blue Quantity: 100 per box Expiry: with at least 1-2 years expiration.	box	2	385.00	770.00
1	114	Gooseneck Lamp / Droplight With Cover (W/ 5 Wheels) Stainless Stand	set	12	3,850.00	46,200.00
	115	Guide Wire Type: Endotracheal, sterile, disposable French Size: 10 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	85	348.59	29,630.15
1	116	Guide Wire Type: Endotracheal, sterile, disposable French Size: 12 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	88	348.59	30,675.92

117	Guide Wire Type: Endotracheal, sterile, disposable French Size: 14 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year	per piece	97	348.59	33,813.23
118	expiration. Guide Wire Type: Endotracheal, sterile, disposable French Size: 6 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	73	348.59	25,447.07
119	Handle /Holder Type: for scalpel blade Material: Medical grade stainless Steel Size: around 12–15 cm (4.7–5.9 inches). Compatibility: Designed to fit #3 size blades	per piece	12	214.50	2,574.00
120	 High Speed Handpiece Instrument: With 45degree angle, stainless body, auto-clavable, slide proof handle Technical Specs: 1. Chuck type: push button. 2. Light: Fiber optic. 3. Clamping means of bur Push button. 4. Bearing Material: Ceramic Bearing. 5: Material: Metal. 6. Color: Silver. 7. Noise: Less than 65 dB. 8. Hole: for 2 holes male part 9. Working Air Pressure: 0.2Mpa~0.3Mpa 10. Speed: 280,000-400,000 RPM 	piece	2	9,000.00	18,000.00

121	Holder Type: for needle Material: Medical-grade stainless steel. Length; 7 inches (approximately 18 cm): Design Features: Serrated Jaws with ratchet lock mechanism and finger rings. Finished: Matte or Polished.	box	16	1,428.00	22,848.00
122	ID Bracelet • Material: Durable Plastic or Vinyl, Disposable. • Color: green, with write -on panel. • Size: for pedia, with adjustable closure. • Quantity: 100 per box	box	6	250.00	1,500.00
123	Immobilizer Type: Head Material: No metal components, waterproof, buoyant, and easily cleaned and disinfected, with straps base and pillows.	piece	12	2,530.00	30,360.00
124	Intermediate Restorative Material Cement, Contains Zinc Oxide Eugenol, Type III Class I, in a standard package, box contain powder and liquid, with CE or US FDA certification, 1 set/box	box	4	500.00	2,000.00

125	Intraoral Camera with Monitor and	unit	4	25,000.0	100,000.00
120	dental chair bracket holder:	unit	т	20,000.0	100,000.00
	Monitor: 17 inch HD Display. Embedded operating system.				
	JPG image format and MP4 video				
	playback.				
	High-speed image processing				
	technology.				
	Ergonomic design with a simple and				
	personalized handle attached with it				
	improves the overall handling				
	experience Length of the monitor - at least				
	38.5cm				
	The breadth of the monitor - at least				
	36.5cm				
	Intro Oral Comoros 40 Magazinal				
	Intra-Oral Camera: 10 Megapixel CMOS.				
	Auto Focus				
	4 x Zoom				
	1280 x 1024 resolution.				
	Four to Six high intensity LED				
	lightsSYSTEM OPERATION				
	Remote control / key control.				
	Key Function				
	Key 1 – Capture image				
	Turn off camera				
	Save picture				
	Key 2 – Switch picture mode Cancel picture				
	Take video				
	Key 3 – Play forward				
	Delete all picture				
	Key 4 – Play backward				
	Delete current picture or video				
	With SD card storage (64-128GB)				
	Key Specifications				
	IMAGE SENSOR : CMOS 1/4				
	OPERATING SYSTEM: EMBEDDED OPERATING SYSTEM				
	PICTURE DISPLAY: 1 PICTURE/4				
	PICTURE				
	SYSTEM OPERATION: REMOTE				
	CONTOL KEY CONTROL				
	BACKUP MODE: BACKUP TO SD				
	CARD AUTOMATICALLY				

I I I					
	STORAGE CAPACITY: MAX 256GB				
	PICTURE STORAGE FORMAT: JPG				
	FOCUS RANGE: 5MM – 50 MM				
	CONSUMPTION: 30W				
126	Isopropanol, Benzalkonium	set	6	1,588.00	9,528.00
	Chloride, (Skin wound & operative disinfectant)				
	Active Ingredients: Propan-2-ol (Isopropyl alcohol): 62g				
	- 63g per 100g (62% - 63% concentration) Benzalkonium chloride: 0.024g -				
	0.025g per 100g Purified Water: 36.97g				
	Quantity: 1liter with inclusion of 250ml and 50 ml spray bottle.				
	Expiration: at least 1-2 years expiration				

127	 Isopropanol, N-Propanol, Mecetronium Ethylsulfate, Active Ingredients: Propan-2-ol (Isopropyl Alcohol): 45.0g Propan-1-ol (N-Propanol): 30.0g Mecetronium Ethylsulfate: 0.2 g Other Ingridients: Glycerol 85%, Tetradecan-1-ol, Purified Water. Quantity: 1 liter Expiry: at least 1-2 years expiration. 	bottle	14	1,788.00	25,032.00
128	 Jar type: for forcep, without lid size: Diameter: 50 mm Height: 175 mm material: medical grade stainless steel 	рс	3	1,297.89	3,893.67
129	 Kidney Basin Material: medical-grade 304 stainless steel Size: 10 inches 	per piece	10	380.00	3,800.00
130	 Kidney Basin Material: medical-grade 304 stainless steel Size: 12 inches 	per piece	16	485.00	7,760.00
131	Kidney Basin Material: medical-grade 304 stainless steel Size: 8 inches	per piece	12	295.00	3,540.00
132		Set	8	14,560.0 0	116,480.00
133	 Lotion Moisturizing lotion With sun protection of approximately 24-50 SPF At least 125-200ml Bottle with pump Dermatologically tested Hypoallergenic 	Bottle	12	850.00	10,200.00

134	Lotion	Bottle	40	290.00	11,600.00
	Type: Insect Repellent, Anti-				
	Mosquito				
	Active Ingredients:				
	IR3535: Also known as 3-[N-Butyl-				
	N-acetyl]-aminopropionic acid, ethyl				
	ester. Non-DEET Formula. Sun				
	Protection. Organic UV Filters.				
	Germ Protection:				
	Duration of Protection: up to 8 Hours				
	protection Skin Compatibility: Hypoallergenic.				
	Dermatologically Tested. Derm -				
	Cool Formula				
	Application: non greasy				
	Size and Packaging: 50ml				
135	Mask	nack	4,526	61.00	276,086.00
100	Type Surgical, N88	pack	7,020	01.00	210,000.00
	Design: Disposable, 3-ply				
	Material: Non-woven fabric				
	Premium 3 Ply Mask (PPSB,				
	Meltblown, PPSB)				
	Bacteria Filtration Efficiency – up to				
	99%				
	Virus Filtration Efficiency – up to				
	99%				
	Latex Particle Filtration Efficiency –				
	up to 99%				
	Sub-Micron Particulate (NaCl)				
	filtration				
	Fiberglass Free				
	Hypoallergenic excellent				
	Breathability				
	Adaptable nose bar high filtration				
	Lightweight				
1	Packaging: Box of 50				
	Expiration: with at least 1-2 years				
	expiration				
136	Mask	piece	1,705	97.00	165,385.00
1	type: N95, for face, disposable, fluid				
	resistant, medical grade.				
1	material: multiple layers of non-				
	woven fabric, including melt-blown				
1	polypropylene.				
1	NIOSH Approved, with 95% Particle				
1	Filtration Efficiency (PPE)				
1	Expiry: with at least 1-2 years				
	expiration				

137	Mask, KF94, medical grade.	pack	102	1,100.00	112,200.00
	 Trifold design At least 8" x 3" in dimension. Snug fit (provide sample) Made from Polypropylene nonwoven fabric (at least 3 layer protection) Bendable metal nose clips Elastic string ear loops High filtration efficiency (PFE > 94%) FDA and CE standard approved Disposable Color : black or white Quantity: 50pcs per box Expiry: with at least 1-2 years expiration. 	μασκ	102	1,100.00	112,200.00
138	Mat Type: for changing diaper, new born Size: Standard size (18 inches x 30 inches) Material: non-toxic baby safe durable non-slip rubber , water resistant and easy to clean.	PIECE	20	361.90	7,238.00
139	Mortar and Pestle (Porcelain)	PIECE	9	330.00	2,970.00
140	Mouth Mirrior w/ Handle, stainless, autoclavable	piece	11	150.00	1,650.00
141	Multifunctional percussion diagnostic reflex hammer set. Includes: 1. Pinwheel /Geer Wheel Hammer 2. T-shape Hammer / Triple- cornered Hammer 3. Taylor Buck Hammer 4. Babinski Hammer /Metal Rod Hammer 5. Plastic Rod Hammer	set	6	462.00	2,772.00
142	Nasoparyngeal Airway size 12. Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex Expiry: with at least 1 - 2 year expiration.	per piece	396	552.00	218,592.00

			00-	FFO 00	040 444 00
143	Nasoparyngeal Airway size 14. Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	per piece	397	552.00	219,144.00
144	Nasoparyngeal Airway size 24 Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	per piece	407	552.00	224,664.00
145	Nasoparyngeal Airway size 28 Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	per piece	406	552.00	224,112.00
146		per piece	406	552.00	224,112.00
147		unit	7	12,375.0 0	86,625.00

148	Nebulizer	unit	7	4,500.00	31,500.00
	small, lightweight and convenient tabletop nebulizer; 52 decibels of sound while operating, And at 9.5 ounces, it is 3.5x lighter than most tabletop compressor models, with an average size of 3 µm	unit			
149	Negatoscope (Single) Negatoscope single High color temperature Low power consumption and little temperature rising. Size: L: 20" x W: 3" x H:16" The Flourescent Illuminator provides a soft diffuse bluish white light found to be most satisfactory for film illumination. Made of ordinary metal with stainless steel	piece	2	2,640.00	5,280.00
150	Opener Type: for ampoule, handy Size range: 7.15 mm to 9.75 mm Volume compatibility: 1-15 mL Material: medical-grade plastic	piece	12	144.00	1,728.00
151	OTOSCOPE/ OPTHALMOSCOPE Package includes: 1 Otoscope 1 Ophthalmoscope 4 Speculum Hardcase Box	set	7	5,555.00	38,885.00
	Features: -Made of premium ABS material -Optimum 3X magnification -Scratch-resistant lens -Energy efficient, durable, enhanced LED light source -Suitable for professional use and personal use				
	Specification: Item Type: Otoscope- Ophthalmoscope Diagnostic Set Material: ABS Item Color: Black				
152	Oxygen Regulator	piece	93	2,123.55	197,490.15
153	Oxygen tank, 10lbs	piece	13	2,662.00	34,606.00

	 4 Oyxgen Trolley Features: Stainless Steel Frame Sturdy construction hook loop for Oxygen Cannula Screw lock to help secure the oxygen cylinder 2 Wheeled Trolley Wheel Type: Solid rubber or pneumatic (air-filled) wheels .Wheel Size: Typically 6-8 inches in diameter. Dimensions: Height: Approximately 90–120 cm (depending on the trolley design and cylinder size). Width: Around 30–40 cm, suitable to accommodate the 20 lb cylinder. Depth: About 25–35 cm. Weight: 5-7kg 	Unit	4	4,290.00	17,160.00
15	 5 Pads Type: Maternity Material: Made from pure, absorbent cotton. Packaging: 8pcs per pack Expiry: with at least 1 -2 years expiration. 	pack	470	116.00	54,520.00
150		per piece	4	7,366.00	29,464.00
15		pad	120	480.00	57,600.00

<u>г</u>	4				4 0 - 0 - 0 - 1	44.050.40
	158	Patient Transfer Belt Multipurpose Positioning Bed Pad Waterproof Material & Durability: Fabric: High-quality, waterproof, and breathable Oxford or Nylon fabric Inner Layer: Soft padded lining for patient comfort Reinforcement: Double-stitched seams for durability Weight Capacity: Supports up to 250-400 lbs (113-180 kg) Design & Functionality: Handles: Multiple reinforced handles for secure grip and maneuverability Straps: Adjustable securing straps with durable buckles Waterproofing Non-Slip Surface Expiry: with at least 1 - 2 year expiration.	piece	6	1,978.90	11,873.40
	159	PEDIATRIC PULSE OXIMETER Pulse Oximeter Pedia Accurate Measurement Professional Guarantee 1. Dual color LED displays SpO2,PR,Pulse bar, and waveform; 2. Low power consumption; battery-low indicator; 3. Level 1-10 adjustable brightness, 6 display modes; 4. Automatically power off; 2 AAA alkaline batteries; 5. Optional multi-color silicon rubber boot and carrying case; 6. Suitable for pediatric and adult; Included Accessories: 2 x AAA 1.5V Alkaline Battery Sling strap	Piece	35	1,650.00	57,750.00
	160	Penrose Tubing Drain, Latex, size	piece	14	253.00	3,542.00
	161	Phototherapy Machine Blue fluorescent tube Timer to count phototherapy time; Angle of lamp module can be adjusted (for mobile model); Height of lamp module can be adjusted (for mobile model); Wheels can be locked (for mobile model)	unit	2	38,500.0 0	77,000.00

162	Pillow	piece	6	6,787.00	40,722.00
	Type: Head Positioner Shape: Donut shape / pillow donut Material: Made from rubber or a similar flexible material. For Pediatric Use. Size: Outer Diameter (OD): 5 1/2 inches (14 cm) Inner Diameter (ID): 2 1/4 inches (5.7 cm) Thickness/Height: 1 1/4 inches (3.2 cm) Color: any available color	piece	Ŭ	0,101.00	10,122.00
163	Pit and Fissure sealant, Light cured, with CE and/or US FDA certification, 1-2g/syringe with extra tips included	syringe/tub e	10	500.00	5,000.00
164	Plant-based absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Bactericidal advantage, structured non-woven fabric (needle-punched to interlock) Size: 10 cm x 10 cm. Packaging: Box of 10. Expiry: At least 1 year upon delivery	Box	9	36,982.0 0	332,838.00
165	Plant-based absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Bactericidal advantage, structured non-woven fabric (needle-punched to interlock) Size: 5 cm x 10 cm. Packaging: Box of 10. Expiry: with at least 1 - 2 year expiration.	Box	9	25,425.4 0	228,828.60
166	Plant-based absorbable hemostat.Material: Oxidized regeneratedcellulose.Features: Features: Bactericidaladvantage, structured non-wovenfabric (needle-punched to interlock) .Size: 2.5 cm x 5 cm.Packaging: Box of 10.Expiry: with at least 1 - 2 yearexpiration.	Box	18	15,602.4 0	280,843.20
167	Plaque Disclosing Solution, 30ml/bottle	bottle	10	110.00	1,100.00

				0-0-0	
168	Plaster Adhesive, Tape cloth 1.25cm x 5m is a tan-coloured zinc oxide tape for securing dressings, and is both waterproof and dirt repellent. Expiry: with at least 1 - 2 year expiration.	PIECE	284	258.50	73,414.00
169		PIECE	109	330.00	35,970.00
170		PACK	209	121.00	25,289.00
171	Expiry: with at least 1 - 2 year expiration.	PACK	260	137.50	35,750.00
172	Polybib, disposable, random color, x100s	pack	42	180.00	7,560.00
173	Portable pill tablet cutter splitter	PIECE	22	47.30	1,040.60
174	Pouch Type: for Sterilization, Gusseted Size: width: 8 in x length: 30 meters for autoclave and a sealing device, with steam and EO indicator	roll	96	880.00	84,480.00
175	Pouch Type: for Sterilization, Gusseted Size: width: 4 in x length: 30 meters for autoclave and a sealing device, with steam and EO indicator	roll	96	440.00	42,240.00
176	Pouch Type: for Sterilization, Gusseted Size: width: 6 in x length: 30 meters for autoclave and a sealing device, with steam and EO indicator	roll	24	715.00	17,160.00
177	Prophylaxis brush, For low speed handpiece, Latch flat type, nylon rubber brush, white color, 100pcs/pack	pack	12	400.00	4,800.00

170	Pulse Ovimeter		240	616.00	214 004 00
178	Pulse Oximeter, Adult , 5's rapid reading,OLED display with lanyard Easy to operate noninvasive and No prick High accuracy Oled display 5 directional display auto power off Large bright digital numbers low battery indicator Package Include: triple A battery lanyard oximeter pouch manual	PIECE	349	010.UU	214,984.00
179	Pulse Oximeter, Pediatric Materials: ABS Plastic Weight: 0.06kg LED display large reading number Built in silicone case finger tip Rechargable,small in volume, light weight and convenient to carry Super soft rubber pad better quality material to protect baby finger Package Include: charging cord lanyard user manual	PIECE	63	1,650.00	103,950.00
180	Restorative Burs, Round, #1/2, diamond, for highspeed, per piece	piece	22	50.00	1,100.00
181	Restorative Burs, Tapered fissured, diamond, for highspeed, per piece	piece	22	50.00	1,100.00
182	Retractor Type: Senn (double ended) Material: Stainless Steel size: 6 inches	PIECE	6	495.00	2,970.00

18	83	Retractor	PIECE	6	2,420.00	14,520.00
		Type: Weitlaner (self-retaining with prongs) material: stainless steel size: 5.5 inches				
	84	Retractor Type: Weitlaner (self-retaining with prongs) material: stainless steel size: 6.5 inches	PIECE	6	2,750.00	16,500.00
18	85	Scissor, Surgical, straight 7 1/4", stainless	pair	19	544.50	10,345.50
18	86	Scissors Type: Bandage Blades: Curved and serrated Tips: Blunt Material: medical grade stainless Steel Length: 5.5 inches	pair	12	400.00	4,800.00
18	87	Scissors Type: Iris(Curved) Length: 4 1/2 inches (approximately 11.4 cm) Design: Curved blade Material: medical grade stainless steel Finish: Polished or matte, corrosion- resistant	per piece	28	1,391.50	38,962.00
18	88	Scissors Type: Iris(Straight) Length: 4 1/2 inches (approximately 11.4 cm), Design: Straight blade Material: medicall-grade stainless steel Finish: Polished or matte, rust and corrosion-resistant	per piece	18	1,391.50	25,047.00
	89	Scissors Type: Metzenbaum(Straight) Material: medical-grade stainless steel. Length: 7 inches (approximately 18 cm). Blade Type: Straight Blades and Blunt Tip. Finish: Matte or Polished	per piece	50	550.00	27,500.00
15	90	Scissors, Mayo • Type: Curved blades. • Length: 7 1/4 inches (approximately 18.4 cm). • Material: Medical grade stainless steel.	per piece	8	550.00	4,400.00

 191	Salasara Maya	nornissa	40		E E00.00
	Scissors, Mayo Type: straight blades. Length: 7 1/4 inches (approximately 18.4 cm). Material: medical grade stainless steel.	per piece	10	550.00	5,500.00
192	Scissors, Type: Metzenbaum(Curved) Material: Stainless Steel: medical-grade surgical stainless steel Length: 7 inches (approximately 18 cm). Blade Type: Curved and Blades Blunt Tips. Finish: Matte or Polished.	per piece	71	550.00	39,050.00
193	Scissors. Type: Metzenbaum(Curved) Material: medical-grade stainless steel. Length: 8 inches (approximately 20 cm). Blade Type: Curved blades and blunt tips. Finishes: Matte or Polished.	per piece	15	550.00	8,250.00
194	Shoe Cover, Disposable,non- woven Anti skid and non slip disposable shoe Multi pack, 10 pair per pack Expiry: with at least 1 - 2 year expiration.	pack	150	88.00	13,200.00
195	Silver Diamine Fluoride 38% - 4.5-5ml / bottle - long expiration date	bottle	6	3,600.00	21,600.00
196	Slow Speed Handpiece Set: Should contain main motor, straght and contra angle handpieces (4 holes), with external water spray, latch type, self –lubricated air motor with ball bearing, 800-20,000 rpm	piece	2	9,000.00	18,000.00

197	Solution • Type: Formaldehyde • Volume: 1000 ml. • Concentration: 37% aqueous solution of formaldehyde (Formalin). • Chemical Formula: HCHO. • Expiry: with at least 1 - 2 year expiration.	liter	60	474.98	28,498.80
198	Solution Type: Glutaraldehyde Glutaraldehyde 2.5%: A high- Form and Packaging: 1-Gallon Container: Liquid Activator Included Quantity: 1-gallon (3.78 liters) Expiry: 1 - 2 years expiration	Gallon	60	1,518.00	91,080.00
199	Sony Thermal Paper for Ultrasound, UPP-110s 110mm x 20m for Sony Printer	roll	26	643.50	16,731.00
200	Speculum (Pederson) • Type: Vaginal • Material: Medical grade stainless Steel • Size: Extra-large	PIECE	10	605.00	6,050.00
201	Speculum (Pederson) • Type: Vaginal • Material: Medical grade stainless Steel • Size: Large	PIECE	21	533.50	11,203.50
202	Speculum (Pederson) • Type: Vaginal • Material: Medical grade stainless Steel • Size: Medium	PIECE	21	495.00	10,395.00
203	Speculum (Pederson) • Type: Vaginal • Material: Medical-grade stainless steel • Size: Small	PIECE	11	462.00	5,082.00
204	Sphygmomanometer, desk type, clock model, square shaped. 14cm diameter dial, 300 mm aneroid meter	piece	28	2,178.00	60,984.00

205	Spineboard With Strap With holes around the stretcher for convenient transportation. On head end there is a space to fix head immobilizer. Floats in water. Equipped with 2 safety belts. Spider strap (optional) Size: Length 184 x Width 45 x	piece	4	3,630.00	14,520.00
206	Height 6cm Load capacity: 160kg. Splint • Type: for knee immobilizer • Material: Outer Fabric: made from nylon or polyester. Padding: Soft foam or gel padding. Supports: includes metal or plastic stays/straps • Design Features: Adjustable straps, air flow and contoured shape. • Size and Dimensions: Large / Length: 21 inches (53 cm)	per piece	7	3,036.00	21,252.00
207	 Splint Type: Knee Immobilizer Material: Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.) Padding: Soft foam, gel, or cushioned padding. Supports: Includes metal, plastic, or composite stays for. Design Features: Adjustable Straps: Equipped with adjustable Velcro or hook-and-loop straps. Air Flow: Contoured Shape: Size and Dimensions: Medium (knee circumference of approximately 16 to 19 inches (40- 48 cm) 	per piece	21	3,036.00	63,756.00

208	Splint • Type: Knee Immobilizer • Material: Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.) Padding: Soft foam, gel, or cushioned padding. Supports: Includes metal, plastic, or composite stays for. • Design Features: Adjustable Straps: Equipped with adjustable Velcro or hook-and-loop	per piece	19	3,036.00	57,684.00
	straps. Air Flow: • Contoured Shape: Size and Dimensions: Small (knee circumference of approximately 13 to 16 inches 33-40 cm).				
209	Splint • Type: Knee Immobilizer • Material: Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.) Padding: Soft foam, gel, or cushioned padding. Supports: Includes metal, plastic, or composite stays for. Design Features: Adjustable Straps: Equipped with adjustable Velcro or hook-and-loop straps. Air Flow: Contoured Shape: • Size and Dimensions: Large / Length: 23 inches (58 cm)	per piece	9	3,036.00	27,324.00
210	Immobilization splint for fractures, sprains, or soft tissue injuries Size: Large (suitable for adult use) Length: Approximately 60–90 cm (24–36 inches) Width: 10–15 cm (4–6 inches) Thickness: Varies based on material (typically 4–6 mm for rigid splints) Material & Construction: Frame Material: Rigid: (malleable for shaping) plastic polymer Semi-Rigid: Foam-padded Soft/Flexible: Padded fabric/ foam- based	piece	664	93.50	62,084.00

					<u> </u>	
	211	Immobilization splint for fractures, sprains, or soft tissue injuries Size: Medium (suitable for adult use, mid-sized limbs) Length: Approximately 40–60 cm (16–24 inches) Width: 8–12 cm (3–5 inches) Thickness: Typically 4–6 mm Frame Material: Rigid: (malleable for shaping) plastic polymer Semi-Rigid: Foam-padded Soft/Flexible: Padded fabric/ foam- based	piece	727	93.50	67,974.50
	212	Immobilization splint for fractures, sprains, or soft tissue injuries Length: Approximately 20–40 cm (8–16 inches) Width: 5–10 cm (2–4 inches) Thickness: Typically 4–6 mm Frame Material: Rigid: (bendable for shaping) plastic polymer Semi-Rigid: Foam-padded Soft/Flexible: Padded fabric/ foam- based splint	piece	774	93.50	72,369.00
2	213	Splint, neonate, medium	piece	730	80.30	58,619.00
2	214	Splint, neonate, small	piece	690	80.30	55,407.00
2	215	Splint,pedia,large	piece	636	77.00	48,972.00
2	216	Splint,pedia,medium	piece	766	77.00	58,982.00
2	217	Splint,pedia,small	piece	766	77.00	58,982.00
	218	Spreader Type: Plaster cast (Henning) Material: medical grade stainless steel Size: 11 inches Design: blades (two flat curved and tapered) handle (ergonomic design)	pair	1	5,000.00	5,000.00
	219	Sterilant / disinfectant. Active Ingredient: 2.5% glutaraldehyde with corrosion inhibitor. Shelf Life upon activation: Effective for 28 days. Volume: 1 gallon." Expiration: At least 1 year upon delivery	gallon	24	1,325.50	31,812.00

	Chathanana Daluus		40	4 005 00	
220	Stethoscope Deluxe, for adult Chest Piece:Dual-head (diaphragm & bell) Material: High-quality stainless steel with floating diaphragm Bell Mode: Detects low-frequency sounds Diaphragm Mode: Detects high- frequency sounds Tubing Length: 28 inches (71cm) Tubing Material: High-quality, latex- free, PVC, flexible, and resistant to skin oils and alcohol Acoustic Tubing: Dual-lumen Headset: Material: Stainless steel binaural Construction: Single-piece	piece	49	1,265.00	61,985.00
221	Stethoscope A dual-head stethoscope designed for both pediatric and adult use typically features two heads or diaphragms suited for different patient sizes. Key Specifications: 1. Dual Chest Piece: • Adult Diaphragm: Larger side for adult patients • Pediatric Diaphragm: Smaller, more sensitive side for children 2. Adjustable Tubing: • Flexible, durable tubing 3. Lightweight and adjustable headset 4. Soft Earpieces 5. Sound Quality: • High-quality acoustic performance	piece	17	11,495.0 0	195,415.00
222	Stethoscope, Double Sided, single tube	piece	13	1,430.00	18,590.00
223	Stethoscope, Tunable, dual-sided stainless steel chestpiece with open or closed bell, non-chill bell sleeve, soft-sealing ear-tips	piece	55	16,500.0 0	907,500.00

 204	Quation Machine	1	A	0 000 00	25 000 00
224	Suction Machine	unit	4	8,800.00	35,200.00
	Description: Designed to				
	reduce oil pollution and handle				
	surgical suction needs for phlegm,				
	thick liquids, and more.				
	Features:				
	 Oil-free pump for clean 				
	operation.				
	 Easy to carry, low 				
	maintenance, and high suction				
	power.				
	 Safe design with no 				
	positive pressure during use.				
	Specifications:				
	Power Voltage: AC 220V				
	± 22V, 50Hz ± 1Hz				
	Max Negative Pressure:				
	≥ 0.09 MPa				
	 Noise Level: ≤ 65 dB(A) 				
	• Power Consumption: ≤				
	180 VA				
	 Pumping Rate: ≥ 40 				
	L/min				
	Reservoir Capacity: 2500				
	mL each (2 pieces included)				
225	Suction Machine, (Medium) Suction	unit	1	7,150.00	7,150.00
	pump; Piston pump				
	Power supply: AC220V ±				
	22V/110v±11V,5Hz/60Hz±1Hz				
	Ultimate Negative pressure value:				
	≥0.09MPa				
	Input power: 150VA+15%				
	Regulating scope of negative				
	pressure: 0.02MPa~ultimate				
	negative pressure value				
	Pumping rate ≥20L/min				
	Reservoir:≥2500 mL/pc, 2pcs in the				
	suction unit				
	Noise: 60dB(A)				
	Dimension : 380mm x 312mm x				
	480mm				
	Weight : 16kgs				
226	Suture	box	62	7,260.00	450,120.00
	Material: nylon				-
	size: 3.0				
	needle: 1/2 reverse cutting 26mm				
	color: any color available				
	packaging: 12 per box				
	Expiration: At least one year upon				
	delivery				
	l .				

227	Suture • Material: Chromic Gut • Type: Absorbable suture material. Sterile. • Suture Size: 3-0 • Needle Type: C-6 • Shape: 3/8 circle needle • Needle Length: 18.7mm • Cutting Type: Cutting needle • Expiry: with at least 1 - 2 year	box	144	319.00	45,936.00
228	expiration. Suture • Typer: Surgical, Chromic Gut, Sterile, Absorbable • Suture size: USP 2-0 • Needle Type: RB (Round Bodied), medical grade stainless steel. • Needle Shape: Taper Point • Expiry: with at least 1 - 2 year expiration.	per piece	490	157.30	77,077.00
229	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, braided. Suture Size: 0 / Length: 90 cm. Antibacterial Coating: Coated with triclosan, Inclusion: Needle 36 mm 1/2 circle taper extra-large round ribbed and flattened needle. Packaging: Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	Box	24	16,814.6 0	403,550.40
230	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, braided. Suture Size: 4-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion: 19mm 3/8c for skin cutting needle;. Packaging:Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	Box	12	14,446.3 0	173,355.60

231	Suture	Box	12	15 000 0	100 005 00
201	Material: Made from polyglactin 910, Synthetic, Absorbable, Monofilament, braided. Suture Size: 2-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion: Packaging: Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	БОХ	12	15,023.8 0	180,285.60
232	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, Monofilament, braided. Suture Size: 4-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion: 26mm SH 1/2circle small half round ethalloy ribbed and flattened needle. Packaging: Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	Box	12	13,409.0 0	160,908.00
233	Suture Material: nylon size: 2.0 needle: 1/2 reverse cutting 26mm color: any color available packaging: 12 per box Expiration: At least one year upon delivery	box	63	7,260.00	457,380.00
234	Suture Material: nylon size: 5.0 needle: 1/2 reverse cutting 26mm color: any color available packaging: 12 per box Expiration: At least one year upon delivery	box	57	7,260.00	413,820.00
235	Suture Type: Silk strands. Size: 1. Strands: 13 strands per pack. Length per Strand: 60 cm. Packaging: Pack of 12. Expiry: with at least 1 - 2 year expiration.	Box	2	2,658.70	5,317.40

236	Suture Type: Silk suture. Size: 0. Length: 75 cm. Needle: 31mm MH-1 round needle. Packaging: Box of 36 Expiry: with at least 1 - 2 year expiration.	Box	2	12,712.7 0	25,425.40
237	Suture Type: Silk suture. Size: 2-0. Length: 75 cm. Needle: 25mm SH-1 Plus round needle. Packaging: Box of 12. Expiry: with at least 1 - 2 year expiration.	Box	4	2,658.70	10,634.80
238	Suture Type: Silk suture. Size: 2-0. Length: 75 cm. Needle: 36mm MH round needle. Packaging: Box of 36. Expiry: with at least 1 - 2 year expiration.	Box	4	20,598.6 0	82,394.40
239	Suture Type: Silk suture. Size: 3-0. Length: 75 cm. Needle: 25mm SH-1 Plus round needle. Packaging: Box of 12. Expiry: with at least 1 - 2 year expiration.	Box	4	2,439.80	9,759.20
240	Suture Type: Silk suture. Size: 4-0. Length: 75 cm. Needle: 26mm SH-1 Plus round needle. Packaging: Box of 12. Expiry: with at least 1 - 2 year expiration.	Box	63	2,439.80	153,707.40

г	244	Cuture	nornicoo	240	070.20	05 179 60
	241	Suture Typer: Surgical, Chromic Gut, Sterile, Absorbable Suture size: USP 1 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration	per piece	342	278.30	95,178.60
	242	Suture Typer: Surgical, Chromic Gut, Sterile, Absorbable Suture size: USP 3 -0 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration.	per piece	463	319.00	147,697.00
	243	Suture Typer: Surgical, Chromic Gut, Sterile, Absorbable Suture size: USP 4-0 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration.	box	165	319.00	52,635.00
	244	Suture, Chromic, 2.0 1/2 round bodied 40mm, sterile x 12's	box	262	350.90	91,935.80
	245	Suture, Chromic, 2.0 1/2 round bodied 40mm, sterile x 12's Expiration: At least one year upon delivery	box	6	1,887.60	11,325.60
	246	Suture, Nylon 2.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well- polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	162	247.50	40,095.00
	247	Suture, Nylon 3.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well- polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	252	247.50	62,370.00
	248	Suture, Nylon 4.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well- polished, Sterile x 12's	box	209	247.50	51,727.50

	Expiry: with at least 1 - 2 year expiration.				
249	Suture, Nylon 5.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well- polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	121	247.50	29,947.50
250	Suture, Nylon 6.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well- polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	119	247.50	29,452.50
251	Suture, Plain Surgical Gut, 2.0 w/ 30mm Round 3/8 Curve Needle 75cm length, Sterile Expiry: with at least 1 - 2 year expiration.	PIECE	12	88.00	1,056.00
252	Suture, Polyglactin,0 Taper/Round Needle,1/2 Circle 36mm,Sharp Sterile Needle Expiry: with at least 1 - 2 year expiration.	PIECE	60	275.00	16,500.00
253	Suture, Polyglactin,4.0 Reverse Cutting 19mm 3/8 Circle,27" (70cm), Sterile Expiry: with at least 1 - 2 year expiration.	PIECE	60	275.00	16,500.00
254	Suture, Polyglactin/Polyglycolic 0 Taper/Round Needle 1/2 Circle 36mm,Sharp sterile needle Expiry: with at least 1 - 2 year expiration.	PIECE	110	275.00	30,250.00
255	Suture, Polyglactin/Polyglycolic 2.0 Cutting Expiry: with at least 1 - 2 year expiration.	PIECE	110	275.00	30,250.00
256	Suture, Polyglactin/Polyglycolic 2.0 taper /round needle 1/2 circle 36mm,sharp sterile needle Expiry: with at least 1 - 2 year expiration.	PIECE	110	275.00	30,250.00
257	Suture, Polyglactin/Polyglycolic 3.0 with taper/round needle 26mm,sterile Expiry: with at least 1 - 2 year expiration.	PIECE	110	275.00	30,250.00

258	Suture, Polyglactin/polyglycolic 4.0 taper/ round needle 22mm,sterile Expiry: with at least 1 - 2 year expiration.	PIECE	110	282.70	31,097.00
259	Suture, Silk, 2.0 1/2 circle curved, cutting atleast 26mm, sterile x 12's	box	100	345.96	34,596.00
260	Suture, Silk, 3.0 1/2 circle curved, cutting atleast 26mm, sterile x 12's	box	110	345.96	38,055.60
261	Suturing thread Type: Silk strands. Size: 2-0. Strands: 13 strands. Length per Strand: 60 cm. Expiry: with at least 1 - 2 year expiration.	Box	46	2,658.70	122,300.20
262	Syringe, Pre-Filled Saline Flush Volume per Syringe: 10 ml Solution: 0.8% - 0.9% Sodium Chloride Barrel: Transparent with clear printed graduation markings for accurate measurement Plunger Seal: Smooth glide with a leak-proof seal between plunger and barrel Connection Type: Luer lock for secure attachment Material Specifications: PVC-Free, DEHP-Free, Latex-Free Usage: Ready-to-use; suitable for saline flushing procedures Packaging: Individually pre-filled and sealed syringes Quantity per Box: 30 syringes	box	104	1,362.79	141,730.16

263	Syringe, Pre-Filled Saline Flush	box	102	1,087.24	110,898.48
	Volume per Syringe: 3 ml Solution: 0.8% - 0.9% Sodium Chloride Barrel: Transparent with clear printed graduation markings for accurate measurement Plunger Seal: Smooth glide with leak-proof seal between plunger and barrel Connection Type: Luer lock for secure attachment Material Specifications: PVC-Free, DEHP-Free, Latex-Free Usage: Ready-to-use: intended for saline flushing prcedures. Packaging: Individually pre-filled and sealed syringes Quantity per Box: 30 syringes				
264	Syringe, Pre-Filled Saline Flush Volume per Syringe: 5 ml Solution: 0.8% - 0.9% Sodium Chloride Barrel: Transparent with clear printed graduation markings for precise measurement Plunger Seal: Designed for smooth glide with a leak-proof seal between plunger and barrel Connection Type: Luer lock for secure and reliable attachment Material Specifications: PVC-Free, DEHP-Free, Latex-Free Usage: Ready-to-use; intended for saline flushing procedures Packaging: Individually pre-filled and sealed syringes Quantity per Box: 30 syringes	box	102	1,241.68	126,651.36
265	 Table Type: Bedside, with wheels Made: Formica top, stainless steel frame. Tubular with guard rails Drawer lower shelf Size: H: 31 inches L: 19 inches W: 16 inches Locally Manufactured 	SET	5	6,534.00	32,670.00

266	Thermal Paper • Type: for ecg	per piece	120	633.49	76,018.80
	 Width: 210mm Length (Height): 295mm Compatibility: Mindray BeneHeart 				
	R12 ECG machine (200-sheet packs)				
	• Expiry: with at least year expiry				
267	Tongue Depressor Wooden x 2 per pack, (Sterile) 100'S	box	59	195.18	11,515.62
268	Toothpaste to Relieve Tooth Sensitivity 100g	tube	864	100.00	86,400.00
269	Topical absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Bactericidal advantage. Size: 1 inch x 1 inch. Packaging: Box of 12 Expiry: with at least 1 - 2 year expiration.	Box	18	21,128.9 0	380,320.20
270	Topical Anesthesia, Benzocaine, 20% ointment/gel, with fruity flavor, 30g/bottle	bottle	34	300.00	10,200.00
271	Topical Anesthesia, Lidocaine, 5% ointment/gel, with fruity flavor, 30g/bottle	bottle	24	250.00	6,000.00
272	Towel for OR, Surgical,, 17x27" Size 45cmx61cm Color: Blue	piece	130	175.45	22,808.50
273	Traction Type: for leg Size: large (length 38 -48 inches) width of the device, including padding, should be around 5 inches (12.7 cm) Weight capacity: 300 lbs (136 kg) Material: Frame: aluminum alloy or carbon fiber Foam Padding: high-density, nontoxic, hypoallergenic and moisture wicking cover. Straps: Heavy-duty nylon or polyester webbing adjustable straps. Inclusion of thigh and ankle support, adjustable foot plate, knee support and cushioning.	set	12	1,870.00	22,440.00

274	Traction type: for leg size: medium (length 30 -40 inches) width of the device, including padding, should be around 4-5 inches. weight capacity: 113 kg Material: Frame: aluminum alloy or carbon fiber Foam Padding: high-density, nontoxic, hypoallergenic and moisture wicking cover. Straps: Heavy-duty nylon or polyester webbing adjustable straps. Inclusion of thigh and ankle support, adjustable foot plate, knee support and cushioning.	set	12	1,870.00	22,440.00
275	Traction type: for leg size: small (length 24 -34 inches) width of the device, including padding, should be around 4 inches. weight capacity: 68 kg) Material: Frame: aluminum alloy or carbon fiber Foam Padding: high-density, nontoxic, hypoallergenic and moisture wicking cover. Straps: Heavy-duty nylon or polyester webbing adjustable straps. Inclusion of thigh and ankle support, foot plate and cushioning.	set	9	1,870.00	16,830.00
276	Trauma Shears 7 1/4" Emergency Scissors	pair	11	1,815.00	19,965.00
277	Tray Type: Medicine Stainless Steel Rectangular with Cover Dimensions: Length: 31 cm Width: 21 cm Height/Depth: 5 cm	piece	14	726.00	10,164.00

278	Tube Type: For Feeding Size: Fr 5 /40 cm length. Material: Made from medical-grade PVC (Polyvinyl Chloride) with frosted surface, soft, rounded tip and calibration markings. Expiration: At least 1 year upon delivery	piece	240	35.20	8,448.00
279	Tube Type: For Feeding Size: Fr 10/40 cm length. Material: Made from medical-grade PVC (Polyvinyl Chloride) with frosted surface, soft, rounded tip and calibration markings. Expiration: At least 1 year upon delivery	piece	350	35.20	12,320.00
280	Tube, Endotracheal 2.0 fr.8, uncuffed	piece	215	97.19	20,895.85
281	Tube, Endotracheal 2.5 fr.10, uncuffed	piece	205	97.19	19,923.95
282	Tube, Endotracheal 3.0 fr.12, uncuffed	piece	205	97.19	19,923.95
283	Tube, Endotracheal 3.5 fr.14, uncuffed	piece	205	97.19	19,923.95
284	Tube, Nasogastric, Pediatirc fr.5, silicon with tip cover, sterile and disposable,Non-pyrogenic	piece	429	80.30	34,448.70
285	Ultrasound probe antiseptic spray 1 liter with free spray bottle	bottle	8	2,856.70	22,853.60
286	Underpads Type: Disposable Color: Blue Size: Small Packaging: 10 pads per pack	pack	60	478.80	28,728.00

287	Underpads, Blue Disposable	pack	179	178.20	31,897.80
	Packaging: 10's / pack Size: Medium Highly absorbent, soft fluff fill Waterproof Sealed on all four sides to prevent leakage Non-skid blue backing				
288	UV Light (4 Bulbs 30 Watts) UV Light 4 Bulb 30W Locally made UV unit Dimension: 12 x 12 x 62 Height (inch), with 4pcs UV Lamp. With wheel caster. With wired for 220v. 60Hz operation with a standard power cord. UV Lamps 30 watts high output UVC lamps intensity @ 1.5m	unit	1	26,400.0 0	26,400.00
289	Vinegar, Type: Red Cane, size: 985ml shelf life: 3-5 years upon delivery	piece	12	390.00	4,680.00
290	Volumetric Type: IV Infusion Set, calibrated burette chamber, Y connector Capacity: 150cc Micro drip: 60 drops per milliliter Tubing: 200-210cm, flexible, medical-grade plastic Expiration: At least 1 year upon delivery	set	120	162.00	19,440.00
291	Wash lotion for hand cleansing, ph 5.5, mild surfactants, 1G with provided pump bottle every 10 L	bottle	90	298.47	26,862.30
292	Water, distilled, 10 liters Expiration: At least 1 year upon delivery	container	372	121.00	45,012.00

293	Weighing Scale size: 300×300×24.55mm Weighing unit: kg, jin Weighing range: 0.1~150kg Minimum graduation: 0.1kg Shell material: reinforced glass + engineering plastic Working temperature: 0°C~40°C Product net weight: 1.45kg Wireless connection: Bluetooth 5.0 Rated voltage: 4.5V= (AAA alkaline batteries × 3) Supported system: Android 8.0 or iOS 12.0 and above	unit	8	2,200.00	17,600.00
294	Weighing Scale with height measurement, dial type	unit	15	4,565.00	68,475.00
295	Wet wipes - Disposable - For cleansing - Antibacterial and alcohol free - Soft and gentle to all skin type - 90 sheets per single pack	Pack	310	400.00	124,000.00

296	Wheelchair with Double Cross Bar	piece	20	6,600.00	132,000.00
230	Frame Material: High-strength stainless steel (not aluminum, as aluminum is typically used for lightweight models) Weight Capacity: Up to 250–300 kg (high-load capacity confirmed) Foldability: Fully foldable for compact storage and easy transport 2. Seating & Comfort Seat Width: 20–24 inches Seat Depth: Typically 16–18inch Seat Material: Reinforced padded upholstery (waterproof, easy-to- clean synthetic leather) Armrests: Fixed with cushioned support Footrests: Adjustable & swing-away, removable Rear Wheels: Large solid tires Front Wheels: 5–8 inches swivel casters Braking System: Dual hand- operated brakes Accessories: Integrated IV Stand (removable and adjustable height) Oxygen Cylinder Holder (fits standard medical oxygen tanks) Push Handles: Ergonomic grip	piece	20	0,000.00	132,000.00
207	handles for caregivers Show less		05	0.000.00	55 000 00
297	Wheelchair, foldable, light weight travel, manual with break and IV stand, can carry 110kg. person, black color.	piece	25	2,200.00	55,000.00
298	Wound Irrigation Solution Components: Betaine: 0.1 - 0.2%. Polyhexanide (PHMB): 0.1 - 0.2 % . Other Ingredients: Purified water, sodium chloride (for isotonicity), and possibly other stabilizers or buffering agents as per formulation. Formulation: pH: Typically around 6.0-7.0, Quantity: 40ml shelf life:3-5years Expiration: atleast 1 year upon delivery	BOTTLE	24	646.80	15,523.20
299	Wound Irrigation Solution, 350 ml Expiry: with at least 1 - 2 year expiration.	BOTTLE	128	1,760.00	225,280.00

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

GCC	Special Conditions of Contract		
Clause			
1			
	Delivery and Documents –		
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:		
	<i>[For Goods supplied from abroad, state:]</i> "The delivery terms applicable to the Contract are DDP delivered [<i>indicate place of destination</i>]. In accordance with INCOTERMS."		
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."		
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).		
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is Mr. Vincent A. Isip, MPA – Chief Administrative Officer.		
	Incidental Services –		
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:		
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;		
	b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;		
	c. furnishing of a detailed operations and maintenance manual for each		
	appropriate unit of the supplied Goods;d. performance or supervision or maintenance and/or repair of the		
	supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and		
	e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.		

Special Conditions of Contract

The Contract price for the Goods shall include the prices charged by th Supplier for incidental services and shall not exceed the prevailing rates charge to other parties by the Supplier for similar services.
Packaging –
The Supplier shall provide such packaging of the Goods as is required to prever their damage or deterioration during transit to their final destination, a indicated in this Contract. The packaging shall be sufficient to withstand without limitation, rough handling during transit and exposure to extrem temperatures, salt and precipitation during transit, and open storage. Packagin case size and weights shall take into consideration, where appropriate, th remoteness of the Goods' final destination and the absence of heavy handlin facilities at all points in transit.
The packaging, marking, and documentation within and outside the package shall comply strictly with such special requirements as shall be express provided for in the Contract, including additional requirements, if any, specifie below, and in any subsequent instructions ordered by the Procuring Entity.
The outer packaging must be clearly marked on at least four (4) sides as follows
Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications
A packaging list identifying the contents and quantities of the package is to b placed on an accessible point of the outer packaging if practical. If not practica the packaging list is to be placed inside the outer packaging but outside th secondary packaging.
Transportation –
Where the Supplier is required under Contract to deliver the Goods CIF, CIF or DDP, transport of the Goods to the port of destination or such other name place of destination in the Philippines, as shall be specified in this Contract shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	"The terms of payment shall be as follows: request for partial payment shall be made in writing to HoPE."
4	The inspections and tests that will be conducted are: Inspection, Demonstration

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
	Refer to the Purchase Order and/or Notice to Proceed.			10 working days upon receipt of Purchase Order

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Item **Specification Statement of Compliance** [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not *Comply*" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.] MEDICAL SUPPLIES 1 Adjuncts • Type: Oropharyngeal Airway (OPA) • Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable.. 00 Size: (50 mm.) • Expiry: with atleast 1 year expiration. 2 Adjuncts • Type: Oropharyngeal Airway (OPA) • Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable.

Technical Specifications

	Size: 0 (60 mm.) Expiry: with atleast 1 year expiration.	
3	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 2 (80 mm.) Expiry: with atleast 1 year expiration.	
4	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 1 (70 mm.) Expiry: with atleast 1 year expiration.	
5	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 3 (90 mm.) Expiry: with atleast 1 year expiration.	
6	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 4 (100 mm.) Expiry: with atleast 1 year expiration.	
7	Baby Crib with Foam w/ Wheels (Stainless) "Frame is made angle bar & legs is of tubular steel & with side rails, one side of this can lowered. Provided with 2" Foam Mattress Size: L-48 x W-25 x H-19" Stainless steel made." Shelf life: 3- 5 years upon delivery	
8	Bag Type: For hot water Size: Medium Material: Rubber Capacity: 850 ml	
9	Bandage•Type:•Material:non-woven	

	Size: 2 inches x 5 yards Expiry: At least 1 year upon delivery	
10	Bandage • Type: Cohesive • Size: 2 inches width x 5 yards length • Fabric: non-woven, elastic, breathable and water resistant.	
11	Bandage Material: Elastic / Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 4 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	
12	Bandage Material: Elastic /Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 3 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	
13	Bandage Material: Elastic /Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 6 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	
14	BandageType:elastic,reusableWidth:2inches(5Length:5yards(4.57material:Elastic cotton or cotton-polyblend,offeringstretchwithend-to-endVelcro.Expiry:with at least 1 - 2 year expiration.	
15	Bed Pan • Material: made of lightweight plastic Size: 500-1000ml	
16	Blade Holder #3, Surgical, stainless steel Reusable and autoclavable, Fits #10 #11 #12 #15 Blades Expiry: with at least 1 - 2 year expiration.	
17	Blade, Surgical, #10, Sharp, Well- polished x 100's	

18	Blade, Surgical, #11, Sharp, Well- polished x 100's	
19	Blade, Surgical, #15, Sharp, Well- polished x 100's	
20	BlanketType:Fullbodyforadults.Material:CottonDimensions:Lengthof84incheswidthof36inches.Packaging:10 pieces per case.	
21	Blood Glucose Monitor System for self testing, with strips, (auto-coding,strip ejector function, full automatic coding, 0.5ul small-blood volume, 365 data memory with date and time, automatic power on & start, enhanced data management with PC communication, accurate test results in 5 seconds) -for gluneo lite glucose test strips	
22	Bondingagent7thgenerationself-etchingbondingadhesive(nanotechnology)Free from Bisphenol A (BPA) derivativesOne-stepapplicationprocessOne-stepapplicationprocessthatcombinesetchibng, priming, and bondingina single step no separate etching orrinsing required suitale for both direct andindirect restorations compatible with avariety of restorative materials includingcomposites, compomers and resincementsStable shelf life of at least 24 monthswhen stored under recommendedconditions.5-7ml/bottleMust have US-FDA or CE certification	
23	BPAneroidChildBPAneroidBPCuffwithInflationPediaBPBulbSphygmomanometerLonglasting, thickerrubberbladderAuthentic,luminousdialfaceDurableAdultInflationSystemGenuinebrassgauge1xHandyzipper2xDurableadult1xDurableadult1xAuthenticluminous1xAuthenticluminous1xLuminousdial1xLonglasting1xLonglasting1xLonglasting1xLonglasting1xLonglasting	

24	BPaneroiddesktypesphygmo.BPcuffwithinflation.SpiralTubingBPbulb.ManualBP(Standard Adult).With metal base pad for desk and metalbracket for wall mount	
25	Brush Scrub, Surgical, plain	
26	CastingTapetype:fiberglassSize:Width: 4 inches (approximately 10 cm)Length:4 yards (approximately 3.66meters)Expiry: with at least 1 - 2 year expiration.	
27	Casting Tape type: fiberglass Size: Width: 2 inches (approximately 5 cm) Length: 4 yards (approximately 3.7 meters) Expiry: with at least 1 - 2 year expiration.	
28	Casting Tape type: fiberglass Size: Width: 4 inches (approximately 10 cm) Length: 4 yards (approximately 3.66 meters) Expiry: with at least 1 - 2 year expiration.	
29	Catheter • Type: Umbilical, sterile • Size: French 3.5 • Material: Medical grade plastic • Expiry: with at least 1 - 2 year expiration.	
30	Catheter • Type: Umbilical, sterile • Size: French 5 • Material: Medical grade plastic • Expiry: with at least 1 - 2 year expiration.	
31	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 16 Quantity- pack of 10 Expiration: At least 1 year upon delivery	

32	CatheterType:thoracic.chestdrainagematerial:flexible,medical-gradesiliconeorpolyurethanesize:French20Quantity-packof10Expiration:At least 1 year upon delivery	
33	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 24, Quantity- pack of 10 Expiration: At least 1 year upon delivery	
34	CatheterType:thoracic.chestdrainagematerial:flexible,medical-gradesiliconeorpolyurethanesize:French32Quantity-packof10Expiration:At least 1 year upon delivery	
35	CatheterType:thoracic.chestdrainagematerial:flexible,medical-gradesiliconeorpolyurethanesize:French36Quantity-packof10Expiration:At least 1 year upon delivery	
36	Catheter, Red Rubber, size:12 Expiry: with at least 1 - 2 year expiration.	
37	Catheter, Red Rubber, size:14 Expiry: with at least 1 - 2 year expiration.	
38	Cement, Contains Calcium-hydroxide, radiopaque, light-cured, 13g substrate + 11g catalyst, with CE or US FDA certification, 1 set/box	
39	Chart Type: Ishihara Test Book - Latest Edition Plate: 38 (diagnosing color vision deficiencies, particularly red-green color blindness.) Design: The plate features a pattern of colored dots with a figure, number, or shape hidden within the design. Colors: The colors used typically include shades of red, green, orange, and brown, Materials: Printed on high-quality, non-	

	reflective paper or cardboard. Inclusion: Manual and eye occluder	
40	Chemical Integrator, Type/Class 5 Temperature Range: 121-134°C (250- 275°F). Sterilization Methods: Suitable for gravity and vacuum-assisted steam sterilization cycles. Technology: Moving front ink technology. Readability: Provides easy-to-read ACCEPT or REJECT results Packaging: 100's/pack	
41	Cleaneranddisinfectant.Efficacy:Tuberculosis (TB): Effective in 3 minutes.Hepatitis B and C viruses, HIV-1, and more:Effective in 2 minutes.Towelletes: Durable non-woven, lint-free, anddonotbunchup.Packaging:160 towelletes per canister.	
42	Cleaner Type: Dual-action enzymatic cleaner with surfactant. For removing biostains Volume: 1 gallon. At least 1 year upon delivery	
43	Cleaner type: enzymatic (Proteolytic enzyme- based cleaner) Size: 5000ml (5 Liters) Intended Use: Medical Equipment and endoscopes. Expiry: with at least 1 - 2 year expiration.	
44	Collar • Type: Cervical with pre-formed shape, tracheotomy opening and adjustable Velcro straps. • Material: Polyethylene Foam soft lining • Size: Small • Safety features: hypoallergenic, radiolucent.	
45	Composite Restorative Material Set: should contain shades from A1-A3.5, with etchant and bonding agent, hybrid with nanotechnology, with CE or US FDA certification	
46	Composite Shade Guide, should contain shades A1-D4	

47	Composite Trimming Burs, Cone, tapered, white, for highspeed, per piece	
48	Cotton buds Fiber composition: 100% cotton Plastic stem (unbreakable safe plastic stem) 108's/pack	
49	Cotton Plier w/ lock (Hand Instrument).	
50	Cotton • Type: balls, hypoallergenic • Packaging: by 300's • Expiry: with at least year expiration.	
51	Cotton • Type: roll, hypoallergenic • Size: 400 grams • Expiry: 1 - 2 years expiration	
52	CPR Board / Cardiac Board, Plastic Size: L-59.5 x W- 41 x H-7cm	
53	Curtain Track and Partition Curtains Medical Type: for hospital cubicle Material: Polyester Fiber, Shading Degree: Semi-Shading (40%-70%). Blue Color	
54	Dental Absorbable STERILE Hemostatic Gelatin Sponge (32pc Gelfoam/pack)	
55	Dental Caries Indicator/detector, 5ml/bottle, blue or violet color when dyed	
56	Dental floss mint flavor 50ml Slides easily between teeth without shredding Removes plaque between teeth and below the gum line	
57	Dental Matrix Band Holder, adjustable and autoclavable	
58	Dental Matrix Band, Stainless, for molar, 20pcs/pack	
59	Dental Sterilization Pouch, Self-sealing, auto-clavable, 135mm*280mm pouch, 200pcs/box	

60	Dental Sterilization Pouch, Self-sealing, auto-clavable, 190mm*360mm pouch, 200pcs/box	
61	Dental Syringe, Aspirating, autoclavable, stainless steel	
62	Deodorant • With Natural Mineral component • Anti-perspirant • Anti-bacterial • Paraben, alcohol and aluminum chlorohydrate free • Spray bottle • At least 100-118ml	
63	Diaper Type: Cloth, for Newborn, Lampin Size: XL (27" x 27") Material: Fabric (Made from Birdseye weave cotton) Packaging: 12 piece per pack	
64	Diaper,TapeType: Newborn weighing up to 10 lbs (4.5kg).Features:HighAbsorbencyMultipleLayers.Material:Soft,breathableouterlayer,innerliningisdesignedtowithleakguards.Fit:AdjustableTabs,DisposableQuantity:Packof20.Expiry:withleast 1 -2yearsexpiration.	
65	Digital Dental X-ray Sensor (For PeriapicalPeriapicalX-ray)TechnicalSpecifications: - Vith AED Technology (Automatic ExposureExposureDetection) - APS CMOS Technology detector - Thin and Ergonomicaly Designed with rounded corners and edges - IP68 rating - Active Area = 20*30 to 26*36 - General Sensor dimension = 4mm - 6mm thickness - Resolution = Thoretical - 25lp/mm to 27lp/mm = Measured - >12lp/mm - AD Conversion is 16bit - USB 2.0-3.0 - Cable Length shoud be > 3m	

	OtherSpecs:-Englishlanguage- Operation System = Desktop/Laptop forWin7,8and10- Greater than 400,000-500,000 timessensorlifeimaging-Warrantyfor2years	
66	Disinfectantandcleaner.Type:LiquidconcentrateUsage:Formanualdisinfectionofsurgicalinstruments.Volume:1literbottle.Contains:Cocospropylenediamineguanidediacetate:1-3.75grams.Didecyloxethylmethylammoniumpropionate:3-5.63grams.Expiration:At least 1 year upon delivery	
67	Disinfectant • Type: for instruments, cold-sterilant solution • Composition: Non-gluteraldehyde , alkyl triamine. • Contact time: 14 days. • Quantity: 1000ml (1 liter) bottle. • Expiry: with at least 1 - 2 year expiration.	
68	Disinfectant • Type: For skin, Medical-grade alcoholic • Usage: For use prior to punctures, incisions, blood extraction, and both pre- and post-surgical interventions. • Packaging: 1 liter bottle. • contains: 2-Propanol (Isopropanol): 55 - 63.14 grams • Expiration: At least 1 year upon delivery	
69	Disinfectant • Type: high level for medical instruments • Active Ingredient: 0.60% orthophthalaldehyde (OPA). • Form: Ready to use (no activator needed). • Volume: 5 liters. • Expiration: At least 1 year upon delivery	
70	Disinfectant, for hand Type: Medical-grade alcoholic , surgical. Efficacy: Effective against Rota and Noro viruses.	

	contains emollients for skin care. Packaging: 1 liter bottle. contains: 2-Propanol (Isopropanol): 55 - 63.14 grams Expiration: At least 1 year upon delivery	
71	Disinfectant/Sterilant • Type: High-Level • Active Ingredient: 2.5% Glutaraldehyde Solution • Expiration: At least 1 year upon delivery	
72	DoubleActionBoneRongeurSpecifications:Length:6inches(15 cm)JawDesign:SlightAngledJawDoubleActionMechanismMaterial:High-GradeSurgicalStainlessSteel:Finish:PolishedHandle:ErgonomicDesign	
73	Drape • Type: Surgical Incise, Adhesive Size: 56cmx45cm • Packaging: 10pcs/box • Expiration: At least 1 year upon delivery	
74	Draw Sheet Type: Reusable, sliding Size: 26 inches x 53 inches Made: medical polymer material, washable, stain and fluid resistant.	
75	DressingCartAllStainlessMountedon4pcs2" casterwheelsIncludedinDressingcart1smalltrays1smallbasin8smallbottle5bigbottles2drawers1cabinet	
76	DRESSING • Type: STERILE, WATERPROOF BREATHABLE TRANSPARENT WITH NON-ABSORBENT NON-ADHERENT PAD • Size: 9cmx 35cm • Packaging: 25 pcs/box • Expiration: At least 1 year upon delivery	
77	Dressing Type: Hydrocolloid, Control gel formula	

1	dressing	
	Size: (4 x4 inches)	
	Expiration: At least 1 year upon delivery	
78	Drocoing	
10	Dressing Type: Sterile, waterproof, breathable	
	transparent	
	Pad: Non-absorbent, non-adherent pad.	
	Size: 9 cm x 25 cm pad size.	
	Packaging: 25 pieces per box.	
	Expiration: At least 1 year upon delivery	
79	Dressing	
	Typer: Sterile, waterproof, breathable	
	transparent	
	Pad: Non-absorbent, non-adherent pad.	
	Size: 5 cm x 7 cm pad size. Packaging: 50 pieces per box.	
	Expiration: At least 1 year upon delivery	
80	Dressing	
	Typer: Sterile, waterproof, breathable transparent	
	Pad: Non-absorbent, non-adherent pad.	
	Size: 6 cm x 10 cm pad size.	
	Packaging: 50 pieces per box.	
	Expiration: At least 1 year upon delivery	
81	Dressing,	
	Type: Sterile, waterproof, breathable	
	transparent	
	Pad: Non-absorbent, non-adherent pad. Size: 9 cm x 15 cm pad size.	
	Packaging: 25 pieces per box.	
	Expiration: At least 1 year upon delivery	
82	Dressing.	
	Type: Sterile, waterproof, breathable transparent	
	Pad: Non-absorbent, non-adherent pad.	
	Size: 9 cm x 20 cm pad size.	
	Packaging: 25 pieces per box.	
	Expiration: At least 1 year upon delivery	
83	Electrode Pads	
	Standard Size, Disposable	
	Compatibility: EDAN X12	
	Quantity: 50's	
	Expiration: At least 1 year upon delivery	
84	Electrode Paste	
	Type:Neurodiagnostic	
	Formulation: Conductive Formula and	
	Viscous texture.	
	Key Features: Non-Drying,	

	Hypoallergenic, Easy Application and Removal. Specifically formulated for non- disposable neurodiagnostic electrodes. Expiry: with at least 1-2 years expiration.	
85	Emergency Stretcher Provided with bumper Railing IV hook Mattress Shelf below with Oxygen holder 5" mounted wheel caster Size: H: 32" x L: 74" x W: 24"	
86	EXAMINATION TABLE - stainless steel frame - Hamilton-type -3 panel padded foam matress - pull out foot stool - elevating back rest - one pair of stirrup - adjustable legrest Backrest Angle: 0 - 80 degrees Legrest Angle: 270 - 360 degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot Stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87 cm	
87	Examination table Powder-coated steel frame 3 panel padded foam mattress Pullout foot stool Easy to clean, stain resistant upholstery Four front storage drawers. Large drawer Elevating backrest One pair of Stirrup Adjustable legrest Specifications:	
	Backrest Angle: 0 ~ 80 degrees Legrest Angle: 270 ~ 360 Degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87cm	
88	Film Dressing, transparent, 2x2" x 20's	
89	Film Dressing, transparent, 4x10" x 20's	
90	Film Dressing, transparent, 4x4" x 20's	
91	Fluoride Applicator Brush, any color, x100per pack	

92	FluorideVarnish: varnish, withWhitevarnish, warnish, withInnovativeTri-calciumPhosphate and5%SodiumFluoride contains22,600 ppmSodiumFluoride, flavor, (boxMelonorMintflavor, flavor, (box(boxinclude100pcsapplicatorbrush)	
93	FootStoolSingleStainlessSize:Height:22cm xWidth:25cm xLength:35cm35cmLegDiameter:7.5cmCapacity:at least 100kg	
94	Forcep Type: Kelly Haemostatic, curved Material: Stainless Steel Size: 6 inches	
95	Forcep type: Toothed pick up material: stainless steel size: 3 1/2 inches	
96	Forcep, Mosquito, (Straight), stainless, 7"	
97	Forceps • Type: Adson Dressing without Teeth. • Size: 4 3/4 inches. • Material: Stainless steel Medical grade	
98	Forceps Type: Mosquito, curved Material: stainless Size: 5"	
99	Forceps Type: Mosquito, straight Material: medical grade stainless steel Size: 5"	
100	Forceps • Type: Adsom dressing without teeth • Material: Medical grade stainless steel • Size: 4 3/4 inches	
101	Forceps Type: Alligator biopsy Material: medical grade stainless steel Size: 6 inches	
102	Forceps Type: Alligator biopsy	

	Material: medical grade stainless steel Size: 8 inches	
103	Forceps Type: Allis Tissue, serrated jaw with teeth Material: medical grade stainless steel Size: 7.0"	
104	Forceps type: Foerster Sponge/Kelly Placenta . Curved Jaw Design: Serrated Jaws Material: Typically made from stainless steel or other high-grade surgical-grade metals. Size:Length: 9.5 inches (approximately 24 cm)	
105	Forceps type: Foerster Sponge/Kelly Placenta, Straight Jaw Design: Serrated Jaws Material: Typically made from stainless steel or other high-grade surgical-grade metals. Size: Length: 9.5 inches (approximately 24 cm)	
106	Forceps Type: Kelly, Curved Material: Medical-grade stainless steel Size 5.5 inches	
107	ForcepsType:Kelly,StraightMaterial:StainlesssteelSize 5.5 inchesStainlessSteel	
108	Forceps Type: Thumb Material: medical grade stainless steel Size: 7 inches	
109	Forceps Type: Tissue material: medical grade stainless steel Size: 7 inches	
110	 Forceps, Mosquito Material: Medical-grade stainless steel Length: 7 inches (approximately 18 cm). Jaw Type: Curved jaws and serrated inner surface with fine, blunt tips. Finish: Matte or Polished 	

111	Gel,SkinPrepType:forEEGKey Ingredients:Mild Abrasive Particleswithmoisturizingagents.Consistency:GelFormulationpHBalance:Neutral or Slightly Acidic(pH5.5-(pH5.5-Tube:114gwithresealablecap.Expiry:with at least 1 - 2 year expiration.	
112	Glass ionomer Cement, Type II, universal restorative, radiopaque, powder and liquid, 1 set/box with CE or US FDA certification	
113	Gloves,LargeTypeNitrileMaterial:Made from synthetic nitrilerubber,PolyvinylChloride(PVC).Features:Powder-Free, Latex-Free, LowDermatitisPotential,AmbidextrousColor:BlueQuantity:100perboxExpiry: with at least 1-2 years expiration.	
114	Gooseneck Lamp / Droplight With Cover (W/ 5 Wheels) Stainless Stand	
115	GuideWireType:Endotracheal, sterile, disposableFrenchSize:10Material:medical grade stainless steel orcoatedpolymers.Length:lengths60to80cmExpiry:with at least 1 - 2 year expiration.	
116	GuideWireType:Endotracheal, sterile, disposableFrenchSize:12Material:medical grade stainless steel orcoatedpolymers.Length:lengths60to80cmExpiry:with at least 1 - 2 year expiration.	
117	GuideWireType:Endotracheal, sterile, disposableFrenchSize:14Material:medical grade stainless steel orcoatedpolymers.Length:lengths60to80cmExpiry:with at least 1 - 2 year expiration.	
118	GuideWireType:Endotracheal, sterile, disposableFrenchSize:6	

119	Material: medical grade stainless steel or coatedpolymers.Length:lengths60to80cmExpiry: with at least 1 - 2 year expiration.Handle/HolderType:forscalpelbladeMaterial:Medical grade stainlessSteelSize:around 12–15cm (4.7–5.9 inches).	
	Compatibility: Designed to fit #3 size blades	
120	HighSpeedHandpieceInstrument:With45degreeangle,stainlessbody,auto-clavable,slideproofhandleTechnicalSpecs:1.Chucktype:push2.Light:Fiberoptic.3.Clamping means of burPushbutton.4.BearingMaterial:CeramicBearing.5:Material:Color:Silver.7.Noise:Lessthan65dB.8.Hole:for2holesmalepart9.WorkingAirPressure:0.2Mpa~0.3Mpa10.Speed:280,000-400,000 RPM	
121	Holder Type: for needle Material: Medical-grade stainless steel. Length; 7 inches (approximately 18 cm): Design Features: Serrated Jaws with ratchet lock mechanism and finger rings. Finished: Matte or Polished.	
122	IDBracelet• Material: Durable Plastic or Vinyl, Disposable.Disposable.• Color: green, with write -on panel.Size: for pedia, with adjustable closure.• Size: for pedia, with adjustable closure.Quantity: 100 per box	
123	Immobilizer Type: Head Material: No metal components, waterproof, buoyant, and easily cleaned and disinfected, with straps base and pillows.	
124	Intermediate Restorative Material Cement, Contains Zinc Oxide Eugenol, Type III Class I, in a standard package,	

box contain powder and liquid, with CE or US FDA certification, 1 set/box	
125 Intraoral Camera with Monitor and dental chair bracket holder:	
Monitor: 17 inch HD Display. Embedded operating system. JPG image format and MP4 video playback. High-speed image processing technology. Ergonomic design with a simple and	
personalized handle attached with it improves the overall handling experience Length of the monitor - at least 38.5cm The breadth of the monitor - at least 36.5cm	
Intra-Oral Camera: 10 Megapixel CMOS. Auto Focus 4 x Zoom 1280 x 1024 resolution. Four to Six high intensity LED lightsSYSTEM OPERATION	
Remote control / key control. Key Function Key 1 – Capture image Turn off camera Save picture Key 2 – Switch picture mode Cancel picture Take video Key 3 – Play forward Delete all picture Key 4 – Play backward Delete current picture or video	
With SD card storage (64-128GB)	
Key Specifications IMAGE SENSOR : CMOS 1/4	
OPERATING SYSTEM: EMBEDDED OPERATING SYSTEM	
PICTURE DISPLAY: 1 PICTURE/4 PICTURE	
SYSTEM OPERATION: REMOTE CONTOL KEY CONTROL	
BACKUP MODE: BACKUP TO SD CARD AUTOMATICALLY	

I		[]
	STORAGE CAPACITY: MAX 256GB	
	PICTURE STORAGE FORMAT: JPG	
	FOCUS RANGE: 5MM – 50 MM	
	CONSUMPTION: 30W	
126	Isopropanol, Benzalkonium Chloride, (Skin wound & operative disinfectant) Active Ingredients: Propan-2-ol (Isopropyl alcohol): 62g - 63g per 100g (62% - 63% concentration) Benzalkonium chloride: 0.024g - 0.025g per 100g Purified Water: 36.97g Quantity: 1liter with inclusion of 250ml and 50 ml spray bottle. Expiration: at least 1-2 years expiration	
127	Isopropanol, N-Propanol, Mecetronium Ethylsulfate, Active Ingredients: • Propan-2-ol (Isopropyl Alcohol): 45.0g • Propan-1-ol (N-Propanol): 30.0g • Mecetronium Ethylsulfate: 0.2 g • Other Ingridients: Glycerol 85%, Tetradecan-1-ol, Purified Water. Quantity: 1 liter Expiry: at least 1-2 years expiration.	
128	Jar type: for forcep, without lid size: Diameter: 50 mm Height: 175 mm material: medical grade stainless steel	
129	Kidney Basin Material: medical-grade 304 stainless steel Size: 10 inches	
130	Kidney Basin Material: medical-grade 304 stainless steel Size: 12 inches	

131	Kidney Basin Material: medical-grade 304 stainless steel Size: 8 inches	
132	Lead Gown Inclusion: with thyroid shield Material: Front 0.5mmPb Back - 0.25mmPb L: maximum 43.30 inches W: maximum 23.6inches Weight: maximum 5.6kg/pc	
133	Lotion Moisturizing lotion With sun protection of approximately 24-50 SPF At least 125-200ml Bottle with pump Dermatologically tested Hypoallergenic	
134	Lotion Type: Insect Repellent, Anti-Mosquito Active Ingredients: IR3535: Also known as 3-[N-Butyl-N- acetyl]-aminopropionic acid, ethyl ester. Non-DEET Formula. Sun Protection. Organic UV Filters. Germ Protection: Duration of Protection: up to 8 Hours protection Skin Compatibility: Hypoallergenic. Dermatologically Tested. Derm -Cool Formula Application: non greasy Size and Packaging: 50ml	
135	MaskTypeSurgical,N88Design:Disposable,3-plyMaterial:Non-wovenfabricPremium 3 Ply Mask (PPSB, Meltblown,PPSB)Bacteria Filtration Efficiency – up to 99%Virus Filtration Efficiency – up to 99%Latex Particle Filtration Efficiency – up to 99%Sub-Micron Particulate (NaCl) filtrationFiberglassFreeHypoallergenic excellent BreathabilityAdaptable nose bar high filtrationLightweightPackaging:Box of 50	

	Expiration: with at least 1-2 years expiration	
136	Mask type: N95, for face, disposable, fluid resistant, medical grade. material: multiple layers of non-woven fabric, including melt-blown polypropylene. NIOSH Approved, with 95% Particle Filtration Efficiency (PPE) Expiry: with at least 1-2 years expiration	
137	Mask, KF94, medical grade. Trifold design At least 8" x 3" in dimension. Snug fit (provide sample) Made from Polypropylene nonwoven fabric (at least 3 layer protection) Bendable metal nose clips Elastic string ear loops High filtration efficiency (PFE > 94%) FDA and CE standard approved Color : black or white Quantity: 50pcs per box Expiry: with at least 1-2 years expiration.	
138	Mat Type: for changing diaper, new born Size: Standard size (18 inches x 30 inches) Material: non-toxic baby safe durable non-slip rubber, water resistant and easy to clean.	
139	Mortar and Pestle (Porcelain)	
140	Mouth Mirrior w/ Handle, stainless, autoclavable	
141	Multifunctionalpercussiondiagnosticreflexhammerset.Includes:.1.Pinwheel/GeerWheelHammer2.T-shapeHammer3.TaylorBuckHammer3.Taylor4.Babinski Hammer/Metal Rod Hammer5.Plastic Rod Hammer	
142	Nasoparyngeal Airway size 12. Silicone coated latex material Adjustable flange for secure placement	

	Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex Expiry: with at least 1 - 2 year expiration.	
143	Nasoparyngeal Airway size 14. Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	
144	Nasoparyngeal Airway size 24 Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	
145	Nasoparyngeal Airway size 28 Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	
146	Nasoparyngeal Airway size 32 Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	
147	Nebulizer "Size: 10.1" W x 10.5" H x 6.5" D Weight: 7-lbs Power requirements: 1.3 amps, 115VAC 60Hz Power consumption: 90 watts"	

148	Nebulizer small, lightweight and convenient tabletop nebulizer; 52 decibels of sound while operating, And at 9.5 ounces, it is 3.5x lighter than most tabletop compressor models, with an average size of 3 µm	
149	Negatoscope (Single) Negatoscope single High color temperature Low power consumption and little temperature rising. Size: L: 20" x W: 3" x H:16" The Flourescent Illuminator provides a soft diffuse bluish white light found to be most satisfactory for film illumination. Made of ordinary metal with stainless steel	
150	Opener Type: for ampoule, handy Size range: 7.15 mm to 9.75 mm Volume compatibility: 1-15 mL Material: medical-grade plastic	
151	OTOSCOPE/ OPTHALMOSCOPE Package includes: 1 Otoscope 1 Ophthalmoscope 4 Speculum Hardcase Box	
	Features: -Made of premium ABS material -Optimum 3X magnification -Scratch-resistant lens -Energy efficient, durable, enhanced LED light source -Suitable for professional use and personal use	
	Specification: Item Type: Otoscope-Ophthalmoscope Diagnostic Set Material: ABS Item Color: Black	
152	Oxygen Regulator	
153	Oxygen tank, 10lbs	
154	Oyxgen Trolley Features:	

	StainlessSteelFrameSturdyconstructionhookloopforOxygenCannulaScrewlock tohelpsecure the oxygencylinder2WheeledTrolley2WheeledTrolleyWheelType:Solid rubber or pneumatic(air-filled)wheels.Wheel6-8inchesinDimensions:Height:Approximately90–120cm(depending on the trolley design and cylindersize).Width:Around30–40commodatethe20lbcylinder.Depth:About25–35Weight:5-7kg	
155	 Pads Type: Maternity Material: Made from pure, absorbent cotton. Packaging: 8pcs per pack Expiry: with at least 1 -2 years expiration. 	
156	Pads Type: for AED, Adult. Compatibility: Radian Heart Guardian HR-501. Expiry: with atleast 1 year expiration.	
157	Paper Type: Thermal for NST, z fold pad, compatible with Narang Medical CTG Machine Size: 112mm x 100mm x 150sh	
158	Patient Transfer Belt Multipurpose Positioning Bed Pad Waterproof Material & Durability: Fabric: High-quality, waterproof, and breathable Oxford or Nylon fabric Inner Layer: Soft padded lining for patient comfort Reinforcement: Double-stitched seams for durability Weight Capacity: Supports up to 250-400 lbs (113-180 kg) Design & Functionality: Handles: Multiple reinforced handles for secure grip and maneuverability Straps: Adjustable securing straps with durable buckles Waterproofing	

	Non-Slip Surface Expiry: with at least 1 - 2 year expiration.	
159	PEDIATRIC PULSE OXIMETER Pulse Oximeter Pedia Accurate Measurement Professional Guarantee 1. Dual color LED displays SpO2,PR,Pulse bar, and waveform; 2. Low power consumption; battery-low indicator; 3. Level 1-10 adjustable brightness, 6 display modes; 4. Automatically power off; 2 AAA alkaline batteries; 5. Optional multi-color silicon rubber boot and carrying case; 6. Suitable for pediatric and adult; Included Accessories: 2 x AAA 1.5V Alkaline Battery Sling strap	
160	Penrose Tubing Drain, Latex, size 1/2	
161	PhototherapyMachineBluefluorescenttubeTimerto countphototherapytime;Angle of lamp module can be adjusted(formodel);Height of lamp module can be adjusted(formodel);Wheels can be locked (for mobile model)	
162	PillowType:HeadPositionerShape:Donutshape / pillowdonutMaterial:Made from rubber or a similarflexiblematerial.ForPediatricUse.Size:OuterDiameter (OD): 5 1/2 inches (14 cm)Inner Diameter (ID): 2 1/4 inches (5.7 cm)Thickness/Height:1 1/4 inches (3.2 cm)Color:any available color	
163	Pit and Fissure sealant, Light cured, with CE and/or US FDA certification, 1-2g/syringe with extra tips included	
164	Plant-based absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Bactericidal advantage, structured non-woven fabric (needle- punched to interlock) Size: 10 cm x 10 cm. Packaging: Box of 10. Expiry: At least 1 year upon delivery	

165	Plant-based absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Bactericidal advantage, structured non-woven fabric (needle- punched to interlock) Size: 5 cm x 10 cm. Packaging: Box of 10. Expiry: with at least 1 - 2 year expiration.	
166	Plant-based absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Features: Bactericidal advantage, structured non-woven fabric (needle-punched to interlock) . Size: 2.5 cm x 5 cm. Packaging: Box of 10. Expiry: with at least 1 - 2 year expiration.	
167	Plaque Disclosing Solution, 30ml/bottle	
168	Plaster Adhesive, Tape cloth 1.25cm x 5m is a tan-coloured zinc oxide tape for securing dressings, and is both waterproof and dirt repellent. Expiry: with at least 1 - 2 year expiration.	
169	Plaster Adhesive, Tape cloth 2.5cm x 5m is a tan-coloured zinc oxide tape for securing dressings, and is both waterproof and dirt repellent. Expiry: with at least 1 - 2 year expiration.	
170	Plaster Of Paris (POP), 4" Expiry: with at least 1 - 2 year expiration.	
171	Plaster Of Paris (POP), 6" Expiry: with at least 1 - 2 year expiration.	
172	Polybib, disposable, random color, x100s	
173	Portable pill tablet cutter splitter	
174	Pouch Type: for Sterilization, Gusseted Size: width: 8 in x length: 30 meters for autoclave and a sealing device, with steam and EO indicator	
175	Pouch Type: for Sterilization, Gusseted Size: width: 4 in x length: 30 meters for autoclave and a sealing device, with steam and EO indicator	

176	Pouch Type: for Sterilization, Gusseted Size: width: 6 in x length: 30 meters for autoclave and a sealing device, with steam and EO indicator	
177	Prophylaxis brush, For low speed handpiece, Latch flat type, nylon rubber brush, white color, 100pcs/pack	
178	PulseOximeter, AdultAdult,5's rapid reading,OLED display with lanyardEasytoEasytooperate noninvasivenoninvasiveandNoPrick HighAdultGleddirectionaldisplay autopoweroff LargeLargebrightdigitalnumbers lowbatterybattery	
	PackageInclude:tripleAbatterylanyardoximeterpouchmanual	
179	PulseOximeter,PediatricMaterials:ABSPlasticWeight:0.06kgLEDdisplay large reading numberBuilt in silicone case finger tipRechargable,small in volume, lightweight and convenient to carrySuper soft rubber pad better qualitymaterial to protect baby fingerPackageInclude:	
	charging cord lanyard user manual	
180	Restorative Burs, Round, #1/2, diamond, for highspeed, per piece	
181	Restorative Burs, Tapered fissured, diamond, for highspeed, per piece	
182	Retractor Type: Senn (double ended) Material: Stainless Steel size: 6 inches	

183	Retractor Type: Weitlaner (self-retaining with prongs) material: stainless steel size: 5.5 inches	
184	Retractor Type: Weitlaner (self-retaining with prongs) material: stainless steel size: 6.5 inches	
185	Scissor, Surgical, straight 7 1/4", stainless	
186	ScissorsType:BandageBlades:Curved and serratedTips:BluntMaterial:medical grade stainless SteelLength:5.5 inches	
187	Scissors Type: Iris(Curved) Length: 4 1/2 inches (approximately 11.4 cm) Design: Curved blade Material: medical grade stainless steel Finish: Polished or matte, corrosion- resistant	
188	Scissors Type: Iris(Straight) Length: 4 1/2 inches (approximately 11.4 cm), Design: Straight blade Material: medicall-grade stainless steel Finish: Polished or matte, rust and corrosion-resistant	
189	Scissors Type: Metzenbaum(Straight) Material: medical-grade stainless steel. Length: 7 inches (approximately 18 cm). Blade Type: Straight Blades and Blunt Tip. Finish: Matte or Polished	
190	Scissors,Mayo•Type:Curvedblades.•Length:71/4inches(approximately18.4cm).•Material:Material:Material:stainlesssteel.	

191	Scissors,MayoType:straightblades.Length:7 1/4 inches (approximately 18.4cm).Material:medical grade stainless steel.	
192	Scissors, Type: Metzenbaum(Curved) Material: Stainless Steel: medical-grade surgical stainless steel Length: 7 inches (approximately 18 cm). Blade Type: Curved and Blades Blunt Tips. Finish: Matte or Polished.	
193	Scissors. Type: Metzenbaum(Curved) Material: medical-grade stainless steel. Length: 8 inches (approximately 20 cm). Blade Type: Curved blades and blunt tips. Finishes: Matte or Polished.	
194	Shoe Cover, Disposable,non- woven Anti skid and non slip disposable shoe Multi pack, 10 pair per pack Expiry: with at least 1 - 2 year expiration.	
195	Silver Diamine Fluoride 38% - 4.5-5ml / bottle - long expiration date	
196	Slow Speed Handpiece Set: Should contain main motor, straght and contra angle handpieces (4 holes), with external water spray, latch type, self –lubricated air motor with ball bearing, 800-20,000 rpm	
197	Solution•Type:Formaldehyde•Volume:1000•Concentration:37% aqueous solution offormaldehyde(Formalin).•ChemicalFormula:•ChemicalFormula:•Expiry: with at least 1 - 2 year expiration.	
198	Solution Type: Glutaraldehyde	

	Glutaraldehyde 2.5%: A high- Form and Packaging: 1-Gallon Container: Liquid Activator Included Quantity: 1-gallon (3.78 liters) Expiry: 1 - 2 years expiration	
199	Sony Thermal Paper for Ultrasound, UPP-110s 110mm x 20m for Sony Printer	
200	Speculum(Pederson)•Type:Vaginal• Material: Medical grade stainless SteelSize: Extra-large	
201	Speculum(Pederson)•Type:Vaginal• Material: Medical grade stainless SteelSize: Large	
202	Speculum(Pederson)•Type:Vaginal• Material: Medical grade stainless SteelSize: Medium	
203	Speculum(Pederson)•Type:Vaginal•Material: Medical-grade stainless steel•Size: Small	
204	Sphygmomanometer, desk type, clock model, square shaped. 14cm diameter dial, 300 mm aneroid meter	
205	Spineboard With Strap With holes around the stretcher for convenient transportation. On head end there is a space to fix head immobilizer. Floats in water. Equipped with 2 safety belts. Spider strap (optional) Size: Length 184 x Width 45 x Height 6cm Load capacity: 160kg.	
206	Splint Type: for knee immobilizer Material: Outer Fabric: made from nylon or polyester. Padding: Soft foam or gel padding. Supports: includes metal or plastic stays/straps Design Features: Adjustable straps, air 	

I	flow and contained chara	
	flow and contoured shape. • Size and Dimensions:	
	Large / Length: 21 inches (53 cm)	
207	Splint • Type: Knee Immobilizer • Material: Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.) Padding: Soft foam, gel, or cushioned padding. Supports: Includes metal, plastic, or composite stays for. • Design Features: Adjustable Straps: Equipped with adjustable Velcro or hook-and-loop straps. Air • Contoured Shape: Size and Dimensions: Medium (knee circumference of approximately 16 to 19	
	inches (40-48 cm)	
208	Colint	
	Splint • Type: Knee Immobilizer • Material: Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.) Padding: Soft foam, gel, or cushioned padding. Supports: Includes metal, plastic, or composite stays for. • Design Features: Adjustable Straps: Equipped with adjustable Velcro or hook-and-loop straps. Air Flow: • Contoured Shape: Size and Dimensions: Small (knee circumference of approximately 13 to 16 inches 33-40 cm).	
209	Splint•Type:KneeImmobilizer•Material:Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.)Padding:Soft foam, gel, or cushioned padding.Supports:Includes metal, plastic, or composite stays for.DesignFeatures: Adjustable Straps:AdjustableStraps:Equipped with adjustable	

210	straps.AirFlow: ContouredContouredShape:•SizeandDimensions: Large / Length: 23 inches (58 cm)Immobilizationsplintforfractures, sprains, orImmobilizationsplintforfractures, sprains, orSize:Large(suitableforadultuse)Length:Approximately 60–90 cm (24–36 inches)Width:10–15 cm(4–6Width:10–15 cm(4–6Thickness:Variesbased on material (typically 4–6 mm for rigid splints) MaterialMaterial&Construction: FrameFrameMaterial: Rigid: (malleable for shaping)plastic polymer Semi-Rigid:Semi-Rigid:Foam-padded Soft/Flexible:Padded fabric/ foam-based	
211	Immobilization splint for fractures, sprains, or soft tissue injuries Size: Medium (suitable for adult use, mid- sized limbs) Length: Approximately 40–60 cm (16–24 inches) Width: 8–12 cm (3–5 inches) Thickness: Typically 4–6 mm Frame Material: Rigid: (malleable for shaping) plastic polymer Semi-Rigid: Foam-padded Soft/Flexible: Padded fabric/ foam-based	
212	Immobilization splint for fractures, sprains, or soft tissue injuries Length: Approximately 20–40 cm (8–16 inches) Width: 5–10 cm (2–4 inches) Thickness: Typically 4–6 mm Frame Material: Rigid: (bendable for shaping) plastic polymer Semi-Rigid: Foam-padded Soft/Flexible: Padded fabric/ foam-based splint	
213	Splint, neonate, medium	
214	Splint, neonate, small	
215	Splint,pedia,large	

216	Splint,pedia,medium	
217	Splint,pedia,small	
218	Spreader Type: Plaster cast (Henning) Material: medical grade stainless steel Size: 11 inches Design: blades (two flat curved and tapered) handle (ergonomic design)	
219	Sterilant/disinfectant.Active Ingredient:2.5% glutaraldehydewithcorrosioninhibitor.Shelf Life upon activation:Effective for 28days.Volume:1gallon."Expiration:At least 1 year upon delivery	
220	StethoscopeDeluxe, forforadultChest Piece:Dual-head (diaphragm & bell)Material: High-quality stainless steel with floatingdiaphragmBell Mode: Detects low-frequency soundsDiaphragmDiaphragmMode: Detects high- frequencysoundsTubing Length: 28 inches (71cm) Tubing Material: High-quality, latex-free, PVC, flexible, and resistant to skin oils and Acoustic Tubing: Dual-lumen Headset: Material: Stainless steel binaural Construction: Single-piece	
221	StethoscopeA dual-head stethoscope designed forboth pediatric and adult use typicallyfeatures two heads or diaphragms suitedfordifferentpatientsizes.KeySpecifications:1.DualChestPiece:• Adult Diaphragm: Larger side for adultpatients• Pediatric Diaphragm: Smaller, moresensitivesideforchildren2.Adjustable• Flexible,durabletubing:3.Lightweight and adjustable4.SoftEarpieces	

	5. Sound Quality: • High-quality acoustic performance	
222	Stethoscope, Double Sided, single tube	
223	Stethoscope, Tunable, dual-sided stainless steel chestpiece with open or closed bell, non-chill bell sleeve, soft- sealing ear-tips	
224	Suction Machine • Description: Designed to reduce oil pollution and handle surgical suction needs for phlegm, thick liquids, and more. • Features: • Oil-free pump for clean operation. • • Easy to carry, low maintenance, and high suction power. • • Safe design with no positive pressure during use. • Sopecifications: • Power Voltage: AC 220V ± 22V, 50Hz ± • Max Negative Pressure: ≥ 0.09 MPa • Noise Level: ≤ 65 dB(A) • Power Consumption: ≤ 180 VA • Pumping Rate: ≥ 40 L/min • Reservoir Capacity: 2500 mL each (2 pieces included) •	
225	SuctionMachine, (Medium)Suctionpump;PistonpumpPowersupply:AC220V \pm 22V/110v±11V,5Hz/60Hz±1HzUltimateNegativeUltimateNegativepressure>0.09MPaInputpower:150VA+15%Regulatingscope of negative pressure:0.02MPa~ultimatenegative pressure:0.02MPa~ultimatenegativepressurevaluePumpingrate \geq 20L/minReservoir:2500mL/pc,2pcs in thesuctionunitNoise:60dB(A)Dimension :380mm x 312mm x 480mmWeight :16kgs	
226	SutureMaterial:nylonsize:3.0needle:1/2reversecuttingcolor:anycoloravailable	

1	neekening 10 men here	
	packaging: 12 per box Expiration: At least one year upon delivery	
227	Suture•Material:ChromicGut•Type:Absorbablesuturematerial.Sterile.•Size:3-0•NeedleType:C-6•Shape:3/8circleneedle•NeedleLength:18.7mm•CuttingType:Cuttingneedle•Expiry:with at least 1 - 2 year expiration.	
228	Suture • Typer: Surgical, Chromic Gut, Sterile, Absorbable • Suture size: USP 2-0 • Needle Type: RB (Round Bodied), medical grade stainless steel. • Needle Shape: Taper Point • Expiry: with at least 1 - 2 year expiration.	
229	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, braided. Suture Size: 0 / Length: 90 cm. Antibacterial Coating: Coated with triclosan, Inclusion: Needle 36 mm 1/2 circle taper extra-large round ribbed and flattened needle. Packaging: Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	
230	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, braided. Suture Size: 4-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion: 19mm 3/8c for skin cutting needle;. Packaging:Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	
231	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, Monofilament, braided. Suture Size: 2-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion:	

	Packaging: Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	
232	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, Monofilament, braided. Suture Size: 4-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion: 26mm SH 1/2circle small half round ethalloy ribbed and flattened needle. Packaging: Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	
233	Suture Material: nylon size: 2.0 needle: 1/2 reverse cutting 26mm color: any color available packaging: 12 per box Expiration: At least one year upon delivery	
234	Suture Material: nylon size: 5.0 needle: 1/2 reverse cutting 26mm color: any color available packaging: 12 per box Expiration: At least one year upon delivery	
235	SutureType:SilkSize:1.Strands:13Strands:13strandsperpackaging:PackPackaging:PackPackaging:YearPackaging:Strand:Strand:12.Expiry:with at least 1 - 2 year expiration.	
236	SutureType:SilkSize:0.Length:75cm.Needle:31mmMH-1roundneedle.Packaging:BoxBoxof36Expiry:with at least 1 - 2 year expiration.	
237	SutureType:SilkSize:2-0.Length:75Cm.Needle:25mm SH-1 Plus round needle.	

	Packaging: Box of 12. Expiry: with at least 1 - 2 year expiration.	
238	SutureType:SilkSize:2-0.Length:75cm.Needle:36mmMHroundneedle.Packaging:BoxBoxof36.Expiry: with at least 1 - 2 year expiration.	
239	SutureType:SilkSize:3-0.Length:75cm.Needle:25mm SH-1 Plus round needle.Packaging:BoxBoxof12.Expiry: with at least 1 - 2 year expiration.	
240	SutureType:SilkSize:4-0.Length:75cm.Needle:26mm SH-1 Plus round needle.Packaging:BoxBoxof12.Expiry: with at least 1 - 2 year expiration.	
241	Suture Typer: Surgical, Chromic Gut, Sterile, Absorbable Suture size: USP 1 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration	
242	Suture Typer: Surgical, Chromic Gut, Sterile, Absorbable Suture size: USP 3 -0 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration.	
243	Suture Typer: Surgical, Chromic Gut, Sterile, Absorbable Suture size: USP 4-0 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration.	

244	Suture, Chromic, 2.0 1/2 round bodied 40mm, sterile x 12's	
245	Suture, Chromic, 2.0 1/2 round bodied 40mm, sterile x 12's Expiration: At least one year upon delivery	
246	Suture, Nylon 2.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	
247	Suture, Nylon 3.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well- polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	
248	Suture, Nylon 4.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	
249	Suture, Nylon 5.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	
250	Suture, Nylon 6.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	
251	Suture, Plain Surgical Gut, 2.0 w/ 30mm Round 3/8 Curve Needle 75cm length, Sterile Expiry: with at least 1 - 2 year expiration.	
252	Suture, Polyglactin,0 Taper/Round Needle,1/2 Circle 36mm,Sharp Sterile Needle Expiry: with at least 1 - 2 year expiration.	
253	Suture, Polyglactin,4.0 Reverse Cutting 19mm3/8Circle,27"(70cm),SterileExpiry: with at least 1 - 2 year expiration.	
254	Suture, Polyglactin/Polyglycolic 0 Taper/Round Needle 1/2 Circle 36mm,Sharp sterile	

	needle Expiry: with at least 1 - 2 year expiration.	
255	Suture, Polyglactin/Polyglycolic 2.0 Cutting Expiry: with at least 1 - 2 year expiration.	
256	Suture, Polyglactin/Polyglycolic 2.0 taper /round needle 1/2 circle 36mm,sharp sterile needle Expiry: with at least 1 - 2 year expiration.	
257	Suture, Polyglactin/Polyglycolic 3.0 with taper/round needle 26mm,sterile Expiry: with at least 1 - 2 year expiration.	
258	Suture, Polyglactin/polyglycolic 4.0 taper/ round needle 22mm,sterile Expiry: with at least 1 - 2 year expiration.	
259	Suture, Silk, 2.0 1/2 circle curved, cutting atleast 26mm, sterile x 12's	
260	Suture, Silk, 3.0 1/2 circle curved, cutting atleast 26mm, sterile x 12's	
261	SuturingthreadType:SilkSize:2-0.Strands:13LengthperStrand:60Expiry:with at least 1 - 2 year expiration.	
262	Syringe,Pre-FilledSalineFlushVolumeperSyringe:10mlSolution:0.8% - 0.9%Sodium ChlorideBarrel:Transparent with clear printedgraduationmarkingsforaccuratemeasurementPlunger Seal:Smooth glide with a leak-proof seal between plunger and barrelConnectionType:Luer lock for secureattachmentMaterialSpecifications:PVC-Free,DEHP-Free,Latex-FreeUsage:Ready-to-use; suitable for salineflushingproceduresPackaging:Individuallypre-filledandsealedsyringesQuantityper Box:30syringes	

263	Syringe, Pre-Filled Saline Flush Volume per Syringe: 3 ml Solution: 0.8% - 0.9% Sodium Chloride Barrel: Transparent with clear printed graduation markings for accurate measurement Plunger Seal: Smooth glide with leak- proof seal between plunger and barrel Connection Type: Luer lock for secure attachment Material Specifications: PVC-Free, DEHP-Free, Latex-Free Usage: Ready-to-use: intended for saline flushing prcedures. Packaging: Individually pre-filled and sealed syringes Quantity per Box: 30 syringes	
264	Syringe, Pre-Filled Saline Flush Volume per Syringe: 5 ml	
	Solution: 0.8% - 0.9% Sodium Chloride Barrel: Transparent with clear printed	
	graduation markings for precise measurement	
	Plunger Seal: Designed for smooth glide with a leak-proof seal between plunger	
	and barrel Connection Type: Luer lock for secure	
	and reliable attachment Material Specifications: PVC-Free,	
	DEHP-Free, Latex-Free Usage: Ready-to-use; intended for saline	
	flushing procedures Packaging: Individually pre-filled and	
	sealed syringes Quantity per Box: 30 syringes	
265	Table	
	 Type: Bedside, with wheels Made: Formica top, stainless steel 	
	frame. Tubular with guard rails	
	1 Drawer 1 lower shelf	
	Size: H: 31 inches L: 19 inches W: 16	
	inches Locally Manufactured	
266	Thermal Paper	
	Type: for ecg Width: 210mm	
	Length (Height): 295mm Compatibility: Mindray BeneHeart R12	

	ECG machine (200-sheet packs) • Expiry: with at least year expiry	
267	Tongue Depressor Wooden x 2 per pack, (Sterile) 100'S	
268	Toothpaste to Relieve Tooth Sensitivity 100g	
269	Topicalabsorbablehemostat.Material: Oxidized regenerated cellulose.Features:Bactericidaladvantage.Size:1inchx1Packaging:Boxof12Expiry: with at least 1 - 2 year expiration.	
270	Topical Anesthesia, Benzocaine, 20% ointment/gel, with fruity flavor, 30g/bottle	
271	Topical Anesthesia, Lidocaine, 5% ointment/gel, with fruity flavor, 30g/bottle	
272	Towel for OR, Surgical,, 17x27" Size 45cmx61cm Color: Blue	
273	Traction Type: for leg Size: large (length 38 -48 inches) width of the device, including padding, should be around 5 inches (12.7 cm) Weight capacity: 300 lbs (136 kg) Material: Frame: aluminum alloy or carbon fiber Foam Padding: high-density, nontoxic, hypoallergenic and moisture wicking cover. Straps: Heavy-duty nylon or polyester webbing adjustable straps. Inclusion of thigh and ankle support, adjustable foot plate, knee support and cushioning.	
274	Tractiontype:forlegsize:medium (length 30 -40 inches)width of the device, including padding,should be around 4-5 inches.weight capacity:113 kgMaterial:Frame:aluminum alloy or carbon fiberFoam Padding:high-density, nontoxic,hypoallergenicand moisture wickingcover.Straps:Heavy-dutynylon or polyester	

	webbing adjustable straps. Inclusion of thigh and ankle support, adjustable foot plate, knee support and cushioning.	
275	Tractiontype:forlegsize: small (length 24 -34 inches) width ofthe device, including padding, should bearound4inches.weightcapacity:68kg)Material:Frame:aluminumFoamPadding:high-density,nontoxic,hypoallergenicandmoisturewickingcover.Straps:Heavy-dutynylonorplateadjustablestraps.Inclusion ofthigh andanklesupport,footplateandcushioning.	
276	Trauma Shears 7 1/4" Emergency Scissors	
277	TrayMedicineType:MedicineStainless Steel Rectangular with CoverDimensions:Length:31CmWidth:21Height/Depth: 5 cm	
278	TubeType:ForFeedingSize:Fr5/40cmMaterial:Made from medical-gradePVC(Polyvinyl Chloride)with frosted surface,soft,roundedtipandcalibrationmarkings.Expiration:At least 1 year upon delivery	
279	TubeType:ForFeedingSize:Fr10/40cmMaterial:Made from medical-grade PVC(Polyvinyl Chloride)with frosted surface,soft,roundedtipandcalibrationmarkings.Expiration:At least 1 year upon delivery	
280	Tube, Endotracheal 2.0 fr.8, uncuffed	
281	Tube, Endotracheal 2.5 fr.10, uncuffed	

282	Tube, Endotracheal 3.0 fr.12, uncuffed	
283	Tube, Endotracheal 3.5 fr.14, uncuffed	
284	Tube, Nasogastric, Pediatirc fr.5, silicon with tip cover, sterile and disposable,Non-pyrogenic	
285	Ultrasound probe antiseptic spray 1 liter with free spray bottle	
286	Underpads Type: Disposable Color: Blue Size: Small Packaging: 10 pads per pack	
287	Underpads, Blue Disposable	
	Packaging: 10's / pack Size: Medium Highly absorbent, soft fluff fill Waterproof Sealed on all four sides to prevent leakage Non-skid blue backing	
288	UV Light (4 Bulbs 30 Watts) UV Light 4 Bulb 30W Locally made UV unit Dimension: 12 x 12 x 62 Height (inch), with 4pcs UV Lamp. With wheel caster. With wired for 220v. 60Hz operation with a standard power cord. UV Lamps 30 watts high output UVC lamps intensity @ 1.5m	
289	Vinegar,Type:RedCane,size:985mlshelf life:3-5 years upon delivery	
290	Volumetric Type: IV Infusion Set, calibrated burette chamber, Y connector Capacity: 150cc Micro drip: 60 drops per milliliter Tubing: 200-210cm, flexible, medical- grade plastic Expiration: At least 1 year upon delivery	
291	Wash lotion for hand cleansing, ph 5.5, mild surfactants, 1G with provided pump bottle every 10 L	

292	Water, distilled, 10 liters Expiration: At least 1 year upon delivery	
293	WeighingScalesize:300×300×24.55mmWeighingunit:kg,jinWeighingrange:0.1~150kgMinimumgraduation:0.1kgShellmaterial:reinforcedglassengineeringplasticWorkingtemperature:0°C~40°CProductnetweight:1.45kgWirelessconnection:Bluetooth5.0Ratedvoltage:4.5V=(AAAalkalinebatteries×3)Supported12.0and above	
294	Weighing Scale with height measurement, dial type	
295	Wetwipes-Disposable-For-cleansing-Antibacterialandalcohol-Softandgentletoallskintype-90sheetsper singlepack	
296	Wheelchair with Double Cross Bar Frame Material: High-strength stainless steel (not aluminum, as aluminum is typically used for lightweight models) Weight Capacity: Up to 250–300 kg (high-load capacity confirmed) Foldability: Fully foldable for compact storage and easy transport 2. Seating & Comfort Seat Width: 20–24 inches Seat Depth: Typically 16–18inch Seat Material: Reinforced padded upholstery (waterproof, easy-to-clean synthetic leather) Armrests: Fixed with cushioned support Footrests: Adjustable & swing-away, removable Rear Wheels: Large solid tires Front Wheels: 5–8 inches swivel casters Braking System: Dual hand-operated brakes Accessories: Integrated IV Stand (removable and adjustable height) Oxygen Cylinder Holder (fits standard medical oxygen tanks) Push Handles: Ergonomic grip handles	

	for caregivers Show less	
297	Wheelchair, foldable, light weight travel, manual with break and IV stand, can carry 110kg. person, black color.	
298	WoundIrrigationSolutionComponents:Betaine:0.1-0.2%.Polyhexanide(PHMB):0.1-0.2 %.Other Ingredients: Purified water, sodium chloride (for isotonicity), and possibly other stabilizers or buffering agents as per formulation.formulation.Formulation: pH:Typically around6.0-7.0, Quantity:40mlshelflife:3-5yearsExpiration: atleast 1 year upon delivery	
299	Wound Irrigation Solution, 350 ml Expiry: with at least 1 - 2 year expiration.	

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

□ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- □ (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; <u>and</u>
- □ (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
- □ (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

<u>or</u>

Original copy of Notarized Bid Securing Declaration; and

- □ (i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; <u>and</u>
- (j) Original duly signed Omnibus Sworn Statement (OSS);
 and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- □ (k) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
- □ (l) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);

<u>or</u>

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

☐ (m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. Other documentary requirements under RA No. 9184 (as applicable)

- (n) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- □ (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

25 FINANCIAL COMPONENT ENVELOPE

- \Box (a) Original of duly signed and accomplished Financial Bid Form; <u>and</u>
- \Box (b) Original of duly signed and accomplished Price Schedule(s).

Note: Any missing document in the above-mentioned checklist is a ground for outright rejection of the bid.

Post Qualification Documents

1. BIR Form 2303 (BIR Registration Certificate)

2. Business and Income Tax Return

Note: It is encouraged to submit the above-mentioned Post Qualification documents during Bid Opening to expedite the bidding process.

Requirements upon delivery

1. Retention money in an amount equivalent to 2.5% of every progress payment, or a special bank guarantee equivalent to 2.5% of the total contract price.



MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

Mariveles, Bataan

Name of Bidder/Distributor

Address:

REBIDDING OF MEDICAL SUPPLIES AND DEVICES for bid for the Twelve (12) Months Procurement 2025

No.	ITEMS	UNIT	QTY.	BRAND	UNIT COST	AMOUNT
1	Adjuncts • Type: Oropharyngeal Airway (OPA) • Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable • Size: 00 (50 mm.) • Expiry: with atleast 1 year expiration.	per piece	264		57.20	15,100.80
2	Adjuncts • Type: Oropharyngeal Airway (OPA) • Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. • Size: 0 (60 mm.) • Expiry: with atleast 1 year expiration.	per piece	299		57.20	17,102.80
3	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 2 (80 mm.) Expiry: with atleast 1 year expiration.	per piece	333		57.20	19,047.60
4	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 1 (70 mm.) Expiry: with atleast 1 year expiration.	per piece	338		57.20	19,333.60
5	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 3 (90 mm.) Expiry: with atleast 1 year expiration.	per piece	336		57.20	19,219.20
6	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 4 (100 mm.) Expiry: with atleast 1 year expiration.	per piece	333		57.20	19,047.60

7	Baby Crib with Foam w/ Wheels (Stainless) "Frame is made angle bar & legs is of tubular steel & with side rails, one side of this can lowered. Provided with 2" Foam Mattress Size: L-48 x W-25 x H-19" Stainless steel made." Shelf life: 3- 5 years upon delivery		3	19,305.00	57,915.00
8	Bag Type: For hot water Size: Medium Material: Rubber Capacity: 850 ml	piece	51	80.72	4,116.72
9	Bandage • Type: Cohesive • Material: non-woven • Size: 2 inches x 5 yards • Expiry: At least 1 year upon delivery	piece	320	32.40	10,368.00
10	Bandage • Type: Cohesive • Size: 2 inches width x 5 yards length • Fabric: non-woven, elastic, breathable and water resistant.	piece	142	77.00	10,934.00
11	Bandage Material: Elastic / Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 4 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	roll	1,171	71.50	83,726.50
12	Bandage Material: Elastic /Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 3 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	roll	801	66.00	52,866.00
13	Bandage Material: Elastic /Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 6 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	roll	325	71.50	23,237.50
14	Bandage Type: elastic, reusable Width: 2 inches (5 cm) Length: 5 yards (4.57 meters) material: Elastic cotton or cotton-poly blend, offering stretch and support. with end-to-end Velcro. Expiry: with at least 1 - 2 year expiration.	per piece	110	103.51	11,386.10
15	Bed Pan • Material: made of lightweight plastic Size: 500-1000ml	per piece	74	102.00	7,548.00

16	Blade Holder #3, Surgical, stainless steel Reusable and autoclavable, Fits #10 #11 #12 #15 Blades Expiry: with at least 1 - 2 year expiration.	piece	13	198.00	2,574.00
17	Blade, Surgical, #10, Sharp, Well-polished x 100's	box	22	1,080.00	23,760.00
18	Blade, Surgical, #11, Sharp, Well-polished x 100's	box	12	1,080.00	12,960.00
19	Blade, Surgical, #15, Sharp, Well-polished x 100's	box	4	1,080.00	4,320.00
20	Blanket Type: Full body for adults. Material: Cotton Dimensions: Length of 84 inches width of 36 inches. Packaging: 10 pieces per case.	case/pack	77	13,337.50	1,026,987.50
21	Blood Glucose Monitor System for self testing, with strips, (auto-coding,strip ejector function, full automatic coding, 0.5ul small-blood volume, 365 data memory with date and time, automatic power on & start, enhanced data management with PC communication, accurate test results in 5 seconds) -for gluneo lite glucose test strips	unit	16	1,100.00	17,600.00
22	Bonding agent 7th generation self-etching bonding adhesive (nanotechnology) Free from Bisphenol A (BPA) derivatives One-step application process that combines etchibng, priming, and bonding in a single step no separate etching or rinsing required suitale for both direct and indirect restorations compatible with a variety of restorative materials including composites, compomers and resin cements Stable shelf life of at least 24 months when stored under recommended conditions. 5-7ml/bottle Must have US-FDA or CE certification	bottle	4	1,320.00	5,280.00
23	BP Aneroid Child BP Aneroid BP Cuff with Inflation Pedia BP Bulb Sphygmomanometer Long lasting, thicker rubber bladder Authentic, luminous dial face Durable Adult Inflation System Genuine brass gauge 1 x Handy zipper case 1 x Durable adult inflation system 1 x Authentic luminous dial face 1 x Long lasting thicker rubber bladder	piece	19	2,323.20	44,140.80

	BP aneroid desktype sphygmo. BP cuff with inflation. Spiral Tubing BP bulb. Manual BP (Standard Adult). With metal base pad for desk and metal bracket for wall mount	unit	16	3,850.00	61,600.00
25	Brush Scrub, Surgical, plain	piece	400	26.40	10,560.00
26	Casting Tape type: fiberglass Size: Width: 4 inches (approximately 10 cm) Length: 4 yards (approximately 3.66 meters) Expiry: with at least 1 - 2 year expiration.	pc.	157	372.13	58,424.41
	Casting Tape type: fiberglass Size: Width: 2 inches (approximately 5 cm) Length: 4 yards (approximately 3.7 meters) Expiry: with at least 1 - 2 year expiration.	pc.	370	372.13	137,688.10
	Casting Tape type: fiberglass Size: Width: 4 inches (approximately 10 cm) Length: 4 yards (approximately 3.66 meters) Expiry: with at least 1 - 2 year expiration.	pc.	205	537.90	110,269.50
29	Catheter • Type: Umbilical, sterile • Size: French 3.5 • Material: Medical grade plastic • Expiry: with at least 1 - 2 year expiration.	per piece	136	434.50	59,092.00
30	Catheter • Type: Umbilical, sterile • Size: French 5 • Material: Medical grade plastic • Expiry: with at least 1 - 2 year expiration.	per piece	106	1,045.00	110,770.00
	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 16 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	3,426.50	13,706.00
32	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 20 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	3,426.50	13,706.00

33	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 24, Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	3,426.50	13,706.00
	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 32 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	3,426.50	13,706.00
35	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 36 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	3,426.50	13,706.00
36	Catheter, Red Rubber, size:12 Expiry: with at least 1 - 2 year expiration.	piece	385	77.00	29,645.00
37	Catheter, Red Rubber, size:14 Expiry: with at least 1 - 2 year expiration.	piece	380	77.00	29,260.00
38	Cement, Contains Calcium-hydroxide, radiopaque, light- cured, 13g substrate + 11g catalyst, with CE or US FDA certification, 1 set/box	box	4	1,800.00	7,200.00
	Chart Type: Ishihara Test Book - Latest Edition Plate: 38 (diagnosing color vision deficiencies, particularly red-green color blindness.) Design: The plate features a pattern of colored dots with a figure, number, or shape hidden within the design. Colors: The colors used typically include shades of red, green, orange, and brown, Materials: Printed on high-quality, non-reflective paper or cardboard. Inclusion: Manual and eye occluder	piece	1	2,750.00	2,750.00
	Chemical Integrator, Type/Class 5 Temperature Range: 121-134°C (250-275°F). Sterilization Methods: Suitable for gravity and vacuum- assisted steam sterilization cycles. Technology: Moving front ink technology. Readability: Provides easy-to-read ACCEPT or REJECT results Packaging: 100's/pack	pack	36	1,457.50	52,470.00

41	Cleaner and disinfectant.	canistor	62	1,193.50	73,997.00
41	Efficacy: Tuberculosis (TB): Effective in 3 minutes. Hepatitis B and C viruses, HIV-1, and more: Effective in 2 minutes. Towelletes: Durable non-woven, lint-free, and do not bunch up.	canister	02	1,193.50	73,997.00
	Packaging: 160 towelletes per canister.				
	Cleaner Type: Dual-action enzymatic cleaner with surfactant. For removing biostains Volume: 1 gallon. At least 1 year upon delivery	gallon	48	4,647.50	223,080.00
43	Cleaner type: enzymatic (Proteolytic enzyme-based cleaner) Size: 5000ml (5 Liters) Intended Use: Medical Equipment and endoscopes. Expiry: with at least 1 - 2 year expiration.	container	1	4,070.00	4,070.00
44	Collar • Type: Cervical with pre-formed shape, tracheotomy opening and adjustable Velcro straps. • Material: Polyethylene Foam soft lining • Size: Small • Safety features: hypoallergenic, radiolucent.	piece	16	385.00	6,160.00
	Composite Restorative Material Set: should contain shades from A1-A3.5, with etchant and bonding agent, hybrid with nanotechnology, with CE or US FDA certification	pack/box	2	3,600.00	7,200.00
46	Composite Shade Guide, should contain shades A1-D4	piece	2	1,320.00	2,640.00
47	Composite Trimming Burs, Cone, tapered, white, for highspeed, per piece	piece	22	50.00	1,100.00
48	Cotton buds Fiber composition: 100% cotton Plastic stem (unbreakable safe plastic stem) 108's/pack	Pack	118	75.00	8,850.00
49	Cotton Plier w/ lock (Hand Instrument).	piece	16	159.50	2,552.00
50	Cotton • Type: balls, hypoallergenic • Packaging: by 300's • Expiry: with at least year expiration.	per pack	361	132.00	47,652.00
51	Cotton • Type: roll, hypoallergenic • Size: 400 grams • Expiry: 1 - 2 years expiration	per pack	407	143.00	58,201.00
52	CPR Board / Cardiac Board, Plastic Size: L-59.5 x W- 41 x H-7cm	piece	8	4,150.30	33,202.40
53	Curtain Track and Partition Curtains Medical Type: for hospital cubicle Material: Polyester Fiber, Shading Degree: Semi-Shading (40%-70%). Blue Color	рс	5	1,775.73	8,878.65

54	Dental Absorbable STERILE Hemostatic Gelatin Sponge (32pc Gelfoam/pack)	pack	12	390.00	4,680.00
55	Dental Caries Indicator/detector, 5ml/bottle, blue or violet color when dyed	bottle	6	300.00	1,800.00
56	Dental floss mint flavor 50ml Slides easily between teeth without shredding Removes plaque between teeth and below the gum line	Piece	6	290.00	1,740.00
57	Dental Matrix Band Holder, adjustable and autoclavable	piece	10	290.00	2,900.00
58	Dental Matrix Band, Stainless, for molar, 20pcs/pack	pack	6	240.00	1,440.00
59	Dental Sterilization Pouch, Self-sealing, auto-clavable, 135mm*280mm pouch, 200pcs/box	box	6	400.00	2,400.00
60	Dental Sterilization Pouch, Self-sealing, auto-clavable, 190mm*360mm pouch, 200pcs/box	box	6	850.00	5,100.00
61	Dental Syringe, Aspirating, autoclavable, stainless steel	piece	5	400.00	2,000.00
62	Deodorant • With Natural Mineral component • Anti-perspirant • Anti-bacterial • Paraben, alcohol and aluminum chlorohydrate free • Spray bottle • At least 100-118ml	Bottle	390	350.00	136,500.00
63	Diaper Type: Cloth, for Newborn, Lampin Size: XL (27" x 27") Material: Fabric (Made from Birdseye weave cotton) Packaging: 12 piece per pack	pack	36	466.80	16,804.80
64	Diaper, Tape Type: Newborn weighing up to 10 lbs (4.5 kg). Features: High Absorbency and Multiple Layers. Material: Soft, breathable outer layer, inner lining is designed to wick away moisture with leak guards. Fit: Adjustable Tabs, Disposable Quantity: Pack of 20. Expiry: with at least 1 -2 years expiration.	pack	24	605.00	14,520.00

65	Digital Dental X-ray Sensor (For Periapical X-ray)	unit	4	40,000.00	160,000.00
	Technical Specifications: - With AED Technology (Automatic Exposure Detection) - APS CMOS Technology detector - Thin and Ergonomicaly Designed with rounded corners and edges - IP68 rating - Active Area = 20*30 to 26*36 - General Sensor dimension = 4mm - 6mm thickness - Resolution = Thoretical - 25lp/mm to 27lp/mm = Measured - >12lp/mm - AD Conversion is 16bit - USB 2.0-3.0 - Cable Length shoud be > 3m Other Specs: - English language - Operation System = Desktop/Laptop for Win7,8 and 10 - Greater than 400,000-500,000 times sensor life imaging - Warranty for 2years				
66	Disinfectant and cleaner. Type: Liquid concentrate Usage: For manual disinfection of surgical instruments. Volume: 1 liter bottle. Contains: Cocospropylenediamineguanide diacetate: 1- 3.75 grams. Didecyloxethylmethylammonium propionate: 3 - 5.63 grams. Expiration: At least 1 year upon delivery	bottle	14	17,600.00	246,400.00
67	 Disinfectant Type: for instruments, cold-sterilant solution Composition: Non-gluteraldehyde, alkyl triamine. Contact time: 14 days. Quantity: 1000ml (1 liter) bottle. Expiry: with at least 1 - 2 year expiration. 	bottle	12	4,950.00	59,400.00
68	 Disinfectant Type: For skin, Medical-grade alcoholic . Usage: For use prior to punctures, incisions, blood extraction, and both pre- and post-surgical interventions. Packaging: 1 liter bottle. contains: 2-Propanol (Isopropanol): 55 - 63.14 grams Expiration: At least 1 year upon delivery 	bottle	36	2,178.00	78,408.00

			4-1	5 404 50	00.447.50
69	 Disinfectant Type: high level for medical instruments Active Ingredient: 0.60% orthophthalaldehyde (OPA). Form: Ready to use (no activator needed). Volume: 5 liters. Expiration: At least 1 year upon delivery 	bottle	15	5,494.50	82,417.50
70	Disinfectant, for hand Type: Medical-grade alcoholic , surgical. Efficacy: Effective against Rota and Noro viruses. contains emollients for skin care. Packaging: 1 liter bottle. contains: 2-Propanol (Isopropanol): 55 - 63.14 grams Expiration: At least 1 year upon delivery	bottle	148	2,178.00	322,344.00
71	Disinfectant/Sterilant • Type: High-Level • Active Ingredient: 2.5% Glutaraldehyde Solution • Expiration: At least 1 year upon delivery	Gallon	12	2,640.00	31,680.00
72	Double Action Bone Rongeur Specifications: Length: 6 inches (15 cm) Jaw Design: Slight Angled Jaw Double Action Mechanism Material: High-Grade Surgical Stainless Steel: Finish: Polished Handle: Ergonomic Design	per piece	3	6,087.24	18,261.72
73	Drape • Type: Surgical Incise, Adhesive Size: 56cmx45cm • Packaging: 10pcs/box • Expiration: At least 1 year upon delivery	Box	18	10,450.00	188,100.00
74	Draw Sheet Type: Reusable, sliding Size: 26 inches x 53 inches Made: medical polymer material, washable, stain and fluid resistant.	per piece	150	1,093.29	163,993.50
	Dressing Cart All Stainless Mounted on 4pcs 2" caster wheels Included in Dressing cart 1 small trays 1 small basin 8 small bottle 5 big bottles 2 drawers 1 cabinet	unit	6	15,400.00	92,400.00
76	DRESSING • Type: STERILE, WATERPROOF BREATHABLE TRANSPARENT WITH NON-ABSORBENT NON- ADHERENT PAD • Size: 9cmx 35cm • Packaging: 25 pcs/box • Expiration: At least 1 year upon delivery	Box	12	7,700.00	92,400.00

77	Dressing Type: Hydrocolloid , Control gel formula dressing	piece	20	453.75	9,075.00
	Size: (4 x4 inches) Expiration: At least 1 year upon delivery				
78	Dressing Type: Sterile, waterproof, breathable transparent . Pad: Non-absorbent, non-adherent pad. Size: 9 cm x 25 cm pad size. Packaging: 25 pieces per box. Expiration: At least 1 year upon delivery	box	12	372.90	4,474.80
79	Dressing Typer: Sterile, waterproof, breathable transparent Pad: Non-absorbent, non-adherent pad. Size: 5 cm x 7 cm pad size. Packaging: 50 pieces per box. Expiration: At least 1 year upon delivery	box	5	313.15	1,565.75
80	Dressing Typer: Sterile, waterproof, breathable transparent . Pad: Non-absorbent, non-adherent pad. Size: 6 cm x 10 cm pad size. Packaging: 50 pieces per box. Expiration: At least 1 year upon delivery	box	4	324.50	1,298.00
81	Dressing, Type: Sterile, waterproof, breathable transparent Pad: Non-absorbent, non-adherent pad. Size: 9 cm x 15 cm pad size. Packaging: 25 pieces per box. Expiration: At least 1 year upon delivery	box	12	346.50	4,158.00
82	Dressing. Type: Sterile, waterproof, breathable transparent Pad: Non-absorbent, non-adherent pad. Size: 9 cm x 20 cm pad size. Packaging: 25 pieces per box. Expiration: At least 1 year upon delivery	box	12	357.50	4,290.00
83	Electrode Pads Standard Size, Disposable Compatibility: EDAN X12 Quantity: 50's Expiration: At least 1 year upon delivery	pack	82	302.50	24,805.00
84	Electrode Paste Type:Neurodiagnostic Formulation: Conductive Formula and Viscous texture. Key Features: Non-Drying, Hypoallergenic, Easy Application and Removal. Specifically formulated for non-disposable neurodiagnostic electrodes. Expiry: with at least 1-2 years expiration.	piece	30	4,235.00	127,050.00

			- 1		
85	Emergency Stretcher Provided with bumper Railing IV hook Mattress Shelf below with Oxygen holder 5" mounted wheel caster Size: H: 32" x L: 74" x W: 24"	set	6	8,800.00	52,800.00
86	EXAMINATION TABLE - stainless steel frame - Hamilton- type -3 panel padded foam matress - pull out foot stool - elevating back rest - one pair of stirrup - adjustable legrest Backrest Angle: 0 - 80 degrees Legrest Angle: 270 - 360 degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot Stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87 cm	set	5	30,000.00	150,000.00
87	Examination table Powder-coated steel frame 3 panel padded foam mattress Pullout foot stool Easy to clean, stain resistant upholstery Four front storage drawers. Large drawer Elevating backrest One pair of Stirrup Adjustable legrest Specifications: Backrest Angle: 0 ~ 80 degrees Legrest Angle: 270 ~ 360 Degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87cm	set	1	12,650.00	12,650.00
88	Film Dressing, transparent, 2x2" x 20's	box	105	2,041.27	214,333.35
89	Film Dressing, transparent, 4x10" x 20's	box	235	2,613.60	614,196.00
90	Film Dressing, transparent, 4x4" x 20's	box	60	2,420.00	145,200.00
91	Fluoride Applicator Brush, any color, x100per pack	pack	12	110.00	1,320.00
92	Fluoride Varnish: White varnish, with Innovative Tri-calcium Phosphate and 5%Sodium Fluoride contains 22,600 ppm Sodium Fluoride, Melon or Mint flavor, (box include 100packs of .5ml dose varnish and 100pcs applicator brush)	box	2	13,750.00	27,500.00
93	Foot Stool Single Stainless Size: Height: 22cm x Width: 25cm x Length: 35cm Leg Diameter: 7.5cm Capacity: at least 100kg	set	17	1,760.00	29,920.00

94	Forcep	PIECE	6	550.00	3,300.00
	Type: Kelly Haemostatic, curved Material: Stainless Steel Size: 6 inches	FILCE	0	000.00	3,300.00
	Forcep type: Toothed pick up material: stainless steel size: 3 1/2 inches	PIECE	6	935.00	5,610.00
96	Forcep, Mosquito, (Straight), stainless, 7"	per piece	20	715.00	14,300.00
97	Forceps • Type: Adson Dressing without Teeth. • Size: 4 3/4 inches. • Material: Stainless steel Medical grade	per piece	27	313.50	8,464.50
98	Forceps Type: Mosquito, curved Material: stainless Size: 5"	piece	112	275.00	30,800.00
	Forceps Type: Mosquito, straight Material: medical grade stainless steel Size: 5"	piece	56	275.00	15,400.00
100	Forceps • Type: Adsom dressing without teeth • Material: Medical grade stainless steel • Size: 4 3/4 inches	per piece	8	330.00	2,640.00
	Forceps Type: Alligator biopsy Material: medical grade stainless steel Size: 6 inches	per piece	2	1,595.00	3,190.00
102	Forceps Type: Alligator biopsy Material: medical grade stainless steel Size: 8 inches	per piece	6	1,595.00	9,570.00
103	Forceps Type: Allis Tissue, serrated jaw with teeth Material: medical grade stainless steel Size: 7.0"	per piece	19	708.40	13,459.60
104	Forceps type: Foerster Sponge/Kelly Placenta . Curved Jaw Design: Serrated Jaws Material: Typically made from stainless steel or other high- grade surgical-grade metals. Size:Length: 9.5 inches (approximately 24 cm)	Piece	6	1,200.00	7,200.00
105	Forceps type: Foerster Sponge/Kelly Placenta, Straight Jaw Design: Serrated Jaws Material: Typically made from stainless steel or other high- grade surgical-grade metals. Size: Length: 9.5 inches (approximately 24 cm)	Piece	1	1,200.00	1,200.00

					
106	Forceps Type: Kelly, Curved Material: Medical-grade stainless steel Size 5.5 inches	piece	50	93.50	4,675.00
107	Forceps Type: Kelly, Straight Material: Stainless steel Size 5.5 inches	piece	32	93.50	2,992.00
108	Forceps Type: Thumb Material: medical grade stainless steel Size: 7 inches	piece	16	544.50	8,712.00
109	Forceps Type: Tissue material: medical grade stainless steel Size: 7 inches	piece	26	544.50	14,157.00
	 Forceps, Mosquito Material: Medical-grade stainless steel Length: 7 inches (approximately 18 cm). Jaw Type: Curved jaws and serrated inner surface with fine, blunt tips. Finish: Matte or Polished 	per piece	14	715.00	10,010.00
111	Gel, Skin Prep Type: for EEG Key Ingredients: Mild Abrasive Particles with moisturizing agents. Consistency: Gel Formulation pH Balance: Neutral or Slightly Acidic (pH 5.5 - 7) Tube: 114g with resealable cap. Expiry: with at least 1 - 2 year expiration.	per piece	24	3,025.00	72,600.00
112	Glass ionomer Cement, Type II, universal restorative, radiopaque, powder and liquid, 1 set/box with CE or US FDA certification	box	4	3,500.00	14,000.00
113	Gloves, Large Type Nitrile Material: Made from synthetic nitrile rubber, Polyvinyl Chloride (PVC). Features: Powder-Free, Latex-Free, Low Dermatitis Potential, Ambidextrous Color: Blue Quantity: 100 per box Expiry: with at least 1-2 years expiration.	box	2	385.00	770.00
114	Gooseneck Lamp / Droplight With Cover (W/ 5 Wheels) Stainless Stand	set	12	3,850.00	46,200.00
115	Guide Wire Type: Endotracheal, sterile, disposable French Size: 10 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	85	348.59	29,630.15

Guide Wire Type: Endotracheal, sterile, disposable French Size: 12 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	88	348.59	30,675.92
Guide Wire Type: Endotracheal, sterile, disposable French Size: 14 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	97	348.59	33,813.23
Guide Wire Type: Endotracheal, sterile, disposable French Size: 6 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	73	348.59	25,447.07
Handle /Holder Type: for scalpel blade Material: Medical grade stainless Steel Size: around 12–15 cm (4.7–5.9 inches). Compatibility: Designed to fit #3 size blades	per piece	12	214.50	2,574.00
High Speed Handpiece Instrument: With 45degree angle, stainless body, auto-clavable, slide proof handle Technical Specs: 1. Chuck type: push button. 2. Light: Fiber optic. 3. Clamping means of bur Push button. 4. Bearing Material: Ceramic Bearing. 5: Material: Metal. 6. Color: Silver. 7. Noise: Less than 65 dB. 8. Hole: for 2 holes male part 9. Working Air Pressure: 0.2Mpa~0.3Mpa 10. Speed: 280,000-400,000 RPM	piece	2	9,000.00	18,000.00
Holder Type: for needle Material: Medical-grade stainless steel. Length; 7 inches (approximately 18 cm): Design Features: Serrated Jaws with ratchet lock mechanism and finger rings. Finished: Matte or Polished.	box	16	1,428.00	22,848.00

122	ID Bracelet • Material: Durable Plastic or Vinyl, Disposable.	box	6	250.00	1,500.00
	 Color: green, with write -on panel. Size: for pedia, with adjustable closure. Quantity: 100 per box 				
123	Immobilizer Type: Head Material: No metal components, waterproof, buoyant, and easily cleaned and disinfected, with straps base and pillows.	piece	12	2,530.00	30,360.00
124	Intermediate Restorative Material Cement, Contains Zinc Oxide Eugenol, Type III Class I, in a standard package, box contain powder and liquid, with CE or US FDA certification, 1 set/box	box	4	500.00	2,000.00
125	Intraoral Camera with Monitor and dental chair bracket holder: Monitor: 17 inch HD Display. Embedded operating system. JPG image format and MP4 video playback. High-speed image processing technology. Ergonomic design with a simple and personalized handle attached with it improves the overall handling experience Length of the monitor - at least 38.5cm The breadth of the monitor - at least 36.5cm Intra-Oral Camera: 10 Megapixel CMOS. Auto Focus 4 x Zoom 1280 x 1024 resolution. Four to Six high intensity LED lightsSYSTEM OPERATION Remote control / key control. Key Function Key 1 – Capture image Turn off camera Save picture Key 2 – Switch picture mode Cancel picture Take video Key 3 – Play forward Delete all picture	unit	4	25,000.00	100,000.00
126	Key 4 – Play backward Isopropanol, Benzalkonium Chloride, (Skin wound & operative disinfectant) Active Ingredients: Propan-2-ol (Isopropyl alcohol): 62g - 63g per 100g (62% - 63% concentration) Benzalkonium chloride: 0.024g - 0.025g per 100g Purified Water: 36.97g Quantity: 1liter with inclusion of 250ml and 50 ml spray bottle. Expiration: at least 1-2 years expiration	set	6	1,588.00	9,528.00

127	Isopropanol, N-Propanol, Mecetronium Ethylsulfate, Active Ingredients:	bottle	14	1,788.00	25,032.00
	 Propan-2-ol (Isopropyl Alcohol): 45.0g Propan-1-ol (N-Propanol): 30.0g Mecetronium Ethylsulfate: 0.2 g Other Ingridients: Glycerol 85%, Tetradecan-1-ol, Purified Water. Quantity: 1 liter 				
	Expiry: at least 1-2 years expiration.				
128	Jar type: for forcep, without lid size: Diameter: 50mm Height: 175mm material: medical grade stainless steel	рс	3	1,297.89	3,893.67
129	Kidney Basin Material: medical-grade 304 stainless steel Size: 10 inches	per piece	10	380.00	3,800.00
130	Kidney Basin Material: medical-grade 304 stainless steel Size: 12 inches	per piece	16	485.00	7,760.00
131	Kidney Basin Material: medical-grade 304 stainless steel Size: 8 inches	per piece	12	295.00	3,540.00
132	Lead Gown Inclusion: with thyroid shield Material: Front 0.5mmPb Back - 0.25mmPb L: maximum 43.30 inches W: maximum 23.6inches Weight: maximum 5.6kg/pc	Set	8	14,560.00	116,480.00
133	Lotion • Moisturizing lotion • With sun protection of approximately 24-50 SPF • At least 125-200ml • Bottle with pump • Dermatologically tested • Hypoallergenic	Bottle	12	850.00	10,200.00
134	Lotion Type: Insect Repellent, Anti-Mosquito Active Ingredients: IR3535: Also known as 3-[N-Butyl-N-acetyl]-aminopropionic acid, ethyl ester. Non-DEET Formula. Sun Protection. Organic UV Filters. Germ Protection: Duration of Protection: up to 8 Hours protection Skin Compatibility: Hypoallergenic. Dermatologically Tested. Derm -Cool Formula Application: non greasy Size and Packaging: 50ml	Bottle	40	290.00	11,600.00

405			4 500	04.00	070 000 00
	Mask Type Surgical, N88 Design: Disposable, 3-ply Material: Non-woven fabric Premium 3 Ply Mask (PPSB, Meltblown, PPSB) Bacteria Filtration Efficiency – up to 99% Virus Filtration Efficiency – up to 99% Latex Particle Filtration Efficiency – up to 99% Sub-Micron Particulate (NaCI) filtration Fiberglass Free Hypoallergenic excellent Breathability Adaptable nose bar high filtration Lightweight Packaging: Box of 50 Expiration: with at least 1-2 years expiration	pack	4,526	61.00	276,086.00
	Mask type: N95, for face, disposable, fluid resistant, medical grade. material: multiple layers of non-woven fabric, including melt- blown polypropylene. NIOSH Approved, with 95% Particle Filtration Efficiency (PPE) Expiry: with at least 1-2 years expiration	piece	1,705	97.00	165,385.00
137	Mask, KF94, medical grade. • Trifold design • At least 8" x 3" in dimension. Snug fit (provide sample) • Made from Polypropylene nonwoven fabric (at least 3 layer protection) • Bendable metal nose clips • Elastic string ear loops • High filtration efficiency (PFE > 94%) • FDA and CE standard approved • Disposable • Color : black or white • Quantity: 50pcs per box • Expiry: with at least 1-2 years expiration.	pack	102	1,100.00	112,200.00
138	Mat Type: for changing diaper, new born Size: Standard size (18 inches x 30 inches) Material: non-toxic baby safe durable non-slip rubber , water resistant and easy to clean.	PIECE	20	361.90	7,238.00
139	Mortar and Pestle (Porcelain)	PIECE	9	330.00	2,970.00
	Mouth Mirrior w/ Handle, stainless, autoclavable	piece	11	150.00	1,650.00
141	Multifunctional percussion diagnostic reflex hammer set. Includes: 1. Pinwheel /Geer Wheel Hammer 2. T-shape Hammer / Triple-cornered Hammer 3. Taylor Buck Hammer 4. Babinski Hammer /Metal Rod Hammer 5. Plastic Rod Hammer	set	6	462.00	2,772.00

440			200	550.00	040 500 00
142	Nasoparyngeal Airway size 12. Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex Expiry: with at least 1 - 2 year expiration.	per piece	396	552.00	218,592.00
143	Nasoparyngeal Airway size 14. Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	per piece	397	552.00	219,144.00
144	Nasoparyngeal Airway size 24 Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	per piece	407	552.00	224,664.00
145	Nasoparyngeal Airway size 28 Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	per piece	406	552.00	224,112.00
146	Nasoparyngeal Airway size 32 Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	per piece	406	552.00	224,112.00
147	Nebulizer "Size: 10.1" W x 10.5" H x 6.5" D Weight: 7-lbs Power requirements: 1.3 amps, 115VAC 60Hz Power consumption: 90 watts"	unit	7	12,375.00	86,625.00
148	Nebulizer small, lightweight and convenient tabletop nebulizer; 52 decibels of sound while operating, And at 9.5 ounces, it is 3.5x lighter than most tabletop compressor models, with an average size of 3 µm	unit	7	4,500.00	31,500.00

149	Negatoscope (Single) Negatoscope single	piece	2	2,640.00	5,280.00
	High color temperature Low power consumption and little temperature rising. Size: L: 20" x W: 3" x H:16" The Flourescent Illuminator provides a soft diffuse bluish white light found to be most satisfactory for film illumination. Made of ordinary metal with stainless steel				
150	Opener Type: for ampoule, handy Size range: 7.15 mm to 9.75 mm Volume compatibility: 1-15 mL Material: medical-grade plastic	piece	12	144.00	1,728.00
151	OTOSCOPE/ OPTHALMOSCOPE Package includes: 1 Otoscope 1 Ophthalmoscope 4 Speculum Hardcase Box Features: -Made of premium ABS material -Optimum 3X magnification -Scratch-resistant lens -Energy efficient, durable, enhanced LED light source -Suitable for professional use and personal use Specification: Item Type: Otoscope-Ophthalmoscope Diagnostic Set Material: ABS Item Color: Black	set	7	5,555.00	38,885.00
152	Oxygen Regulator	piece	93	2,123.55	197,490.15
153	Oxygen tank, 10lbs	piece	13	2,662.00	34,606.00
154	Oyxgen Trolley Features: Stainless Steel Frame Sturdy construction hook loop for Oxygen Cannula Screw lock to help secure the oxygen cylinder 2 Wheeled Trolley Wheel Type: Solid rubber or pneumatic (air-filled) wheels .Wheel Size: Typically 6-8 inches in diameter. Dimensions: Height: Approximately 90–120 cm (depending on the trolley design and cylinder size). Width: Around 30–40 cm, suitable to accommodate the 20 lb cylinder. Depth: About 25–35 cm. Weight: 5-7kg	Unit	4	4,290.00	17,160.00

155	Pads	pack	470	116.00	54,520.00
100	 Type: Maternity Material: Made from pure, absorbent cotton. Packaging: 8pcs per pack Expiry: with at least 1 -2 years expiration. 	ματικ	470	110.00	04,020.00
156	Pads Type: for AED, Adult. Compatibility: Radian Heart Guardian HR-501. Expiry: with atleast 1 year expiration.	per piece	4	7,366.00	29,464.00
157	Paper Type: Thermal for NST, z fold pad, compatible with Narang Medical CTG Machine Size: 112mm x 100mm x 150sh	pad	120	480.00	57,600.00
158	Patient Transfer Belt Multipurpose Positioning Bed Pad Waterproof Material & Durability: Fabric: High-quality, waterproof, and breathable Oxford or Nylon fabric Inner Layer: Soft padded lining for patient comfort Reinforcement: Double-stitched seams for durability Weight Capacity: Supports up to 250-400 lbs (113-180 kg) Design & Functionality: Handles: Multiple reinforced handles for secure grip and maneuverability Straps: Adjustable securing straps with durable buckles Waterproofing Non-Slip Surface Expiry: with at least 1 - 2 year expiration.	piece	6	1,978.90	11,873.40
159	PEDIATRIC PULSE OXIMETER Pulse Oximeter Pedia Accurate Measurement Professional Guarantee 1. Dual color LED displays SpO2,PR,Pulse bar, and waveform; 2. Low power consumption; battery-low indicator; 3. Level 1-10 adjustable brightness, 6 display modes; 4. Automatically power off; 2 AAA alkaline batteries; 5. Optional multi-color silicon rubber boot and carrying case; 6. Suitable for pediatric and adult; Included Accessories: 2 x AAA 1.5V Alkaline Battery Sling strap	Piece	35	1,650.00	57,750.00
160	Penrose Tubing Drain, Latex, size 1/2	piece	14	253.00	3,542.00
	Phototherapy Machine Blue fluorescent tube Timer to count phototherapy time; Angle of lamp module can be adjusted (for mobile model); Height of lamp module can be adjusted (for mobile model); Wheels can be locked (for mobile model)	unit	2	38,500.00	77,000.00

			- 1		
	Pillow Type: Head Positioner Shape: Donut shape / pillow donut Material: Made from rubber or a similar flexible material. For Pediatric Use. Size: Outer Diameter (OD): 5 1/2 inches (14 cm) Inner Diameter (ID): 2 1/4 inches (5.7 cm) Thickness/Height: 1 1/4 inches (3.2 cm) Color: any available color	piece	6	6,787.00	40,722.00
	Pit and Fissure sealant, Light cured, with CE and/or US FDA certification, 1-2g/syringe with extra tips included	syringe/tu be	10	500.00	5,000.00
	Plant-based absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Bactericidal advantage, structured non-woven fabric (needle-punched to interlock) Size: 10 cm x 10 cm. Packaging: Box of 10. Expiry: At least 1 year upon delivery	Box	9	36,982.00	332,838.00
	Plant-based absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Bactericidal advantage, structured non-woven fabric (needle-punched to interlock) Size: 5 cm x 10 cm. Packaging: Box of 10. Expiry: with at least 1 - 2 year expiration.	Box	9	25,425.40	228,828.60
	Plant-based absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Features: Bactericidal advantage, structured non- woven fabric (needle-punched to interlock) . Size: 2.5 cm x 5 cm. Packaging: Box of 10. Expiry: with at least 1 - 2 year expiration.	Box	18	15,602.40	280,843.20
167	Plaque Disclosing Solution, 30ml/bottle	bottle	10	110.00	1,100.00
168	Plaster Adhesive, Tape cloth 1.25cm x 5m is a tan-coloured zinc oxide tape for securing dressings, and is both waterproof and dirt repellent. Expiry: with at least 1 - 2 year expiration.	PIECE	284	258.50	73,414.00
	Plaster Adhesive, Tape cloth 2.5cm x 5m is a tan-coloured zinc oxide tape for securing dressings, and is both waterproof and dirt repellent. Expiry: with at least 1 - 2 year expiration.	PIECE	109	330.00	35,970.00
	Plaster Of Paris (POP), 4" Expiry: with at least 1 - 2 year expiration.	PACK	209	121.00	25,289.00
	Plaster Of Paris (POP), 6" Expiry: with at least 1 - 2 year expiration.	PACK	260	137.50	35,750.00
	Polybib, disposable, random color, x100s	pack	42	180.00	7,560.00
173	Portable pill tablet cutter splitter	PIECE	22	47.30	1,040.60

Pouch Type: for Sterilization, Gusseted Size: width: 8 in x length: 30 meters for autoclave and a sealing device, with steam and EO	roll	96	880.00	84,480.00
indicator Pouch	roll	96	440.00	42,240.00
Type: for Sterilization, Gusseted Size: width: 4 in x length: 30 meters for autoclave and a sealing device, with steam and EO indicator				
Pouch Type: for Sterilization, Gusseted Size: width: 6 in x length: 30 meters for autoclave and a sealing device, with steam and EO indicator	roll	24	715.00	17,160.00
Prophylaxis brush, For low speed handpiece, Latch flat type, nylon rubber brush, white color, 100pcs/pack	pack	12	400.00	4,800.00
Pulse Oximeter, Adult , 5's rapid reading,OLED display with lanyard Easy to operate noninvasive and No prick High accuracy Oled display 5 directional display auto power off Large bright digital numbers low battery indicator Package Include: triple A battery lanyard oximeter pouch manual	PIECE	349	616.00	214,984.00
Pulse Oximeter, Pediatric Materials: ABS Plastic Weight: 0.06kg LED display large reading number Built in silicone case finger tip Rechargable,small in volume, light weight and convenient to carry Super soft rubber pad better quality material to protect baby finger Package Include:	PIECE	63	1,650.00	103,950.00
charging cord lanyard user manual				
Restorative Burs, Round, #1/2, diamond, for highspeed, per piece	piece	22	50.00	1,100.00
Restorative Burs, Tapered fissured, diamond, for highspeed, per piece	piece	22	50.00	1,100.00

182	Retractor Type: Senn (double ended)	PIECE	6	495.00	2,970.00
	Material: Stainless Steel size: 6 inches				
183	Retractor Type: Weitlaner (self-retaining with prongs) material: stainless steel size: 5.5 inches	PIECE	6	2,420.00	14,520.00
184	Retractor Type: Weitlaner (self-retaining with prongs) material: stainless steel size: 6.5 inches	PIECE	6	2,750.00	16,500.00
185	Scissor, Surgical, straight 7 1/4", stainless	pair	19	544.50	10,345.50
186	Scissors Type: Bandage Blades: Curved and serrated Tips: Blunt Material: medical grade stainless Steel Length: 5.5 inches	pair	12	400.00	4,800.00
187	Scissors Type: Iris(Curved) Length: 4 1/2 inches (approximately 11.4 cm) Design: Curved blade Material: medical grade stainless steel Finish: Polished or matte, corrosion-resistant	per piece	28	1,391.50	38,962.00
	Scissors Type: Iris(Straight) Length: 4 1/2 inches (approximately 11.4 cm), Design: Straight blade Material: medicall-grade stainless steel Finish: Polished or matte, rust and corrosion-resistant	per piece	18	1,391.50	25,047.00
	Scissors Type: Metzenbaum(Straight) Material: medical-grade stainless steel. Length: 7 inches (approximately 18 cm). Blade Type: Straight Blades and Blunt Tip. Finish: Matte or Polished	per piece	50	550.00	27,500.00
190	Scissors, Mayo • Type: Curved blades. • Length: 7 1/4 inches (approximately 18.4 cm). • Material: Medical grade stainless steel.	per piece	8	550.00	4,400.00
191	Scissors, Mayo Type: straight blades. Length: 7 1/4 inches (approximately 18.4 cm). Material: medical grade stainless steel.	per piece	10	550.00	5,500.00

192	Scissors, Type: Metzenbaum(Curved) Material: Stainless Steel: medical-grade surgical stainless steel Length: 7 inches (approximately 18 cm). Blade Type: Curved and Blades Blunt Tips. Finish: Matte or Polished.	per piece	71	550.00	39,050.00
193	Scissors. Type: Metzenbaum(Curved) Material: medical-grade stainless steel. Length: 8 inches (approximately 20 cm). Blade Type: Curved blades and blunt tips. Finishes: Matte or Polished.	per piece	15	550.00	8,250.00
	Shoe Cover, Disposable,non- woven Anti skid and non slip disposable shoe Multi pack, 10 pair per pack Expiry: with at least 1 - 2 year expiration.	pack	150	88.00	13,200.00
195	Silver Diamine Fluoride 38% - 4.5-5ml / bottle - long expiration date	bottle	6	3,600.00	21,600.00
	Slow Speed Handpiece Set: Should contain main motor, straght and contra angle handpieces (4 holes), with external water spray, latch type, self –lubricated air motor with ball bearing, 800-20,000 rpm	piece	2	9,000.00	18,000.00
	Solution • Type: Formaldehyde • Volume: 1000 ml. • Concentration: 37% aqueous solution of formaldehyde (Formalin). • Chemical Formula: HCHO. • Expiry: with at least 1 - 2 year expiration.	liter	60	474.98	28,498.80
198	Solution Type: Glutaraldehyde Glutaraldehyde 2.5%: A high- Form and Packaging: 1-Gallon Container: Liquid Activator Included Quantity: 1-gallon (3.78 liters) Expiry: 1 - 2 years expiration	Gallon	60	1,518.00	91,080.00
199	Sony Thermal Paper for Ultrasound, UPP-110s 110mm x 20m for Sony Printer	roll	26	643.50	16,731.00
	Speculum (Pederson) • Type: Vaginal • Material: Medical grade stainless Steel • Size: Extra-large	PIECE	10	605.00	6,050.00

					-
201	Speculum (Pederson) • Type: Vaginal • Material: Medical grade stainless Steel • Size: Large	PIECE	21	533.50	11,203.50
202	Speculum (Pederson) • Type: Vaginal • Material: Medical grade stainless Steel • Size: Medium	PIECE	21	495.00	10,395.00
203	Speculum (Pederson) • Type: Vaginal • Material: Medical-grade stainless steel • Size: Small	PIECE	11	462.00	5,082.00
204	Sphygmomanometer, desk type, clock model, square shaped. 14cm diameter dial, 300 mm aneroid meter	piece	28	2,178.00	60,984.00
205	Spineboard With Strap With holes around the stretcher for convenient transportation. On head end there is a space to fix head immobilizer. Floats in water. Equipped with 2 safety belts. Spider strap (optional) Size: Length 184 x Width 45 x Height 6cm Load capacity: 160kg.	piece	4	3,630.00	14,520.00
206	Splint • Type: for knee immobilizer • Material: Outer Fabric: made from nylon or polyester. Padding: Soft foam or gel padding. Supports: includes metal or plastic stays/straps • Design Features: Adjustable straps, air flow and contoured shape. • Size and Dimensions: Large / Length: 21 inches (53 cm)	per piece	7	3,036.00	21,252.00
207	Splint • Type: Knee Immobilizer • Material: Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.) Padding: Soft foam, gel, or cushioned padding. Supports: Includes metal, plastic, or composite stays for. • Design Features: Adjustable Straps: Equipped with adjustable Velcro or hook- and-loop straps. Air Flow: • Contoured Shape: Size and Dimensions: Medium (knee circumference of approximately 16 to 19 inches (40-48 cm)	per piece	21	3,036.00	63,756.00

 Splint Type: Knee Immobilizer Material: Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.) Padding: Soft foam, gel, or cushioned padding. Supports: Includes metal, plastic, or composite stays for. Design Features: Adjustable Straps: Equipped with adjustable Velcro or hook- and-loop straps. Air Flow: Contoured Shape: Size and Dimensions: Small (knee circumference of approximately 13 to 16 inches 33-40 cm). 	per piece	19	3,036.00	57,684.00
Splint • Type: Knee Immobilizer • Material: Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.) Padding: Soft foam, gel, or cushioned padding. Supports: Includes metal, plastic, or composite stays for. Design Features: Adjustable Straps: Equipped with adjustable Velcro or hook- and-loop straps. Air Flow: Contoured Shape: • Size and Dimensions: Large / Length: 23 inches (58 cm)	per piece	9	3,036.00	27,324.00
Immobilization splint for fractures, sprains, or soft tissue injuries Size: Large (suitable for adult use) Length: Approximately 60–90 cm (24–36 inches) Width: 10–15 cm (4–6 inches) Thickness: Varies based on material (typically 4–6 mm for rigid splints) Material & Construction: Frame Material: Rigid: (malleable for shaping) plastic polymer Semi-Rigid: Foam-padded Soft/Flexible: Padded fabric/ foam-based	piece	664	93.50	0 62,084.00
Immobilization splint for fractures, sprains, or soft tissue injuries Size: Medium (suitable for adult use, mid-sized limbs) Length: Approximately 40–60 cm (16–24 inches) Width: 8–12 cm (3–5 inches) Thickness: Typically 4–6 mm Frame Material: Rigid: (malleable for shaping) plastic polymer Semi-Rigid: Foam-padded Soft/Flexible: Padded fabric/ foam-based	piece	727	93.50	67,974.50

212	Immobilization splint for fractures, sprains, or soft tissue injuries Length: Approximately 20–40 cm (8–16 inches) Width: 5–10 cm (2–4 inches) Thickness: Typically 4–6 mm Frame Material: Rigid: (bendable for shaping) plastic polymer Semi-Rigid: Foam-padded Soft/Flexible: Padded fabric/ foam-based splint	piece	774	93.50	72,369.00
213	Splint, neonate, medium	piece	730	80.30	58,619.00
214	Splint, neonate, small	piece	690	80.30	55,407.00
215	Splint,pedia,large	piece	636	77.00	48,972.00
216	Splint,pedia,medium	piece	766	77.00	58,982.00
217	Splint,pedia,small	piece	766	77.00	58,982.00
218	Spreader Type: Plaster cast (Henning) Material: medical grade stainless steel Size: 11 inches Design: blades (two flat curved and tapered) handle (ergonomic design)	pair	1	5,000.00	5,000.00
219	Sterilant / disinfectant. Active Ingredient: 2.5% glutaraldehyde with corrosion inhibitor. Shelf Life upon activation: Effective for 28 days. Volume: 1 gallon." Expiration: At least 1 year upon delivery	gallon	24	1,325.50	31,812.00
	Stethoscope Deluxe, for adult Chest Piece:Dual-head (diaphragm & bell) Material: High-quality stainless steel with floating diaphragm Bell Mode: Detects low-frequency sounds Diaphragm Mode: Detects high-frequency sounds Tubing Length: 28 inches (71cm) Tubing Material: High-quality, latex-free, PVC, flexible, and resistant to skin oils and alcohol Acoustic Tubing: Dual-lumen Headset: Material: Stainless steel binaural Construction: Single-piece	piece	49	1,265.00	61,985.00

	 Stethoscope A dual-head stethoscope designed for both pediatric and adult use typically features two heads or diaphragms suited for different patient sizes. Key Specifications: Dual Chest Piece: Adult Diaphragm: Larger side for adult patients Pediatric Diaphragm: Smaller, more sensitive side for children Adjustable Tubing: Flexible, durable tubing Lightweight and adjustable headset Soft Earpieces Sound Quality: High-quality acoustic performance 	piece	17	11,495.00	195,415.00
222	Stethoscope, Double Sided, single tube	piece	13	1,430.00	18,590.00
223	Stethoscope, Tunable, dual-sided stainless steel chestpiece with open or closed bell, non-chill bell sleeve, soft-sealing ear-tips	piece	55	16,500.00	907,500.00
	 Suction Machine Description: Designed to reduce oil pollution and handle surgical suction needs for phlegm, thick liquids, and more. Features: Oil-free pump for clean operation. Easy to carry, low maintenance, and high suction power. Safe design with no positive pressure during use. Specifications: Power Voltage: AC 220V ± 22V, 50Hz ± 1Hz Max Negative Pressure: ≥ 0.09 MPa Noise Level: ≤ 65 dB(A) Power Consumption: ≤ 180 VA Pumping Rate: ≥ 40 L/min Reservoir Capacity: 2500 mL each (2 pieces included) 	unit	4	8,800.00	35,200.00
	Suction Machine, (Medium) Suction pump; Piston pump Power supply: AC220V ± 22V/110v±11V,5Hz/60Hz±1Hz Ultimate Negative pressure value: ≥0.09MPa Input power: 150VA+15% Regulating scope of negative pressure: 0.02MPa~ultimate negative pressure value Pumping rate ≥20L/min Reservoir:≥2500 mL/pc, 2pcs in the suction unit Noise: 60dB(A) Dimension : 380mm x 312mm x 480mm Weight : 16kgs	unit	1	7,150.00	7,150.00

		. 1	1		
226	Suture Material: nylon size: 3.0 needle: 1/2 reverse cutting 26mm color: any color available packaging: 12 per box Expiration: At least one year upon delivery	box	62	7,260.00	450,120.00
227	Suture • Material: Chromic Gut • Type: Absorbable suture material. Sterile. • Suture Size: 3-0 • Needle Type: C-6 • Shape: 3/8 circle needle • Needle Length: 18.7mm • Cutting Type: Cutting needle • Expiry: with at least 1 - 2 year expiration.	box	144	319.00	45,936.00
228	Suture • Typer: Surgical, Chromic Gut, Sterile, Absorbable • Suture size: USP 2-0 • Needle Type: RB (Round Bodied), medical grade stainless steel. • Needle Shape: Taper Point • Expiry: with at least 1 - 2 year expiration.	per piece	490	157.30	77,077.00
229	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, braided. Suture Size: 0 / Length: 90 cm. Antibacterial Coating: Coated with triclosan, Inclusion: Needle 36 mm 1/2 circle taper extra-large round ribbed and flattened needle. Packaging: Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	Box	24	16,814.60	403,550.40
230	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, braided. Suture Size: 4-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion: 19mm 3/8c for skin cutting needle;. Packaging:Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	Box	12	14,446.30	173,355.60
231	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, Monofilament, braided. Suture Size: 2-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion: Packaging: Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	Box	12	15,023.80	180,285.60

232	Suture	Box	12	13,409.00	160,908.00
	Material: Made from polyglactin 910, Synthetic, Absorbable, Monofilament, braided. Suture Size: 4-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion: 26mm SH 1/2circle small half round ethalloy ribbed and flattened needle. Packaging: Box of 36 sutures.				
	Expiry: with at least 1 - 2 year expiration.				
233	Suture Material: nylon size: 2.0 needle: 1/2 reverse cutting 26mm color: any color available packaging: 12 per box Expiration: At least one year upon delivery	box	63	7,260.00	457,380.00
234	Suture Material: nylon size: 5.0 needle: 1/2 reverse cutting 26mm color: any color available packaging: 12 per box Expiration: At least one year upon delivery	box	57	7,260.00	413,820.00
235	Suture Type: Silk strands. Size: 1. Strands: 13 strands per pack. Length per Strand: 60 cm. Packaging: Pack of 12. Expiry: with at least 1 - 2 year expiration.	Box	2	2,658.70	5,317.40
236	Suture Type: Silk suture. Size: 0. Length: 75 cm. Needle: 31mm MH-1 round needle. Packaging: Box of 36 Expiry: with at least 1 - 2 year expiration.	Box	2	12,712.70	25,425.40
237	Suture Type: Silk suture. Size: 2-0. Length: 75 cm. Needle: 25mm SH-1 Plus round needle. Packaging: Box of 12. Expiry: with at least 1 - 2 year expiration.	Box	4	2,658.70	10,634.80
238	Suture Type: Silk suture. Size: 2-0. Length: 75 cm. Needle: 36mm MH round needle. Packaging: Box of 36. Expiry: with at least 1 - 2 year expiration.	Box	4	20,598.60	82,394.40

	-	<u>г – т</u>			
	Suture Type: Silk suture. Size: 3-0. Length: 75 cm. Needle: 25mm SH-1 Plus round needle. Packaging: Box of 12. Expiry: with at least 1 - 2 year expiration.	Box	4	2,439.80	9,759.20
240	Suture Type: Silk suture. Size: 4-0. Length: 75 cm. Needle: 26mm SH-1 Plus round needle. Packaging: Box of 12. Expiry: with at least 1 - 2 year expiration.	Box	63	2,439.80	153,707.40
	Suture Typer: Surgical, Chromic Gut, Sterile, Absorbable Suture size: USP 1 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration	per piece	342	278.30	95,178.60
242	Suture Typer: Surgical, Chromic Gut, Sterile, Absorbable Suture size: USP 3 -0 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration.	per piece	463	319.00	147,697.00
243	Suture Typer: Surgical, Chromic Gut, Sterile, Absorbable Suture size: USP 4-0 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration.	box	165	319.00	52,635.00
244	Suture, Chromic, 2.0 1/2 round bodied 40mm, sterile x 12's	box	262	350.90	91,935.80
245	Suture, Chromic, 2.0 1/2 round bodied 40mm, sterile x 12's Expiration: At least one year upon delivery	box	6	1,887.60	11,325.60
246	Suture, Nylon 2.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	162	247.50	40,095.00
247	Suture, Nylon 3.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	252	247.50	62,370.00

248	Suture, Nylon 4.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	209	247.50	51,727.50
249	Suture, Nylon 5.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	121	247.50	29,947.50
250	Suture, Nylon 6.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	119	247.50	29,452.50
251	Suture, Plain Surgical Gut, 2.0 w/ 30mm Round 3/8 Curve Needle 75cm length, Sterile Expiry: with at least 1 - 2 year expiration.	PIECE	12	88.00	1,056.00
252	Suture, Polyglactin,0 Taper/Round Needle,1/2 Circle 36mm,Sharp Sterile Needle Expiry: with at least 1 - 2 year expiration.	PIECE	60	275.00	16,500.00
253	Suture, Polyglactin,4.0 Reverse Cutting 19mm 3/8 Circle,27" (70cm), Sterile Expiry: with at least 1 - 2 year expiration.	PIECE	60	275.00	16,500.00
254	Suture, Polyglactin/Polyglycolic 0 Taper/Round Needle 1/2 Circle 36mm,Sharp sterile needle Expiry: with at least 1 - 2 year expiration.	PIECE	110	275.00	30,250.00
255	Suture, Polyglactin/Polyglycolic 2.0 Cutting Expiry: with at least 1 - 2 year expiration.	PIECE	110	275.00	30,250.00
256	Suture, Polyglactin/Polyglycolic 2.0 taper /round needle 1/2 circle 36mm,sharp sterile needle Expiry: with at least 1 - 2 year expiration.	PIECE	110	275.00	30,250.00
257	Suture, Polyglactin/Polyglycolic 3.0 with taper/round needle 26mm,sterile Expiry: with at least 1 - 2 year expiration.	PIECE	110	275.00	30,250.00
258	Suture, Polyglactin/polyglycolic 4.0 taper/ round needle 22mm,sterile Expiry: with at least 1 - 2 year expiration.	PIECE	110	282.70	31,097.00
259	Suture, Silk, 2.0 1/2 circle curved, cutting atleast 26mm, sterile x 12's	box	100	345.96	34,596.00
260	Suture, Silk, 3.0 1/2 circle curved, cutting atleast 26mm, sterile x 12's	box	110	345.96	38,055.60
261	Suturing thread Type: Silk strands. Size: 2-0. Strands: 13 strands. Length per Strand: 60 cm. Expiry: with at least 1 - 2 year expiration.	Вох	46	2,658.70	122,300.20

262	Syringe, Pre-Filled Saline Flush Volume per Syringe: 10 ml Solution: 0.8% - 0.9% Sodium Chloride Barrel: Transparent with clear printed graduation markings for accurate measurement Plunger Seal: Smooth glide with a leak-proof seal between plunger and barrel Connection Type: Luer lock for secure attachment Material Specifications: PVC-Free, DEHP-Free, Latex-Free Usage: Ready-to-use; suitable for saline flushing procedures Packaging: Individually pre-filled and sealed syringes Quantity per Box: 30 syringes	box	104	1,362.79	141,730.16
263	Syringe, Pre-Filled Saline Flush Volume per Syringe: 3 ml Solution: 0.8% - 0.9% Sodium Chloride Barrel: Transparent with clear printed graduation markings for accurate measurement Plunger Seal: Smooth glide with leak-proof seal between plunger and barrel Connection Type: Luer lock for secure attachment Material Specifications: PVC-Free, DEHP-Free, Latex-Free Usage: Ready-to-use: intended for saline flushing prcedures. Packaging: Individually pre-filled and sealed syringes Quantity per Box: 30 syringes	box	102	1,087.24	110,898.48
264	Syringe, Pre-Filled Saline Flush Volume per Syringe: 5 ml Solution: 0.8% - 0.9% Sodium Chloride Barrel: Transparent with clear printed graduation markings for precise measurement Plunger Seal: Designed for smooth glide with a leak-proof seal between plunger and barrel Connection Type: Luer lock for secure and reliable attachment Material Specifications: PVC-Free, DEHP-Free, Latex-Free Usage: Ready-to-use; intended for saline flushing procedures Packaging: Individually pre-filled and sealed syringes Quantity per Box: 30 syringes	box	102	1,241.68	126,651.36
265	Table • Type: Bedside, with wheels • Made: Formica top, stainless steel frame. Tubular with guard rails 1 Drawer 1 lower shelf Size: H: 31 inches L: 19 inches W: 16 inches Locally Manufactured	SET	5	6,534.00	32,670.00

266	Thermal Paper	per piece	120	633.49	76,018.80
200	 Type: for ecg Width: 210mm Length (Height): 295mm Compatibility: Mindray BeneHeart R12 ECG machine (200- 	per piece	120	000.49	70,010.00
	sheet packs) • Expiry: with at least year expiry				
267	Tongue Depressor Wooden x 2 per pack, (Sterile) 100'S	box	59	195.18	11,515.62
268	Toothpaste to Relieve Tooth Sensitivity 100g	tube	864	100.00	86,400.00
269	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Box	18	21,128.90	380,320.20
270	Topical Anesthesia, Benzocaine, 20% ointment/gel, with fruity flavor, 30g/bottle	bottle	34	300.00	10,200.00
271	Topical Anesthesia, Lidocaine, 5% ointment/gel, with fruity flavor, 30g/bottle	bottle	24	250.00	6,000.00
272	Towel for OR, Surgical,, 17x27" Size 45cmx61cm Color: Blue	piece	130	175.45	22,808.50
273	Traction Type: for leg Size: large (length 38 -48 inches) width of the device, including padding, should be around 5 inches (12.7 cm) Weight capacity: 300 lbs (136 kg) Material: Frame: aluminum alloy or carbon fiber Foam Padding: high-density, nontoxic, hypoallergenic and moisture wicking cover. Straps: Heavy-duty nylon or polyester webbing adjustable straps. Inclusion of thigh and ankle support, adjustable foot plate, knee support and cushioning.	set	12	1,870.00	22,440.00
274	Traction type: for leg size: medium (length 30 -40 inches) width of the device, including padding, should be around 4-5 inches. weight capacity: 113 kg Material: Frame: aluminum alloy or carbon fiber Foam Padding: high-density, nontoxic, hypoallergenic and moisture wicking cover. Straps: Heavy-duty nylon or polyester webbing adjustable straps. Inclusion of thigh and ankle support, adjustable foot plate, knee support and cushioning.	set	12	1,870.00	22,440.00

	type: for leg size: small (length 24 -34 inches) width of the device, including padding, should be around 4 inches. weight capacity: 68 kg) Material: Frame: aluminum alloy or carbon fiber Foam Padding: high-density, nontoxic, hypoallergenic and moisture wicking cover. Straps: Heavy-duty nylon or polyester webbing adjustable straps. Inclusion of thigh and ankle support, foot plate and			1,870.00	16,830.00
276	cushioning.	in	11	1 015 00	40.005.00
276	Trauma Shears 7 1/4" Emergency Scissors Tray Type: Medicine Stainless Steel Rectangular with Cover Dimensions: Length: 31 cm Width: 21 cm Height/Depth: 5 cm	pair piece	11	1,815.00	19,965.00 10,164.00
278	Tube Type: For Feeding Size: Fr 5 /40 cm length. Material: Made from medical-grade PVC (Polyvinyl Chloride) with frosted surface, soft, rounded tip and calibration markings. Expiration: At least 1 year upon delivery	piece	240	35.20	8,448.00
279	Tube Type: For Feeding Size: Fr 10/40 cm length. Material: Made from medical-grade PVC (Polyvinyl Chloride) with frosted surface, soft, rounded tip and calibration markings. Expiration: At least 1 year upon delivery	piece	350	35.20	12,320.00
280	Tube, Endotracheal 2.0 fr.8, uncuffed	piece	215	97.19	20,895.85
281	Tube, Endotracheal 2.5 fr.10, uncuffed	piece	205	97.19	19,923.95
282	Tube, Endotracheal 3.0 fr.12, uncuffed	piece	205	97.19	19,923.95
283	Tube, Endotracheal 3.5 fr.14, uncuffed	piece	205	97.19	19,923.95
284	Tube, Nasogastric, Pediatirc fr.5, silicon with tip cover, sterile and disposable,Non-pyrogenic	piece	429	80.30	34,448.70
285	Ultrasound probe antiseptic spray 1 liter with free spray bottle	bottle	8	2,856.70	22,853.60

Expiration: At least 1 year upon delivery				
connector Capacity: 150cc Micro drip: 60 drops per milliliter				
	set	120	162.00	19,440.00
Vinegar, Type: Red Cane, size: 985ml shelf life: 3-5 years upon delivery	piece	12	390.00	4,680.00
UV Light (4 Bulbs 30 Watts) UV Light 4 Bulb 30W Locally made UV unit Dimension: 12 x 12 x 62 Height (inch), with 4pcs UV Lamp. With wheel caster. With wired for 220v. 60Hz operation with a standard power cord. UV Lamps 30 watts high output UVC lamps intensity @ 1.5m	unit	1	26,400.00	26,400.00
Sealed on all four sides to prevent leakage Non-skid blue backing				
Packaging: 10's / pack Size: Medium				
Underpads, Blue Disposable	pack	179	178.20	31,897.80
Color: Blue Size: Small				
	Size: Small Packaging: 10 pads per pack Underpads, Blue Disposable Packaging: 10's / pack Size: Medium Highly absorbent, soft fluff fill Waterproof Sealed on all four sides to prevent leakage Non-skid blue backing UV Light (4 Bulbs 30 Watts) UV Light 4 Bulb 30W Locally made UV unit Dimension: 12 x 12 x 62 Height (inch), with 4pcs UV Lamp. With wheel caster. With wired for 220v. 60Hz operation with a standard power cord. UV Lamps 30 watts high output UVC lamps intensity @ 1.5m Vinegar, Type: Red Cane, size: 985ml shelf life: 3-5 years upon delivery Volumetric Type: IV Infusion Set, calibrated burette chamber, Y connector Capacity: 150cc Micro drip: 60 drops per milliliter Tubing: 200-210cm, flexible, medical-grade plastic	Type: Disposable Color: Blue Size: Small Packaging: 10 pads per packpackUnderpads, Blue DisposablepackPackaging: 10's / pack Size: Medium Highly absorbent, soft fluff fill Waterproof Sealed on all four sides to prevent leakage Non-skid blue backingunitUV Light (4 Bulbs 30 Watts) UV Light 4 Bulb 30W Locally made UV unit Dimension: 12 x 12 x 62 Height (inch), with 4pcs UV Lamp. With wheel caster. With wired for 220v. 60Hz operation with a standard power cord. UV Lamps 30 watts high output UVC lamps intensity @ 1.5mpieceVinegar, Type: Red Cane, size: 985ml shelf life: 3-5 years upon deliverysetVolumetric Type: IV Infusion Set, calibrated burette chamber, Y connector Capacity: 150cc Micro drip: 60 drops per milliliter Tubing: 200-210cm, flexible, medical-grade plasticset	Type: Disposable Color: Blue Size: Small Packaging: 10 pads per packpack179Packaging: 10 pads per packpack179Packaging: 10's / pack Size: Medium Highly absorbent, soft fluff fill Waterproof Sealed on all four sides to prevent leakage Non-skid blue backingunit1UV Light (4 Bulbs 30 Watts) UV Light 4 Bulb 30W Locally made UV unit Dimension: 12 x 12 x 62 Height (inch), with 4pcs UV Lamp. With wheel caster. With wired for 220v. 60Hz operation with a standard power cord. UV Lamps 30 watts high output UVC lamps intensity @ 1.5mpiece12Vinegar, Type: Red Cane, size: 985ml shelf life: 3-5 years upon deliveryset120Volumetric Type: 1V Infusion Set, calibrated burette chamber, Y connector Capacity: 150cc Micro drip: 60 drops per milliliter Tubing: 200-210cm, flexible, medical-grade plasticset120	Type: Disposable Color: Blue Size: Small Packaging: 10 pads per pack pack 179 178.20 Underpads, Blue Disposable pack 179 178.20 Packaging: 10's / pack Size: Medium Highly absorbent, soft fluff fill Waterproof Sealed on all four sides to prevent leakage Non-skid blue backing unit 1 26,400.00 UV Light (4 Bulbs 30 Watts) UV Light 4 Bulb 30W Locally made UV unit Dimension: 12 x 12 x 62 Height (inch), with 4pcs UV Lamp. With wheel caster. With wired for 220v. 60Hz operation with a standard power cord. UV Lamps 30 watts high output UVC lamps intensity @ 1.5m piece 12 390.00 Vinegar, Type: Red Cane, size: 985ml shelf life: 3-5 years upon delivery piece 12 390.00 Volumetric Type: IV Infusion Set, calibrated burette chamber, Y connector Capacity: 150cc Micro drip: 60 drops per milliliter Tubing: 200-210cm, flexible, medical-grade plastic set 120 162.00

205	Matuinaa	Deel	210	400.00	124,000.00
290	Wet wipes - Disposable	Pack	310	400.00	124,000.00
	- For cleansing				
	- Antibacterial and alcohol free				
	- Soft and gentle to all skin type				
	- 90 sheets per single pack				
296	Wheelchair with Double Cross Bar	piece	20	6,600.00	132,000.00
	Frame Material: High-strength stainless steel (not				
	aluminum, as aluminum is typically used for lightweight				
	models)				
	Weight Capacity: Up to 250–300 kg (high-load capacity				
	confirmed)				
	Foldability: Fully foldable for compact storage and easy				
	transport				
	2. Seating & Comfort Seat Width: 20–24 inches				
	Seat Width. 20–24 Inches Seat Depth: Typically 16–18inch				
	Seat Depth. Typically 10-101101 Seat Material: Reinforced padded upholstery (waterproof,				
	easy-to-clean synthetic leather)				
	Armrests: Fixed with cushioned support				
	Footrests: Adjustable & swing-away, removable				
	Rear Wheels: Large solid tires				
	Front Wheels: 5–8 inches swivel casters				
	Braking System: Dual hand-operated brakes				
	Accessories:				
	Integrated IV Stand (removable and adjustable height)				
	Oxygen Cylinder Holder (fits standard medical oxygen				
	tanks)				
	Push Handles: Ergonomic grip handles for caregivers				
	Show less				
	Wheelchair, foldable, light weight travel, manual with break and IV stand, can carry 110kg. person, black color.	piece	25	2,200.00	55,000.00
298	Wound Irrigation Solution	BOTTLE	24	646.80	15,523.20
	Components:				
	Betaine: 0.1 - 0.2%.				
	Polyhexanide (PHMB): 0.1 - 0.2 % .				
	Other Ingredients: Purified water, sodium chloride (for				
	isotonicity), and possibly other stabilizers or buffering				
	agents as per formulation. Formulation:				
	pH: Typically around 6.0-7.0,				
	Quantity: 40ml				
	shelf life:3-5years				
	Expiration: atleast 1 year upon delivery				
299	Wound Irrigation Solution, 350 ml	BOTTLE	128	1,760.00	225,280.00
	Expiry: with at least 1 - 2 year expiration.				
		r i		Grand Total	18,705,864.51

MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

Mariveles, Bataan

Name of Bidder/Distributor

Address:

REBIDDING OF MEDICAL SUPPLIES AND DEVICES for bid for the Twelve (12) Months Procurement 2025

No.	ITEMS	UNIT	QTY.	BRAND	UNIT COST	AMOUNT
1	Adjuncts • Type: Oropharyngeal Airway (OPA) • Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable • Size: 00 (50 mm.) • Expiry: with atleast 1 year expiration.	per piece	264			
2	Adjuncts • Type: Oropharyngeal Airway (OPA) • Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. • Size: 0 (60 mm.) • Expiry: with atleast 1 year expiration.	per piece	299			
3	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 2 (80 mm.) Expiry: with atleast 1 year expiration.	per piece	333			
4	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 1 (70 mm.) Expiry: with atleast 1 year expiration.	per piece	338			
5	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 3 (90 mm.) Expiry: with atleast 1 year expiration.	per piece	336			
6	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 4 (100 mm.) Expiry: with atleast 1 year expiration.	per piece	333			
7	Baby Crib with Foam w/ Wheels (Stainless) "Frame is made angle bar & legs is of tubular steel & with side rails, one side of this can lowered. Provided with 2" Foam Mattress Size: L-48 x W-25 x H-19" Stainless steel made." Shelf life: 3- 5 years upon delivery	piece	3			

1 0 1				1	
	Bag Type: For hot water Size: Medium Material: Rubber Capacity: 850 ml	piece	51		
	Bandage • Type: Cohesive • Material: non-woven • Size: 2 inches x 5 yards • Expiry: At least 1 year upon delivery	piece	320		
	Bandage • Type: Cohesive • Size: 2 inches width x 5 yards length • Fabric: non-woven, elastic, breathable and water resistant.	piece	142		
	Bandage Material: Elastic / Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 4 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	roll	1,171		
	Bandage Material: Elastic /Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 3 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	roll	801		
	Bandage Material: Elastic /Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 6 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	roll	325		
	Bandage Type: elastic, reusable Width: 2 inches (5 cm) Length: 5 yards (4.57 meters) material: Elastic cotton or cotton-poly blend, offering stretch and support. with end-to-end Velcro. Expiry: with at least 1 - 2 year expiration.	per piece	110		
	Bed Pan • Material: made of lightweight plastic Size: 500-1000ml	per piece	74		
	Blade Holder #3, Surgical, stainless steel Reusable and autoclavable, Fits #10 #11 #12 #15 Blades Expiry: with at least 1 - 2 year expiration.	piece	13		
17	Blade, Surgical, #10, Sharp, Well-polished x 100's	box	22		
18	Blade, Surgical, #11, Sharp, Well-polished x 100's	box	12		
19	Blade, Surgical, #15, Sharp, Well-polished x 100's	box	4		

1	[1	
	Blanket Type: Full body for adults. Material: Cotton Dimensions: Length of 84 inches width of 36 inches. Packaging: 10 pieces per case.	case/pack	0		
21	Blood Glucose Monitor System for self testing, with strips, (auto-coding,strip ejector function, full automatic coding, 0.5ul small-blood volume, 365 data memory with date and time, automatic power on & start, enhanced data management with PC communication, accurate test results in 5 seconds) -for gluneo lite glucose test strips	unit	16		
22	Bonding agent 7th generation self-etching bonding adhesive (nanotechnology) Free from Bisphenol A (BPA) derivatives One-step application process that combines etchibng, priming, and bonding in a single step no separate etching or rinsing required suitale for both direct and indirect restorations compatible with a variety of restorative materials including composites, compomers and resin cements Stable shelf life of at least 24 months when stored under recommended conditions. 5-7ml/bottle Must have US-FDA or CE certification	bottle	4		
23	BP Aneroid Child BP Aneroid BP Cuff with Inflation Pedia BP Bulb Sphygmomanometer Long lasting, thicker rubber bladder Authentic, luminous dial face Durable Adult Inflation System Genuine brass gauge 1 x Handy zipper case 1 x Durable adult inflation system 1 x Authentic luminous dial face 1 x Long lasting thicker rubber bladder	piece	19		
24	BP aneroid desktype sphygmo. BP cuff with inflation. Spiral Tubing BP bulb. Manual BP (Standard Adult). With metal base pad for desk and metal bracket for wall mount	unit	16		
25	Brush Scrub, Surgical, plain	piece	400		
26	Casting Tape type: fiberglass Size: Width: 4 inches (approximately 10 cm) Length: 4 yards (approximately 3.66 meters) Expiry: with at least 1 - 2 year expiration.	pc.	157		

27	Casting Tape type: fiberglass Size: Width: 2 inches (approximately 5 cm) Length: 4 yards (approximately 3.7 meters) Expiry: with at least 1 - 2 year expiration.	pc.	370		
28	Casting Tape type: fiberglass Size: Width: 4 inches (approximately 10 cm) Length: 4 yards (approximately 3.66 meters) Expiry: with at least 1 - 2 year expiration.	pc.	205		
29	Catheter • Type: Umbilical, sterile • Size: French 3.5 • Material: Medical grade plastic • Expiry: with at least 1 - 2 year expiration.	per piece	136		
30	Catheter • Type: Umbilical, sterile • Size: French 5 • Material: Medical grade plastic • Expiry: with at least 1 - 2 year expiration.	per piece	106		
31	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 16 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4		
32	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 20 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4		
33	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 24, Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4		
34	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 32 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4		

-					
35	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 36 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4		
36	Catheter, Red Rubber, size:12 Expiry: with at least 1 - 2 year expiration.	piece	385		
37	Catheter, Red Rubber, size:14 Expiry: with at least 1 - 2 year expiration.	piece	380		
38	Cement, Contains Calcium-hydroxide, radiopaque, light- cured, 13g substrate + 11g catalyst, with CE or US FDA certification, 1 set/box	box	4		
39	Chart Type: Ishihara Test Book - Latest Edition Plate: 38 (diagnosing color vision deficiencies, particularly red-green color blindness.) Design: The plate features a pattern of colored dots with a figure, number, or shape hidden within the design. Colors: The colors used typically include shades of red, green, orange, and brown, Materials: Printed on high-quality, non-reflective paper or cardboard. Inclusion: Manual and eye occluder	piece	1		
40	Chemical Integrator, Type/Class 5 Temperature Range: 121-134°C (250-275°F). Sterilization Methods: Suitable for gravity and vacuum- assisted steam sterilization cycles. Technology: Moving front ink technology. Readability: Provides easy-to-read ACCEPT or REJECT results Packaging: 100's/pack	pack	36		
41	Cleaner and disinfectant. Efficacy: Tuberculosis (TB): Effective in 3 minutes. Hepatitis B and C viruses, HIV-1, and more: Effective in 2 minutes. Towelletes: Durable non-woven, lint-free, and do not bunch up. Packaging: 160 towelletes per canister.	canister	62		
42	Cleaner Type: Dual-action enzymatic cleaner with surfactant. For removing biostains Volume: 1 gallon. At least 1 year upon delivery	gallon	48		
43	Cleaner type: enzymatic (Proteolytic enzyme-based cleaner) Size: 5000ml (5 Liters) Intended Use: Medical Equipment and endoscopes. Expiry: with at least 1 - 2 year expiration.	container	1		

			ľ	-	
44	Collar • Type: Cervical with pre-formed shape, tracheotomy opening and adjustable Velcro straps. • Material: Polyethylene Foam soft lining • Size: Small • Safety features: hypoallergenic, radiolucent.	piece	16		
45	Composite Restorative Material Set: should contain shades from A1-A3.5, with etchant and bonding agent, hybrid with nanotechnology, with CE or US FDA certification	pack/box	2		
46	Composite Shade Guide, should contain shades A1-D4	piece	2		
47	Composite Trimming Burs, Cone, tapered, white, for highspeed, per piece	piece	22		
48	Cotton buds Fiber composition: 100% cotton Plastic stem (unbreakable safe plastic stem) 108's/pack	Pack	118		
49	Cotton Plier w/ lock (Hand Instrument).	piece	16		
	Cotton • Type: balls, hypoallergenic • Packaging: by 300's • Expiry: with at least year expiration.	per pack	361		
51	Cotton • Type: roll, hypoallergenic • Size: 400 grams • Expiry: 1 - 2 years expiration	per pack	407		
52	CPR Board / Cardiac Board, Plastic Size: L-59.5 x W- 41 x H-7cm	piece	8		
53	Curtain Track and Partition Curtains Medical Type: for hospital cubicle Material: Polyester Fiber, Shading Degree: Semi-Shading (40%-70%). Blue Color	рс	5		
54	Dental Absorbable STERILE Hemostatic Gelatin Sponge (32pc Gelfoam/pack)	pack	12		
55	Dental Caries Indicator/detector, 5ml/bottle, blue or violet color when dyed	bottle	6		
56	Dental floss mint flavor 50ml Slides easily between teeth without shredding Removes plaque between teeth and below the gum line	Piece	6		
57	Dental Matrix Band Holder, adjustable and autoclavable	piece	10		
58	Dental Matrix Band, Stainless, for molar, 20pcs/pack	pack	6		
	Dental Sterilization Pouch, Self-sealing, auto-clavable, 135mm*280mm pouch, 200pcs/box	box	6		
60	Dental Sterilization Pouch, Self-sealing, auto-clavable, 190mm*360mm pouch, 200pcs/box	box	6		
61	Dental Syringe, Aspirating, autoclavable, stainless steel	piece	5		

00	Development		000		1
	Deodorant • With Natural Mineral component • Anti-perspirant • Anti-bacterial • Paraben, alcohol and aluminum chlorohydrate free • Spray bottle • At least 100-118ml	Bottle	390		
63	Diaper Type: Cloth, for Newborn, Lampin Size: XL (27" x 27") Material: Fabric (Made from Birdseye weave cotton) Packaging: 12 piece per pack	pack	36		
64	Diaper, Tape Type: Newborn weighing up to 10 lbs (4.5 kg). Features: High Absorbency and Multiple Layers. Material: Soft, breathable outer layer, inner lining is designed to wick away moisture with leak guards. Fit: Adjustable Tabs, Disposable Quantity: Pack of 20. Expiry: with at least 1 -2 years expiration.	pack	24		
65	Digital Dental X-ray Sensor (For Periapical X-ray) Technical Specifications: - With AED Technology (Automatic Exposure Detection) - APS CMOS Technology detector - Thin and Ergonomicaly Designed with rounded corners and edges - IP68 rating - Active Area = 20*30 to 26*36 - General Sensor dimension = 4mm - 6mm thickness - Resolution = Thoretical - 25lp/mm to 27lp/mm = Measured - >12lp/mm - AD Conversion is 16bit - USB 2.0-3.0 - Cable Length shoud be > 3m Other Specs: - English language - Operation System = Desktop/Laptop for Win7,8 and 10 - Greater than 400,000-500,000 times sensor life imaging - Warranty for 2years	unit	4		

66	Disinfectant and cleaner. Type: Liquid concentrate Usage: For manual disinfection of surgical instruments. Volume: 1 liter bottle. Contains: Cocospropylenediamineguanide diacetate: 1- 3.75 grams. Didecyloxethylmethylammonium propionate: 3 - 5.63 grams. Expiration: At least 1 year upon delivery Disinfectant	bottle	14	
07	 Type: for instruments, cold-sterilant solution Composition: Non-gluteraldehyde, alkyl triamine. Contact time: 14 days. Quantity: 1000ml (1 liter) bottle. Expiry: with at least 1 - 2 year expiration. 	Dottie	12	
68	 Disinfectant Type: For skin, Medical-grade alcoholic . Usage: For use prior to punctures, incisions, blood extraction, and both pre- and post-surgical interventions. Packaging: 1 liter bottle. contains: 2-Propanol (Isopropanol): 55 - 63.14 grams Expiration: At least 1 year upon delivery 	bottle	36	
69	 Disinfectant Type: high level for medical instruments Active Ingredient: 0.60% orthophthalaldehyde (OPA). Form: Ready to use (no activator needed). Volume: 5 liters. Expiration: At least 1 year upon delivery 	bottle	15	
70	Disinfectant, for hand Type: Medical-grade alcoholic , surgical. Efficacy: Effective against Rota and Noro viruses. contains emollients for skin care. Packaging: 1 liter bottle. contains: 2-Propanol (Isopropanol): 55 - 63.14 grams Expiration: At least 1 year upon delivery	bottle	148	
71	Disinfectant/Sterilant • Type: High-Level • Active Ingredient: 2.5% Glutaraldehyde Solution • Expiration: At least 1 year upon delivery	Gallon	12	
72	Double Action Bone Rongeur Specifications: Length: 6 inches (15 cm) Jaw Design: Slight Angled Jaw Double Action Mechanism Material: High-Grade Surgical Stainless Steel: Finish: Polished Handle: Ergonomic Design	per piece	3	
73	Drape • Type: Surgical Incise, Adhesive Size: 56cmx45cm • Packaging: 10pcs/box • Expiration: At least 1 year upon delivery	Box	18	

					1
74	Draw Sheet Type: Reusable, sliding Size: 26 inches x 53 inches Made: medical polymer material, washable, stain and fluid resistant.	per piece	150		
75	Dressing Cart All Stainless Mounted on 4pcs 2" caster wheels Included in Dressing cart 1 small trays 1 small basin 8 small bottle 5 big bottles 2 drawers 1 cabinet	unit	6		
76	DRESSING • Type: STERILE, WATERPROOF BREATHABLE TRANSPARENT WITH NON-ABSORBENT NON- ADHERENT PAD • Size: 9cmx 35cm • Packaging: 25 pcs/box • Expiration: At least 1 year upon delivery	Box	12		
77	Dressing Type: Hydrocolloid , Control gel formula dressing Size: (4 x4 inches) Expiration: At least 1 year upon delivery	piece	20		
78	Dressing Type: Sterile, waterproof, breathable transparent . Pad: Non-absorbent, non-adherent pad. Size: 9 cm x 25 cm pad size. Packaging: 25 pieces per box. Expiration: At least 1 year upon delivery	box	12		
79	Dressing Typer: Sterile, waterproof, breathable transparent Pad: Non-absorbent, non-adherent pad. Size: 5 cm x 7 cm pad size. Packaging: 50 pieces per box. Expiration: At least 1 year upon delivery	box	5		
80	Dressing Typer: Sterile, waterproof, breathable transparent . Pad: Non-absorbent, non-adherent pad. Size: 6 cm x 10 cm pad size. Packaging: 50 pieces per box. Expiration: At least 1 year upon delivery	box	4		
81	Dressing, Type: Sterile, waterproof, breathable transparent Pad: Non-absorbent, non-adherent pad. Size: 9 cm x 15 cm pad size. Packaging: 25 pieces per box. Expiration: At least 1 year upon delivery	box	12		

82 Desking. box 12 11 Pack Non-absorbent, non-achievent pad. box 12 12 Packaging 25 pices per tox. Explication: At least 1 year upon delivery 13 Electrode Pack 82 14 Electrode Pack 82 15 Electrode Pack 82 16 Electrode Pack 82 17 Standard Size, Disposable piece 16 Electrode Pack 82 17 Standard Size, Disposable piece 16 Electrode Pack 82 17 Standard Size, Disposable piece 16 Entropie Pack 82 17 Standard Size, Disposable piece 18 Entropie Pack 82 18 Entropie Pack 82 18 Entropie Pack 82 18 Emergency Structure Provided with bumper set 18 Entropie Pack Structure Pack set 18 Examination Tables - stainless steal frame - Hamilton- type 3 panel packed fram meters - pull out foot stool - elevaring backrest - ongi and Strup - adjui stable legrest Backrest						
Standard Size, Disposable Image: Standard Size, Disposable Compatibility: 503 Expiration: At least 1 year upon delivery Standard Size, Disposable and Viscous texture. piece Type Neurofiagnostic Formulation: Conductive Formula and Viscous texture. Key Feature: Non-Drying, Hypoallegenic, Easy Application and Removal. Specifically formulated for non-disposable neurodiagnostic electrodes. Expiry: with at least 1-2 years expiration. Standard Size: Non-Drying, Hypoallegenic, Easy Set Sheft below with Oxygen holder Set Size: H: 32" x L: 74" x W: 24" Set Size: H: 32" x L: 74" x W: 24" Set Size: H: 32" x L: 74" x W: 24" Set Size: H: 32" x L: 74" x W: 24" Set Size: H: 32" x L: 74" x W: 24" Set Size: H: 32" x L: 74" x W: 24" Set Size: H: 32" x L: 74" x W: 24" Set Size: H: 32" x L: 74" x W: 24" Set Size: H: 32" x L: 74" x W: 24" Set Size: H: 32" x L: 74" x W: 24" Set Size: Size: H: 32" x L: 74" x W: 24" Set Size: Size: H: 32" x L: 74" x W: 24" Set Size: S		Pad: Non-absorbent, non-adherent pad. Size: 9 cm x 20 cm pad size. Packaging: 25 pieces per box. Expiration: At least 1 year upon delivery	box	12		
Type: Neurodiagnostic Formulation: Conductive Formula and Viscous texture. Key Features: Non-Drying, Hypoallergenic, Easy Application and Removal. Specifically formulated for non-disposable neurodiagnostic electrodes. Expiry: with at least 1-2 years expiration. 85 Emergency Stretcher Provided with bumper set 6 Railing IV hook Mattress Sheff below with Oxygen holder 5" mounted wheel caster set Size: H: 32" x L: 74" x W: 24" set 5 86 Externel padded foam matress - pull out foot stool - elevating back rest - one pair of stirrup - adjustable legrest set 5 97 Examination table Powder-coated steel frame set 1 set 1 87 Examination table Powder-coated steel frame - Bay to close store store garaver: set 1 set 1 87 Examination table Powder-coated steel frame - Bay to close store s		Standard Size, Disposable Compatibility: EDAN X12 Quantity: 50's Expiration: At least 1 year upon delivery	pack	82		
Railing IV hook Mattress Shelf below with Oxygen holder 5" mounted wheel caster Size: H: 32" x L: 74" x W: 24" 86 EXAMINATION TABLE - stainless steel frame - Hamilton-type -3 panel padded foam matress - pull out foot stool - elevating back rest - one pair of stirup - adjustable legrest backrest Angle: 0. 80 degrees Legrest Angle: 270 - 360 degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot Stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87 cm 87 Examination table Powder-coated steel frame 3 panel padded foam mattress Pullout foot stool Easy to clean, stain resistant upholstery Four front storage drawers. Large drawer set 1 Elevating backrest One pair of Stirup Adjustable legrees set 1 Backrest Angle: 0 80 degrees set 1 Gree pair of Stirup Adjustable legreest Specifications: Backrest Angle: 0 80 degrees Backrest Angle: 270 ~ 360 Degrees Mattress Length: 178cm Foot Stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87cm Backrest Angle: 270 ~ 300 Degrees Max Capacity: 300lbs - One pair of Stirup - - Adjustable legrest Specifications: - Backrest Angle: 270 ~ 360 Degrees - - Mattress Length: 178cm - - - Product Size: 29 x 18 x 2 cm	84	Type:Neurodiagnostic Formulation: Conductive Formula and Viscous texture. Key Features: Non-Drying, Hypoallergenic, Easy Application and Removal. Specifically formulated for non-disposable neurodiagnostic electrodes.	piece	30		
type -3 panel padded foam matress - pull out foot stool - elevating back rest - one pair of stirrup - adjustable legrest Backrest Angle: 0 - 80 degrees Legrest Angle: 270 - 360 degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot Stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87 cm 87 Examination table Powder-coated steel frame 3 panel padded foam mattress Pullout foot stool Easy to clean, stain resistant upholstery Four front storage drawers. Large drawer Elevating backrest One pair of Stirrup Adjustable legrest Specifications: Backrest Angle: 270 ~ 360 Degrees Legrest Angle: 270 ~ 360 Degrees Legrest Angle: 270 ~ 360 Degrees Legrest Mayle: 270 ~ 360 Degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87cm	85	Railing IV hook Mattress Shelf below with Oxygen holder 5" mounted wheel caster	set	6		
3 panel padded foam mattress Pullout foot stool Easy to clean, stain resistant upholstery Four front storage drawers. Large drawer Elevating backrest One pair of Stirrup Adjustable legrest Specifications: Backrest Angle: 0 ~ 80 degrees Legrest Angle: 270 ~ 360 Degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87cm	86	type -3 panel padded foam matress - pull out foot stool - elevating back rest - one pair of stirrup - adjustable legrest Backrest Angle: 0 - 80 degrees Legrest Angle: 270 - 360 degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot Stool Size: 29 x 18 x 2 cm Product Size: 141 x	set	5		
Total Mattress Length: 178cm Foot stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87cm	87	3 panel padded foam mattress Pullout foot stool Easy to clean, stain resistant upholstery Four front storage drawers. Large drawer Elevating backrest One pair of Stirrup Adjustable legrest Specifications: Backrest Angle: 0 ~ 80 degrees Legrest Angle: 270 ~ 360 Degrees	set	1		
88 Film Dressing, transparent, 2x2" x 20's box 105		Max Capacity: 300lbs Total Mattress Length: 178cm Foot stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87cm				
	88	Film Dressing, transparent, 2x2" x 20's	box	105		

89	Film Dressing, transparent, 4x10" x 20's	box	235		
05	Thin Dressing, transparent, 4x10 x 205	DOX	235		
90	Film Dressing, transparent, 4x4" x 20's	box	60		
91	Fluoride Applicator Brush, any color, x100per pack	pack	12		
92	Fluoride Varnish: White varnish, with Innovative Tri-calcium Phosphate and 5%Sodium Fluoride contains 22,600 ppm Sodium Fluoride, Melon or Mint flavor, (box include 100packs of .5ml dose varnish and 100pcs applicator brush)	box	2		
93	Foot Stool Single Stainless Size: Height: 22cm x Width: 25cm x Length: 35cm Leg Diameter: 7.5cm Capacity: at least 100kg	set	17		
94	Forcep Type: Kelly Haemostatic, curved Material: Stainless Steel Size: 6 inches	PIECE	6		
95	Forcep type: Toothed pick up material: stainless steel size: 3 1/2 inches	PIECE	6		
96	Forcep, Mosquito, (Straight), stainless, 7"	per piece	20		
97	Forceps • Type: Adson Dressing without Teeth. • Size: 4 3/4 inches. • Material: Stainless steel Medical grade	per piece	27		
98	Forceps Type: Mosquito, curved Material: stainless Size: 5"	piece	112		
99	Forceps Type: Mosquito, straight Material: medical grade stainless steel Size: 5"	piece	56		
100	Forceps • Type: Adsom dressing without teeth • Material: Medical grade stainless steel • Size: 4 3/4 inches	per piece	8		
101	Forceps Type: Alligator biopsy Material: medical grade stainless steel Size: 6 inches	per piece	2		
102	Forceps Type: Alligator biopsy Material: medical grade stainless steel Size: 8 inches	per piece	6		

				
103	Forceps Type: Allis Tissue, serrated jaw with teeth Material: medical grade stainless steel Size: 7.0"	per piece	19	
104	Forceps type: Foerster Sponge/Kelly Placenta . Curved Jaw Design: Serrated Jaws Material: Typically made from stainless steel or other high- grade surgical-grade metals. Size:Length: 9.5 inches (approximately 24 cm)	Piece	6	
105	Forceps type: Foerster Sponge/Kelly Placenta, Straight Jaw Design: Serrated Jaws Material: Typically made from stainless steel or other high- grade surgical-grade metals. Size: Length: 9.5 inches (approximately 24 cm)	Piece	1	
106	Forceps Type: Kelly, Curved Material: Medical-grade stainless steel Size 5.5 inches	piece	50	
107	Forceps Type: Kelly, Straight Material: Stainless steel Size 5.5 inches	piece	32	
108	Forceps Type: Thumb Material: medical grade stainless steel Size: 7 inches	piece	16	
109	Forceps Type: Tissue material: medical grade stainless steel Size: 7 inches	piece	26	
110	Forceps, Mosquito • Material: Medical-grade stainless steel • Length: 7 inches (approximately 18 cm). • Jaw Type: Curved jaws and serrated inner surface with fine, blunt tips. • Finish: Matte or Polished	per piece	14	
111	Gel, Skin Prep Type: for EEG Key Ingredients: Mild Abrasive Particles with moisturizing agents. Consistency: Gel Formulation pH Balance: Neutral or Slightly Acidic (pH 5.5 - 7) Tube: 114g with resealable cap. Expiry: with at least 1 - 2 year expiration.	per piece	24	
112	Glass ionomer Cement, Type II, universal restorative, radiopaque, powder and liquid, 1 set/box with CE or US FDA certification	box	4	

			-		•
113	Gloves, Large Type Nitrile Material: Made from synthetic nitrile rubber, Polyvinyl Chloride (PVC). Features: Powder-Free, Latex-Free, Low Dermatitis Potential, Ambidextrous Color: Blue Quantity: 100 per box Expiry: with at least 1-2 years expiration.	box	2		
114	Gooseneck Lamp / Droplight With Cover (W/ 5 Wheels) Stainless Stand	set	12		
115	Guide Wire Type: Endotracheal, sterile, disposable French Size: 10 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	85		
116	Guide Wire Type: Endotracheal, sterile, disposable French Size: 12 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	88		
117	Guide Wire Type: Endotracheal, sterile, disposable French Size: 14 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	97		
118	Guide Wire Type: Endotracheal, sterile, disposable French Size: 6 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	73		
119	Handle /Holder Type: for scalpel blade Material: Medical grade stainless Steel Size: around 12–15 cm (4.7–5.9 inches). Compatibility: Designed to fit #3 size blades	per piece	12		

	 High Speed Handpiece Instrument: With 45degree angle, stainless body, auto-clavable, slide proof handle Technical Specs: 1. Chuck type: push button. 2. Light: Fiber optic. 3. Clamping means of bur Push button. 4. Bearing Material: Ceramic Bearing. 5: Material: Metal. 6. Color: Silver. 7. Noise: Less than 65 dB. 8. Hole: for 2 holes male part 9. Working Air Pressure: 0.2Mpa~0.3Mpa 10. Speed: 280,000-400,000 RPM 	piece	2		
121	Holder Type: for needle Material: Medical-grade stainless steel. Length; 7 inches (approximately 18 cm): Design Features: Serrated Jaws with ratchet lock mechanism and finger rings. Finished: Matte or Polished.	box	16		
122	ID Bracelet • Material: Durable Plastic or Vinyl, Disposable. • Color: green, with write -on panel. • Size: for pedia, with adjustable closure. • Quantity: 100 per box	box	6		
123	Immobilizer Type: Head Material: No metal components, waterproof, buoyant, and easily cleaned and disinfected, with straps base and pillows.	piece	12		
124	Intermediate Restorative Material Cement, Contains Zinc Oxide Eugenol, Type III Class I, in a standard package, box contain powder and liquid, with CE or US FDA certification, 1 set/box	box	4		

				•	
125	Intraoral Camera with Monitor and dental chair bracket holder:	unit	4		
	Tiolder.				
	Monitor: 17 inch HD Display.				
	Embedded operating system.				
	JPG image format and MP4 video playback.				
	High-speed image processing technology.				
	Ergonomic design with a simple and personalized handle				
	attached with it improves the overall handling experience				
	Length of the monitor - at least 38.5cm				
	The breadth of the monitor - at least 36.5cm				
	Intra-Oral Camera: 10 Megapixel CMOS.				
	Auto Focus				
	4 x Zoom				
	1280 x 1024 resolution.				
	Four to Six high intensity LED lightsSYSTEM OPERATION				
	Remote control / key control.				
	Key Function				
	Key 1 – Capture image				
	Turn off camera				
	Save picture				
	Key 2 – Switch picture mode				
	Cancel picture				
	Take video				
	Key 3 – Play forward Delete all picture				
	Key 4 – Play backward				
126	Isopropanol, Benzalkonium Chloride, (Skin wound &	set	6		
	operative disinfectant)				
	Active Ingredients:				
	Propan-2-ol (Isopropyl alcohol): 62g - 63g per 100g (62% -				
	63% concentration)				
	Benzalkonium chloride: 0.024g - 0.025g per 100g				
	Purified Water: 36.97g				
	Quantity: 1liter with inclusion of 250ml and 50 ml spray bottle.				
	Expiration: at least 1-2 years expiration				
127	Isopropanol, N-Propanol, Mecetronium Ethylsulfate,	bottle	14		
	Active Ingredients:				
	Propan-2-ol (Isopropyl Alcohol): 45.0g				
	• Propan-1-ol (N-Propanol): 30.0g				
	Mecetronium Ethylsulfate: 0.2 g				
1	Other Ingridients: Glycerol 85%, Tetradecan-1-ol, Purified				
	Water.				
	Quantity: 1 liter				
	Expiry: at least 1-2 years expiration.				
128		рс	3		
	type: for forcep, without lid				
	size: Diameter: 50 mm				
	Height: 175 mm				
L	material: medical grade stainless steel				
129	Kidney Basin	per piece	10		
	Material: medical-grade 304 stainless steel				
	Size: 10 inches				

-		•		1	T
130	Kidney Basin Material: medical-grade 304 stainless steel Size: 12 inches	per piece	16		
131	Kidney Basin Material: medical-grade 304 stainless steel Size: 8 inches	per piece	12		
132	Lead Gown Inclusion: with thyroid shield Material: Front 0.5mmPb Back - 0.25mmPb L: maximum 43.30 inches W: maximum 23.6inches Weight: maximum 5.6kg/pc	Set	8		
133	Lotion • Moisturizing lotion • With sun protection of approximately 24-50 SPF • At least 125-200ml • Bottle with pump • Dermatologically tested • Hypoallergenic	Bottle	12		
134	Lotion Type: Insect Repellent, Anti-Mosquito Active Ingredients: IR3535: Also known as 3-[N-Butyl-N-acetyl]-aminopropionic acid, ethyl ester. Non-DEET Formula. Sun Protection. Organic UV Filters. Germ Protection: Duration of Protection: up to 8 Hours protection Skin Compatibility: Hypoallergenic. Dermatologically Tested. Derm -Cool Formula Application: non greasy Size and Packaging: 50ml	Bottle	40		
135	Mask Type Surgical, N88 Design: Disposable, 3-ply Material: Non-woven fabric Premium 3 Ply Mask (PPSB, Meltblown, PPSB) Bacteria Filtration Efficiency – up to 99% Virus Filtration Efficiency – up to 99% Latex Particle Filtration Efficiency – up to 99% Sub-Micron Particulate (NaCl) filtration Fiberglass Free Hypoallergenic excellent Breathability Adaptable nose bar high filtration Lightweight Packaging: Box of 50 Expiration: with at least 1-2 years expiration	pack	4,526		
136	Mask type: N95, for face, disposable, fluid resistant, medical grade. material: multiple layers of non-woven fabric, including melt- blown polypropylene. NIOSH Approved, with 95% Particle Filtration Efficiency (PPE) Expiry: with at least 1-2 years expiration	piece	1,705		

137	Mask, KF94, medical grade. • Trifold design • At least 8" x 3" in dimension. Snug fit (provide sample) • Made from Polypropylene nonwoven fabric (at least 3 layer protection) • Bendable metal nose clips • Elastic string ear loops • High filtration efficiency (PFE > 94%) • FDA and CE standard approved • Disposable • Color : black or white • Quantity: 50pcs per box • Expiry: with at least 1-2 years expiration.	pack	102	
138	Mat Type: for changing diaper, new born Size: Standard size (18 inches x 30 inches) Material: non-toxic baby safe durable non-slip rubber , water resistant and easy to clean.	PIECE	20	
139	Mortar and Pestle (Porcelain)	PIECE	9	
	Mouth Mirrior w/ Handle, stainless, autoclavable	piece	11	
	Multifunctional percussion diagnostic reflex hammer set. Includes: 1. Pinwheel /Geer Wheel Hammer 2. T-shape Hammer / Triple-cornered Hammer 3. Taylor Buck Hammer 4. Babinski Hammer /Metal Rod Hammer 5. Plastic Rod Hammer	set	6	
142	Nasoparyngeal Airway size 12. Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex Expiry: with at least 1 - 2 year expiration.	per piece	396	
143	Nasoparyngeal Airway size 14. Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	per piece	397	
144	Nasoparyngeal Airway size 24 Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	per piece	407	

145	Nasoparyngeal Airway size 28 Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	per piece	406		
146	Nasoparyngeal Airway size 32 Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex""" Expiry: with at least 1 - 2 year expiration.	per piece	406		
147	Nebulizer "Size: 10.1" W x 10.5" H x 6.5" D Weight: 7-lbs Power requirements: 1.3 amps, 115VAC 60Hz Power consumption: 90 watts"	unit	7		
148	Nebulizer small, lightweight and convenient tabletop nebulizer; 52 decibels of sound while operating, And at 9.5 ounces, it is 3.5x lighter than most tabletop compressor models, with an average size of 3 µm	unit	7		
149	Negatoscope (Single) Negatoscope single High color temperature Low power consumption and little temperature rising. Size: L: 20" x W: 3" x H:16" The Flourescent Illuminator provides a soft diffuse bluish white light found to be most satisfactory for film illumination. Made of ordinary metal with stainless steel	piece	2		
150	Opener Type: for ampoule, handy Size range: 7.15 mm to 9.75 mm Volume compatibility: 1-15 mL Material: medical-grade plastic	piece	12		

4 - 1		<u> </u>		T	
	OTOSCOPE/ OPTHALMOSCOPE	set	7		
	Package includes:				
	1 Otoscope				
	1 Ophthalmoscope				
	4 Speculum				
	Hardcase				
	Box				
	Features:				
	-Made of premium ABS material				
	-Optimum 3X magnification				
	-Scratch-resistant lens				
	-Energy efficient, durable, enhanced LED light source				
	-Suitable for professional use and personal use				
	Specification:				
	Item Type: Otoscope-Ophthalmoscope Diagnostic Set				
	Material: ABS Item				
	Color: Black				
	Oxygen Regulator	piece	93		
153	Oxygen tank, 10lbs	piece	13		
154	Oyxgen Trolley	Unit	4		
	Features:				
	Stainless Steel Frame				
	Sturdy construction				
	hook loop for Oxygen Cannula				
	Screw lock to help secure the oxygen cylinder				
	2 Wheeled Trolley				
	Wheel Type: Solid rubber or pneumatic (air-filled) wheels				
	.Wheel Size: Typically 6-8 inches in diameter.				
	Dimensions:				
	Height: Approximately 90–120 cm (depending on the trolley				
	design and cylinder size).				
	Width: Around 30–40 cm, suitable to accommodate the 20				
	lb cylinder.				
	Depth: About 25–35 cm.				
	Weight: 5-7kg				
	Weight. 5-7 kg				
155	Pads	pack	470		
	Type: Maternity				
	Material: Made from pure, absorbent cotton.				
	Packaging: 8pcs per pack Surgery surgicities				
	• Expiry: with at least 1 -2 years expiration.				
156	Pads	per piece	4		
	Type: for AED, Adult.	hei hiere	4		
	Compatibility: Radian Heart Guardian HR-501.				
	Expiry: with atleast 1 year expiration.				
	Deser	pad	120		
157	Paper		120		
157	•	puu			
	Type: Thermal for NST, z fold pad, compatible with Narang	puu			
	Type: Thermal for NST, z fold pad, compatible with Narang Medical CTG Machine	puu			
	Type: Thermal for NST, z fold pad, compatible with Narang	puu			

	Patient Transfer Belt Multipurpose Positioning Bed Pad Waterproof Material & Durability: Fabric: High-quality, waterproof, and breathable Oxford or Nylon fabric Inner Layer: Soft padded lining for patient comfort Reinforcement: Double-stitched seams for durability Weight Capacity: Supports up to 250-400 lbs (113-180 kg) Design & Functionality: Handles: Multiple reinforced handles for secure grip and maneuverability Straps: Adjustable securing straps with durable buckles Waterproofing Non-Slip Surface Expiry: with at least 1 - 2 year expiration.	piece	6		
	PEDIATRIC PULSE OXIMETER Pulse Oximeter Pedia Accurate Measurement Professional Guarantee 1. Dual color LED displays SpO2,PR,Pulse bar, and waveform; 2. Low power consumption; battery-low indicator; 3. Level 1-10 adjustable brightness, 6 display modes; 4. Automatically power off; 2 AAA alkaline batteries; 5. Optional multi-color silicon rubber boot and carrying case; 6. Suitable for pediatric and adult; Included Accessories: 2 x AAA 1.5V Alkaline Battery Sling strap	Piece	35		
160	Penrose Tubing Drain, Latex, size 1/2	piece	14		
161	Phototherapy Machine Blue fluorescent tube Timer to count phototherapy time; Angle of lamp module can be adjusted (for mobile model); Height of lamp module can be adjusted (for mobile model); Wheels can be locked (for mobile model)	unit	2		
	Pillow Type: Head Positioner Shape: Donut shape / pillow donut Material: Made from rubber or a similar flexible material. For Pediatric Use. Size: Outer Diameter (OD): 5 1/2 inches (14 cm) Inner Diameter (ID): 2 1/4 inches (5.7 cm) Thickness/Height: 1 1/4 inches (3.2 cm) Color: any available color	piece	6		
	Pit and Fissure sealant, Light cured, with CE and/or US FDA certification, 1-2g/syringe with extra tips included	syringe/tub e	10		

					1
164	Plant-based absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Bactericidal advantage, structured non-woven fabric (needle-punched to interlock) Size: 10 cm x 10 cm. Packaging: Box of 10. Expiry: At least 1 year upon delivery	Box	9		
165	Plant-based absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Bactericidal advantage, structured non-woven fabric (needle-punched to interlock) Size: 5 cm x 10 cm. Packaging: Box of 10. Expiry: with at least 1 - 2 year expiration.	Box	9		
166	Plant-based absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Features: Bactericidal advantage, structured non- woven fabric (needle-punched to interlock) . Size: 2.5 cm x 5 cm. Packaging: Box of 10. Expiry: with at least 1 - 2 year expiration.	Box	18		
167	Plaque Disclosing Solution, 30ml/bottle	bottle	10		
	Plaster Adhesive, Tape cloth 1.25cm x 5m is a tan-coloured zinc oxide tape for securing dressings, and is both waterproof and dirt repellent. Expiry: with at least 1 - 2 year expiration.	PIECE	284		
169	Plaster Adhesive, Tape cloth 2.5cm x 5m is a tan-coloured zinc oxide tape for securing dressings, and is both waterproof and dirt repellent. Expiry: with at least 1 - 2 year expiration.	PIECE	109		
170	Plaster Of Paris (POP), 4" Expiry: with at least 1 - 2 year expiration.	PACK	209		
	Plaster Of Paris (POP), 6" Expiry: with at least 1 - 2 year expiration.	PACK	260		
172	Polybib, disposable, random color, x100s	pack	42		
	Portable pill tablet cutter splitter	PIECE	22		
174	Pouch Type: for Sterilization, Gusseted Size: width: 8 in x length: 30 meters for autoclave and a sealing device, with steam and EO indicator	roll	96		
175	Pouch Type: for Sterilization, Gusseted Size: width: 4 in x length: 30 meters for autoclave and a sealing device, with steam and EO indicator	roll	96		
176	Pouch Type: for Sterilization, Gusseted Size: width: 6 in x length: 30 meters for autoclave and a sealing device, with steam and EO indicator	roll	24		

	Prophylaxis brush, For low speed handpiece, Latch flat type, nylon rubber brush, white color, 100pcs/pack	pack	12		
178	Pulse Oximeter, Adult , 5's rapid reading,OLED display with lanyard Easy to operate noninvasive and No prick High accuracy Oled display 5 directional display auto power off Large bright digital numbers low battery indicator Package Include: triple A battery lanyard oximeter pouch manual	PIECE	349		
	Pulse Oximeter, Pediatric Materials: ABS Plastic Weight: 0.06kg LED display large reading number Built in silicone case finger tip Rechargable,small in volume, light weight and convenient to carry Super soft rubber pad better quality material to protect baby finger Package Include: charging cord lanyard user manual	PIECE	63		
	Restorative Burs, Round, #1/2, diamond, for highspeed, per piece	piece	22		
181	Restorative Burs, Tapered fissured, diamond, for highspeed, per piece	piece	22		
182	Retractor Type: Senn (double ended) Material: Stainless Steel size: 6 inches	PIECE	6		
183	Retractor Type: Weitlaner (self-retaining with prongs) material: stainless steel size: 5.5 inches	PIECE	6		
184	Retractor Type: Weitlaner (self-retaining with prongs) material: stainless steel size: 6.5 inches	PIECE	6		
185	Scissor, Surgical, straight 7 1/4", stainless	pair	19		

					1
	Scissors Type: Bandage Blades: Curved and serrated Tips: Blunt Material: medical grade stainless Steel Length: 5.5 inches	pair	12		
187	Scissors Type: Iris(Curved) Length: 4 1/2 inches (approximately 11.4 cm) Design: Curved blade Material: medical grade stainless steel Finish: Polished or matte, corrosion-resistant	per piece	28		
188	Scissors Type: Iris(Straight) Length: 4 1/2 inches (approximately 11.4 cm), Design: Straight blade Material: medicall-grade stainless steel Finish: Polished or matte, rust and corrosion-resistant	per piece	18		
189	Scissors Type: Metzenbaum(Straight) Material: medical-grade stainless steel. Length: 7 inches (approximately 18 cm). Blade Type: Straight Blades and Blunt Tip. Finish: Matte or Polished	per piece	50		
190	Scissors, Mayo • Type: Curved blades. • Length: 7 1/4 inches (approximately 18.4 cm). • Material: Medical grade stainless steel.	per piece	8		
191	Scissors, Mayo Type: straight blades. Length: 7 1/4 inches (approximately 18.4 cm). Material: medical grade stainless steel.	per piece	10		
192	Scissors, Type: Metzenbaum(Curved) Material: Stainless Steel: medical-grade surgical stainless steel Length: 7 inches (approximately 18 cm). Blade Type: Curved and Blades Blunt Tips. Finish: Matte or Polished.	per piece	71		
193	Scissors. Type: Metzenbaum(Curved) Material: medical-grade stainless steel. Length: 8 inches (approximately 20 cm). Blade Type: Curved blades and blunt tips. Finishes: Matte or Polished.	per piece	15		
194	Shoe Cover, Disposable,non- woven Anti skid and non slip disposable shoe Multi pack, 10 pair per pack Expiry: with at least 1 - 2 year expiration.	pack	150		
195	Silver Diamine Fluoride 38% - 4.5-5ml / bottle - long expiration date	bottle	6		

	Slow Speed Handpiece Set: Should contain main motor, straght and contra angle handpieces (4 holes), with external water spray, latch type, self –lubricated air motor with ball bearing, 800-20,000 rpm	piece	2		
197	Solution • Type: Formaldehyde • Volume: 1000 ml. • Concentration: 37% aqueous solution of formaldehyde (Formalin). • Chemical Formula: HCHO. • Expiry: with at least 1 - 2 year expiration.	liter	60		
198	Solution Type: Glutaraldehyde Glutaraldehyde 2.5%: A high- Form and Packaging: 1-Gallon Container: Liquid Activator Included Quantity: 1-gallon (3.78 liters) Expiry: 1 - 2 years expiration	Gallon	60		
199	Sony Thermal Paper for Ultrasound, UPP-110s 110mm x 20m for Sony Printer	roll	26		
200	Speculum (Pederson) • Type: Vaginal • Material: Medical grade stainless Steel • Size: Extra-large	PIECE	10		
201	Speculum (Pederson) • Type: Vaginal • Material: Medical grade stainless Steel • Size: Large	PIECE	21		
202	Speculum (Pederson) • Type: Vaginal • Material: Medical grade stainless Steel • Size: Medium	PIECE	21		
203	Speculum (Pederson) • Type: Vaginal • Material: Medical-grade stainless steel • Size: Small	PIECE	11		
	Sphygmomanometer, desk type, clock model, square shaped. 14cm diameter dial, 300 mm aneroid meter	piece	28		
205	Spineboard With Strap With holes around the stretcher for convenient transportation. On head end there is a space to fix head immobilizer. Floats in water. Equipped with 2 safety belts. Spider strap (optional) Size: Length 184 x Width 45 x Height 6cm Load capacity: 160kg.	piece	4		

6.6.5					,
	 Splint Type: for knee immobilizer Material: Outer Fabric: made from nylon or polyester. Padding: Soft foam or gel padding. Supports: includes metal or plastic stays/straps Design Features: Adjustable straps, air flow and contoured shape. Size and Dimensions: Large / Length: 21 inches (53 cm) 	per piece	7		
207	 Splint Type: Knee Immobilizer Material: Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.) Padding: Soft foam, gel, or cushioned padding. Supports: Includes metal, plastic, or composite stays for. Design Features: Adjustable Straps: Equipped with adjustable Velcro or hook- and-loop straps. Air Flow: Contoured Shape: Size and Dimensions: Medium (knee circumference of approximately 16 to 19 inches (40-48 cm) 	per piece	21		
208	 Splint Type: Knee Immobilizer Material: Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.) Padding: Soft foam, gel, or cushioned padding. Supports: Includes metal, plastic, or composite stays for. Design Features: Adjustable Straps: Equipped with adjustable Velcro or hook- and-loop straps. Air Flow: Contoured Shape: Size and Dimensions: Small (knee circumference of approximately 13 to 16 inches 33-40 cm). 	per piece	19		
209	 Splint Type: Knee Immobilizer Material: Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.) Padding: Soft foam, gel, or cushioned padding. Supports: Includes metal, plastic, or composite stays for. Design Features: Adjustable Straps: Equipped with adjustable Velcro or hook- and-loop straps. Air Flow: Contoured Shape: Size and Dimensions: Large / Length: 23 inches (58 cm) 	per piece	9		

210	Immobilization splint for fractures, sprains, or soft tissue injuries Size: Large (suitable for adult use) Length: Approximately 60–90 cm (24–36 inches) Width: 10–15 cm (4–6 inches) Thickness: Varies based on material (typically 4–6 mm for rigid splints) Material & Construction: Frame Material: Rigid: (malleable for shaping) plastic polymer Semi-Rigid: Foam-padded Soft/Flexible: Padded fabric/ foam-based	piece	664		
211	Immobilization splint for fractures, sprains, or soft tissue injuries Size: Medium (suitable for adult use, mid-sized limbs) Length: Approximately 40–60 cm (16–24 inches) Width: 8–12 cm (3–5 inches) Thickness: Typically 4–6 mm Frame Material: Rigid: (malleable for shaping) plastic polymer Semi-Rigid: Foam-padded Soft/Flexible: Padded fabric/ foam-based	piece	727		
212	Immobilization splint for fractures, sprains, or soft tissue injuries Length: Approximately 20–40 cm (8–16 inches) Width: 5–10 cm (2–4 inches) Thickness: Typically 4–6 mm Frame Material: Rigid: (bendable for shaping) plastic polymer Semi-Rigid: Foam-padded Soft/Flexible: Padded fabric/ foam-based splint	piece	774		
213	Splint, neonate, medium	piece	730		
	Splint, neonate, small	, piece	690		
	Splint,pedia,large	piece	636		
	Splint,pedia,medium	piece	766		
	Splint,pedia,small	, piece	766		
	Spreader Type: Plaster cast (Henning) Material: medical grade stainless steel Size: 11 inches Design: blades (two flat curved and tapered) handle (ergonomic design)	pair	1		
219	Sterilant / disinfectant. Active Ingredient: 2.5% glutaraldehyde with corrosion inhibitor. Shelf Life upon activation: Effective for 28 days. Volume: 1 gallon." Expiration: At least 1 year upon delivery	gallon	24		

220	Stethoscope Deluxe, for adult Chest Piece:Dual-head (diaphragm & bell) Material: High-quality stainless steel with floating diaphragm Bell Mode: Detects low-frequency sounds Diaphragm Mode: Detects high-frequency sounds Tubing Length: 28 inches (71cm) Tubing Material: High-quality, latex-free, PVC, flexible, and resistant to skin oils and alcohol Acoustic Tubing: Dual-lumen Headset: Material: Stainless steel binaural Construction: Single-piece	piece	49	
221	Stethoscope A dual-head stethoscope designed for both pediatric and adult use typically features two heads or diaphragms suited for different patient sizes. Key Specifications: 1. Dual Chest Piece: • Adult Diaphragm: Larger side for adult patients • Pediatric Diaphragm: Smaller, more sensitive side for children 2. Adjustable Tubing: • Flexible, durable tubing 3. Lightweight and adjustable headset 4. Soft Earpieces 5. Sound Quality: • High-quality acoustic performance	piece	17	
222	Stethoscope, Double Sided, single tube	piece	13	
	Stethoscope, Tunable, dual-sided stainless steel chestpiece with open or closed bell, non-chill bell sleeve, soft-sealing ear-tips	piece	55	
224	 Suction Machine Description: Designed to reduce oil pollution and handle surgical suction needs for phlegm, thick liquids, and more. Features: Oil-free pump for clean operation. Easy to carry, low maintenance, and high suction power. Safe design with no positive pressure during use. Specifications: Power Voltage: AC 220V ± 22V, 50Hz ± 1Hz Max Negative Pressure: ≥ 0.09 MPa Noise Level: ≤ 65 dB(A) Power Consumption: ≤ 180 VA Pumping Rate: ≥ 40 L/min Reservoir Capacity: 2500 mL each (2 pieces included) 	unit	4	

225	Suction Machine, (Medium) Suction pump; Piston pump Power supply: AC220V ± 22V/110v±11V,5Hz/60Hz±1Hz Ultimate Negative pressure value: ≥0.09MPa Input power: 150VA+15% Regulating scope of negative pressure: 0.02MPa~ultimate negative pressure value Pumping rate ≥20L/min Reservoir:≥2500 mL/pc, 2pcs in the suction unit Noise: 60dB(A) Dimension : 380mm x 312mm x 480mm Weight : 16kgs	unit	1		
226	Suture Material: nylon size: 3.0 needle: 1/2 reverse cutting 26mm color: any color available packaging: 12 per box Expiration: At least one year upon delivery	box	62		
227	Suture • Material: Chromic Gut • Type: Absorbable suture material. Sterile. • Suture Size: 3-0 • Needle Type: C-6 • Shape: 3/8 circle needle • Needle Length: 18.7mm • Cutting Type: Cutting needle • Expiry: with at least 1 - 2 year expiration.	box	144		
228	Suture • Typer: Surgical, Chromic Gut, Sterile, Absorbable • Suture size: USP 2-0 • Needle Type: RB (Round Bodied), medical grade stainless steel. • Needle Shape: Taper Point • Expiry: with at least 1 - 2 year expiration.	per piece	490		
229	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, braided. Suture Size: 0 / Length: 90 cm. Antibacterial Coating: Coated with triclosan, Inclusion: Needle 36 mm 1/2 circle taper extra-large round ribbed and flattened needle. Packaging: Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	Box	24		
230	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, braided. Suture Size: 4-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion: 19mm 3/8c for skin cutting needle;. Packaging:Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	Box	12		

		-	1	1
231	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, Monofilament, braided. Suture Size: 2-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion: Packaging: Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	Box	12	
232	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, Monofilament, braided. Suture Size: 4-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion: 26mm SH 1/2circle small half round ethalloy ribbed and flattened needle. Packaging: Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	Box	12	
	Suture Material: nylon size: 2.0 needle: 1/2 reverse cutting 26mm color: any color available packaging: 12 per box Expiration: At least one year upon delivery	box	63	
234	Suture Material: nylon size: 5.0 needle: 1/2 reverse cutting 26mm color: any color available packaging: 12 per box Expiration: At least one year upon delivery	box	57	
235	Suture Type: Silk strands. Size: 1. Strands: 13 strands per pack. Length per Strand: 60 cm. Packaging: Pack of 12. Expiry: with at least 1 - 2 year expiration.	Box	2	
236	Suture Type: Silk suture. Size: 0. Length: 75 cm. Needle: 31mm MH-1 round needle. Packaging: Box of 36 Expiry: with at least 1 - 2 year expiration.	Box	2	
237	Suture Type: Silk suture. Size: 2-0. Length: 75 cm. Needle: 25mm SH-1 Plus round needle. Packaging: Box of 12. Expiry: with at least 1 - 2 year expiration.	Box	4	

	Suture Type: Silk suture. Size: 2-0. Length: 75 cm. Needle: 36mm MH round needle. Packaging: Box of 36. Expiry: with at least 1 - 2 year expiration.	Box	4		
	Suture Type: Silk suture. Size: 3-0. Length: 75 cm. Needle: 25mm SH-1 Plus round needle. Packaging: Box of 12. Expiry: with at least 1 - 2 year expiration.	Box	4		
	Suture Type: Silk suture. Size: 4-0. Length: 75 cm. Needle: 26mm SH-1 Plus round needle. Packaging: Box of 12. Expiry: with at least 1 - 2 year expiration.	Box	63		
	Suture Typer: Surgical, Chromic Gut, Sterile, Absorbable Suture size: USP 1 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration	per piece	342		
	Suture Typer: Surgical, Chromic Gut, Sterile, Absorbable Suture size: USP 3 -0 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration.	per piece	463		
	Suture Typer: Surgical, Chromic Gut, Sterile, Absorbable Suture size: USP 4-0 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration.	box	165		
244	Suture, Chromic, 2.0 1/2 round bodied 40mm, sterile x 12's	box	262		
	Suture, Chromic, 2.0 1/2 round bodied 40mm, sterile x 12's Expiration: At least one year upon delivery	box	6		
	Suture, Nylon 2.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	162		

247	Suture, Nylon 3.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	252	
248	Suture, Nylon 4.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	209	
249	Suture, Nylon 5.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	121	
250	Suture, Nylon 6.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	119	
251	Suture, Plain Surgical Gut, 2.0 w/ 30mm Round 3/8 Curve Needle 75cm length, Sterile Expiry: with at least 1 - 2 year expiration.	PIECE	12	
252	Suture, Polyglactin,0 Taper/Round Needle,1/2 Circle 36mm,Sharp Sterile Needle Expiry: with at least 1 - 2 year expiration.	PIECE	60	
253	Suture, Polyglactin,4.0 Reverse Cutting 19mm 3/8 Circle,27" (70cm), Sterile Expiry: with at least 1 - 2 year expiration.	PIECE	60	
254	Suture, Polyglactin/Polyglycolic 0 Taper/Round Needle 1/2 Circle 36mm,Sharp sterile needle Expiry: with at least 1 - 2 year expiration.	PIECE	110	
255	Suture, Polyglactin/Polyglycolic 2.0 Cutting Expiry: with at least 1 - 2 year expiration.	PIECE	110	
256	Suture, Polyglactin/Polyglycolic 2.0 taper /round needle 1/2 circle 36mm,sharp sterile needle Expiry: with at least 1 - 2 year expiration.	PIECE	110	
257	Suture, Polyglactin/Polyglycolic 3.0 with taper/round needle 26mm,sterile Expiry: with at least 1 - 2 year expiration.	PIECE	110	
258	Suture, Polyglactin/polyglycolic 4.0 taper/ round needle 22mm,sterile Expiry: with at least 1 - 2 year expiration.	PIECE	110	
259	Suture, Silk, 2.0 1/2 circle curved, cutting atleast 26mm, sterile x 12's	box	100	
260	Suture, Silk, 3.0 1/2 circle curved, cutting atleast 26mm, sterile x 12's	box	110	
261	Suturing thread Type: Silk strands. Size: 2-0. Strands: 13 strands. Length per Strand: 60 cm. Expiry: with at least 1 - 2 year expiration.	Box	46	

262	Syringe, Pre-Filled Saline Flush Volume per Syringe: 10 ml Solution: 0.8% - 0.9% Sodium Chloride Barrel: Transparent with clear printed graduation markings for accurate measurement Plunger Seal: Smooth glide with a leak-proof seal between plunger and barrel Connection Type: Luer lock for secure attachment Material Specifications: PVC-Free, DEHP-Free, Latex-Free Usage: Ready-to-use; suitable for saline flushing procedures Packaging: Individually pre-filled and sealed syringes Quantity per Box: 30 syringes	box	104	
263	Syringe, Pre-Filled Saline Flush Volume per Syringe: 3 ml Solution: 0.8% - 0.9% Sodium Chloride Barrel: Transparent with clear printed graduation markings for accurate measurement Plunger Seal: Smooth glide with leak-proof seal between plunger and barrel Connection Type: Luer lock for secure attachment Material Specifications: PVC-Free, DEHP-Free, Latex-Free Usage: Ready-to-use: intended for saline flushing prcedures. Packaging: Individually pre-filled and sealed syringes Quantity per Box: 30 syringes	box	102	
264	Syringe, Pre-Filled Saline Flush Volume per Syringe: 5 ml Solution: 0.8% - 0.9% Sodium Chloride Barrel: Transparent with clear printed graduation markings for precise measurement Plunger Seal: Designed for smooth glide with a leak-proof seal between plunger and barrel Connection Type: Luer lock for secure and reliable attachment Material Specifications: PVC-Free, DEHP-Free, Latex-Free Usage: Ready-to-use; intended for saline flushing procedures Packaging: Individually pre-filled and sealed syringes Quantity per Box: 30 syringes	box	102	
265	Table • Type: Bedside, with wheels • Made: Formica top, stainless steel frame. Tubular with guard rails 1 Drawer 1 lower shelf Size: H: 31 inches L: 19 inches W: 16 inches Locally Manufactured	SET	5	

			(00)	1	1
266	Thermal Paper • Type: for ecg • Width: 210mm • Length (Height): 295mm • Compatibility: Mindray BeneHeart R12 ECG machine (200- sheet packs) • Expiry: with at least year expiry	per piece	120		
267	Tongue Depressor Wooden x 2 per pack, (Sterile) 100'S	box	59		
260	Toothpaste to Relieve Tooth Sensitivity 100g	tuba	864		
	Topical absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Bactericidal advantage. Size: 1 inch x 1 inch. Packaging: Box of 12 Expiry: with at least 1 - 2 year expiration.	tube Box	18		
270	Topical Anesthesia, Benzocaine, 20% ointment/gel, with fruity flavor, 30g/bottle	bottle	34		
271	Topical Anesthesia, Lidocaine, 5% ointment/gel, with fruity flavor, 30g/bottle	bottle	24		
272	Towel for OR, Surgical,, 17x27" Size 45cmx61cm Color: Blue	piece	130		
273	Traction Type: for leg Size: large (length 38 -48 inches) width of the device, including padding, should be around 5 inches (12.7 cm) Weight capacity: 300 lbs (136 kg) Material: Frame: aluminum alloy or carbon fiber Foam Padding: high-density, nontoxic, hypoallergenic and moisture wicking cover. Straps: Heavy-duty nylon or polyester webbing adjustable straps. Inclusion of thigh and ankle support, adjustable foot plate, knee support and cushioning.	set	12		
274	Traction type: for leg size: medium (length 30 -40 inches) width of the device, including padding, should be around 4-5 inches. weight capacity: 113 kg Material: Frame: aluminum alloy or carbon fiber Foam Padding: high-density, nontoxic, hypoallergenic and moisture wicking cover. Straps: Heavy-duty nylon or polyester webbing adjustable straps. Inclusion of thigh and ankle support, adjustable foot plate, knee support and cushioning.	set	12		

075	-	г			
	Traction type: for leg	set	9		
	size: small (length 24 -34 inches) width of the device,				
	including padding, should be around 4 inches.				
	weight capacity: 68 kg) Material:				
	Frame: aluminum alloy or carbon fiber				
	Foam Padding: high-density, nontoxic, hypoallergenic and				
	moisture wicking cover.				
	Straps: Heavy-duty nylon or polyester webbing adjustable straps.				
	Inclusion of thigh and ankle support, foot plate and				
	cushioning.				
	Trauma Shears 7 1/4" Emergency Scissors	pair	11		
277	•	piece	14		
	Type: Medicine Stainless Steel Rectangular with Cover				
	Dimensions:				
	Length: 31 cm				
	Width: 21 cm				
	Height/Depth: 5 cm				
278		piece	240		
	Type: For Feeding				
	Size: Fr 5 /40 cm length. Material: Made from medical-grade PVC (Polyvinyl				
	Chloride) with frosted surface, soft, rounded tip and				
	calibration markings.				
	Expiration: At least 1 year upon delivery				
279	Tube	piece	350		
	Type: For Feeding				
	Size: Fr 10/40 cm length.				
	Material: Made from medical-grade PVC (Polyvinyl Chloride) with frosted surface, soft, rounded tip and				
	calibration markings.				
	Expiration: At least 1 year upon delivery				
280	Tube, Endotracheal 2.0 fr.8, uncuffed	piece	215		
281	Tube, Endotracheal 2.5 fr.10, uncuffed	piece	205		
282	Tube, Endotracheal 3.0 fr.12, uncuffed	piece	205		
283	Tube, Endotracheal 3.5 fr.14, uncuffed	niana	205		
200	Tube, Endolrachear 5.5 II. 14, uncuned	piece	205		
	Tube, Nasogastric, Pediatirc fr.5, silicon with tip cover,	piece	429		
	sterile and disposable,Non-pyrogenic				
	Ultrasound probe antiseptic spray 1 liter with free spray	bottle	8		
	bottle				
	Underpads	pack	60		
	Type: Disposable				
	Color: Blue Size: Small				
	Packaging: 10 pads per pack				

207	Lindomodo, Divo Dioneschio	naal-	470		
287	Underpads, Blue Disposable	pack	179		
1	Packaging: 10's / pack				
1	Size: Medium				
1	Highly absorbent, soft fluff fill Waterproof				
	Sealed on all four sides to prevent leakage				
	Non-skid blue backing				
288	UV Light (4 Bulbs 30 Watts) UV Light 4 Bulb 30W	unit	1		
	Locally made UV unit Dimension: 12 x 12 x 62 Height				
	(inch), with 4pcs UV Lamp. With wheel caster. With wired				
	for 220v. 60Hz operation with a standard power cord. UV Lamps 30 watts high output UVC lamps intensity @ 1.5m				
289	Vinegar, Type: Red Cane,	piece	12		
1	size: 985ml				
	shelf life: 3-5 years upon delivery				
	Volumetric	set	120		
	Type: IV Infusion Set, calibrated burette chamber, Y		120		
	connector				
	Capacity: 150cc				
	Micro drip: 60 drops per milliliter				
	Tubing: 200-210cm, flexible, medical-grade plastic				
	Expiration: At least 1 year upon delivery				
291	Wash lotion for hand cleansing, ph 5.5, mild surfactants, 1G	bottle	90		
	with provided pump bottle every 10 L				
292	Water, distilled, 10 liters	container	372		
000	Expiration: At least 1 year upon delivery				
293	Weighing Scale size: 300×300×24.55mm	unit	8		
	Weighing unit: kg, jin				
1	Weighing range: 0.1~150kg				
1	Minimum graduation: 0.1kg				
	Shell material: reinforced glass + engineering plastic				
	Working temperature: 0°C~40°C				
1	Product net weight: 1.45kg				
1	Wireless connection: Bluetooth 5.0 Rated voltage: 4.5V= (AAA alkaline batteries × 3)				
1	Supported system: Android 8.0 or iOS 12.0 and above				
1					
294	Weighing Scale with height measurement, dial type	unit	15		
	Wet wipes	Pack	310		
1	- Disposable				
1	- For cleansing				
	- Antibacterial and alcohol free				
1	- Soft and gentle to all skin type				
	- 90 sheets per single pack				
L		1			

239 Wheelchair with Double Cross Bar piece 20 Frame Metarik High-Strephysical stell (not models) piece 20 Weight Capacity: Up to 250–300 kg (high-Dad capacity confirmed) piece 20 Foldballity: Fully foldable for compact storage and easy transport 2. Seating & Comfort Seet Widh: 20–24 inches Seet Midniz Reinforced guided upholstery (waterproof, easy-to-clean synthetic leather) Armrests: Fixed with cushioned support Footesist: Adjustable & Swing sawy, removable Rear Wheel: Large said tires Front Mheel: S-agi said tires Front Mheel: S-agi said tires Braining System: Dual hand-operated brakes Accessories: Braking System: Dual hand-operated brakes Accessories: Show less 297 Wheelchair, foldable, light weight travel, manual with break and IV stand (removable and adjustable height) Oxygen Cylinder Holder (fits standard medical oxygen tanks) BOTTLE 298 Wound Imgation Solution Components: Betaine: 01 - 02%. Polyhexanide (PHMB): 01 - 0.2 % . Other Ingedients: Purified water, sodiu molhoride (for isotonichty), and possibly other stabilizers or buffering agents as per formulation. Formilation: pH: Typically around 6.0-7.0, Quantity: 40nin shelf file:3-Syears BOTTLE 128 298 Wound Imgation Solution, 350 ml Expiration: atleast 1 var upon delivery BOTTLE 128	000				1	
and IV stand, can carry 110kg. person, black color. Image: Second Se	296	aluminum, as aluminum is typically used for lightweight models) Weight Capacity: Up to 250–300 kg (high-load capacity confirmed) Foldability: Fully foldable for compact storage and easy transport 2. Seating & Comfort Seat Width: 20–24 inches Seat Depth: Typically 16–18inch Seat Material: Reinforced padded upholstery (waterproof, easy-to-clean synthetic leather) Armrests: Fixed with cushioned support Footrests: Adjustable & swing-away, removable Rear Wheels: Large solid tires Front Wheels: 5–8 inches swivel casters Braking System: Dual hand-operated brakes Accessories: Integrated IV Stand (removable and adjustable height) Oxygen Cylinder Holder (fits standard medical oxygen tanks) Push Handles: Ergonomic grip handles for caregivers	piece	20		
Components: Betaine: 0.1 - 0.2%. Polyhexanide (PHMB): 0.1 - 0.2%. Other Ingredients: Purified water, sodium chloride (for isotonicity), and possibly other stabilizers or buffering agents as per formulation. Formulation: pH: Typically around 6.0-7.0, Quantity: 40ml shelf life:3-5years Expiration: atleast 1 year upon delivery 299 Wound Irrigation Solution, 350 ml	297		piece	25		
	298	Components: Betaine: 0.1 - 0.2%. Polyhexanide (PHMB): 0.1 - 0.2 % . Other Ingredients: Purified water, sodium chloride (for isotonicity), and possibly other stabilizers or buffering agents as per formulation. Formulation: pH: Typically around 6.0-7.0, Quantity: 40ml shelf life:3-5years	BOTTLE	24		
	299		BOTTLE	128		

Date: ______ Invitation to Bid¹ N^o: _____

To: [name and address of Procuring Entity]

Gentlemen and/or Ladies:

Having examined the Bidding Documents including Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said Bidding Documents for the sum of [total Bid amount in words and figures] or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in <u>BDS</u> provision for **ITB** Clause **Error! Reference source not found.** and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:²

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity

(if none, state "None")

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per ITB Clause Error! Reference source not found. of the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of <u>Name of Bidder</u>, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>] [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the

¹ If ADB, JICA and WB funded projects, use IFB.

² Applicable only if the Funding Source is the ADB, JICA or WB.

<u>Name of Bidder</u>, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this _____ day of _____ 20___.

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of ______

No.	ITEMS	UNIT	QTY.	BRAND	UNIT COST	AMOUNT	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
	Adjuncts										
1	• Type: Oropharyngeal Airway (OPA) • Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable • Size: 00 (50 mm.) • Expiry: with atleast 1 year expiration.	per piece	264		57.20	15,100.80	107	105	37	15	264
2	Adjuncts • Type: Oropharyngeal Ainway (OPA) • Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. • Size: 0 (60 mm.) • Expiry: with atleast 1 year expiration.	per piece	299		57.20	17,102.80	122	110	47	20	299
3	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 2 (80 mm.) Expiry: with atleast 1 year expiration.	per piece	333		57.20	19,047.60	125	122	54	32	333
4	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 1 (70 mm.) Expiry: with atleast 1 year expiration.	per piece	338		57.20	19,333.60	131	120	57	30	338
5	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 3 (90 mm.) Expiry: with atleast 1 year expiration.	per piece	336		57.20	19,219.20	128	122	54	32	336
6	Adjuncts Type: Oropharyngeal Airway (OPA) Material: Medical-grade plastic, latex free, rigid yet flexible, sterile and disposable. Size: 4 (100 mm.) Expiry: with atleast 1 year expiration.	per piece	333		57.20	19,047.60	125	122	54	32	333
7	Baby Crib with Foam w! Wheels (Stainless) "Frame is made angle bar & legs is of tubular steel & with side rails, one side of this can lowered. Provided with 2" Foam Mattress. Size: L-48 x W-25 x H-19" Stainless steel made." Shelf life: 3- 5 years upon delivery	piece	3		19,305.00	57,915.00	3				3
8	Bag Type: For hot water Size: Medium Material: Rubber Capacity: 850 ml	piece	51		80.72	4,116.72	44	0	7	0	51
9	Bandage • Type: Cohesive • Material: non-woven • Size: 2 inches x 5 yards • Expiry: At least 1 year upon delivery	piece	320		32.40	10,368.00	80	80	80	80	320
10	Bandage • Type: Cohesive • Size: 2 inches width x 5 yards length • Fabric: non-woven, elastic, breathable and water resistant.	piece	142		77.00	10,934.00	36	34	42	30	142
11	Bandage Material: Elastic / Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 4 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	roll	1,171		71.50	83,726.50	403	184	404	180	1171
12	Bandage Material: Elastic /Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 3 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	roll	801		66.00	52,866.00	213	188	214	186	801
13	Bandage Material: Elastic /Stretchable, provides compression and support Closure: Velcro end-to-end for secure fastening Size: 6 inches wide x 5 yards long Expiry: with at least 1 - 2 year expiration.	roll	325		71.50	23,237.50	85	90	90	60	325
14	Bandage Type: elastic, reusable Width: 2 inches (5 cm) Length: 5 yards (4.57 meters) material: High-quality elastic cotton or cotton-poly blend, offering stretch and support. with end-to-end Velcro. Expiry: with at least 1 - 2 year expiration.	per piece	110		103.51	11,386.10	20	30	30	30	110
15	Bed Pan • Material: made of lightweight plastic Size: 500-1000ml Blade Holder #3, Surgical, stainless steel Reusable and autoclavable, Fits #10 #11 #12 #15	per piece	74		102.00	7,548.00	48	6	12	8	74
16	Bade Fonder #3, Surgical, stalliess steel Reusable and autoclavable, Fits #10 #11 #12 #15 Bades Expiry: with at least 1 - 2 year expiration.	piece	13		198.00	2,574.00	12	0	1	0	13
17	Blade, Surgical, #10, Sharp, Well-polished x 100's	box	22	<u> </u>	1,080.00	23,760.00	8	5	4	5	22
18	Blade, Surgical, #11, Sharp, Well-polished x 100's	box	12		1,080.00	12,960.00	3	3	3	3	12
19	Blade, Surgical, #15, Sharp, Well-polished x 100's	box	4		1,080.00	4,320.00	4	0	0	0	4

MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL Mariveles, Bataar

Schedule of Delivery (per Quarter)

20	Blanket Type: Full body for adults. Material: Radiolucent, latex-free material. Dimensions: Length of 84 inches width of 36 inches. Compatibility: Compatible with 3M machines. Packaging: 10 pieces per case.	case/pac k	77	13,337.50	1,026,987.50	29	11	28	9	77
21	Blood Glucose Monitor System for self testing, with strips, (auto-coding,strip ejector function, full automatic coding, 0.5ul small-blood volume, 365 data memory with date and time, automatic power on & start, enhanced data management with PC communication, accurate test results in 5 seconds) -for gluneo lite glucose test strips	unit	16	1,100.00	17,600.00	13		3		16
22	Bonding agent 7th generation self-etching bonding adhesive (nanotechnology) Free from Bisphenol A (BPA) derivatives One-step application process that combines etchibng, priming, and bonding in a single step no separate etching or rinsing required suitale for both direct and indirect restorations compatible with a variety of restorative materials including composites, compomers and resin cements Stable shelf life of at least 24 months when stored under recommended conditions. 5-7ml/bottle Must have US-FDA or CE certification	bottle	4	1,320.00	5,280.00	4				4
23	BP Aneroid Child BP Aneroid BP Cuff with Inflation Pedia BP Bulb Sphygmomanometer Long lasting, thicker rubber bladder Authentic, luminous dial face Durable Adult Inflation System Genuine brass gauge 1 x Handy zipper case 1 x Durable adult inflation system 1 x Authentic luminous dial face 1 x Long lasting thicker rubber bladder	piece	19	2,323.20	44,140.80	15	1	2	1	19
24	BP Aneroid Sphygmo Desktype Aneroid Sphygmo Desktype BP Cuff with inflation Spiral Tubing BP bulb Manual 1 BP Desktype 1 BP Cuff with inflation (Standard Adult) 1 BP Bulb 1 Spiral Tubing Specifically designed for hospital and clinical purposes. It features 300 mm.Hg. no pin stop calibrated scale, enlarged blue color dial plate with white numerical for easy reading, sturdy plastic housing enclosure for the gauge. Comes complete with inflation system, an extendable rubber coil tubing, metal base pad for desk and metal bracket for wall mounting. The unit comes complete with hardware kit and calibrated inflation system.	unit	16	3,850.00	61,600.00	5	5	4	2	16
25	Brush Scrub, Surgical, plain	piece	400	26.40	10,560.00	110	90	110	90	400
26	Casting Tape type: fiberglass Size: Width: 4 inches (approximately 10 cm) Length: 4 yards (approximately 3.66 meters) Expiry: with at least 1 - 2 year expiration.	pc.	157	372.13	58,424.41	40	39	39	39	157
27	Casting Tape type: fiberglass Size: Width: 2 inches (approximately 5 cm) Length: 4 yards (approximately 3.7 meters) Expiry: with at least 1 - 2 year expiration.	pc.	370	372.13	137,688.10	85	99	102	84	370
28	Casting Tape type: fiberglass Size: Width: 4 inches (approximately 10 cm) Length: 4 yards (approximately 3.66 meters) Expiry: with at least 1 - 2 year expiration.	pc.	205	537.90	110,269.50	65	45	45	50	205
29	Catheter • Type: Umbilical, sterile • Size: French 3.5 • Material: Medical grade plastic • Expiry: with at least 1 - 2 year expiration.	per piece	136	434.50	59,092.00	29	49	29	29	136
30	Catheter • Type: Umbilical, sterile • Size: French 5 • Material: Medical grade plastic • Expiry: with at least 1 - 2 year expiration.	per piece	106	1,045.00	110,770.00	19	29	29	29	106
31	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 16 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	3,426.50	13,706.00	2	2	0	0	4
32	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 20 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	3,426.50	13,706.00	2	2	0	0	4
33	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 24, Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	 3,426.50	13,706.00	2	2	0	0	4

	Catheter Type: thoracic. chest drainage									
34	material: flexible, medical-grade silicone or polyurethane size: French 32 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	3,426.50	13,706.00	2	2	0	0	4
35	Catheter Type: thoracic. chest drainage material: flexible, medical-grade silicone or polyurethane size: French 36 Quantity- pack of 10 Expiration: At least 1 year upon delivery	box	4	3,426.50	13,706.00	2	2	0	0	4
36	Catheter, Red Rubber, size:12 Expiry: with at least 1 - 2 year expiration.	piece	385	77.00	29,645.00	95	100	95	95	385
37	Catheter, Red Rubber, size:14 Expiry: with at least 1 - 2 year expiration.	piece	380	77.00	29,260.00	95	95	95	95	380
38	Cement, Contains Calcium-hydroxide, radiopaque, light-cured, 13g substrate + 11g catalyst, with CE or US FDA certification, 1 set/box	box	4	1,800.00	7,200.00	4				4
39	Chart Type: Ishihara Test Book - Latest Edition Plate: 38 (diagnosing color vision deficiencies, particularly red-green color blindness.) Design: The plate features a pattern of colored dots with a figure, number, or shape hidden within the design. Colors: The colors used typically include shades of red, green, orange, and brown, Materials: Printed on high-quality, non-reflective paper or cardboard. Inclusion: Manual and eye occluder	piece	1	2,750.00	2,750.00	1				1
40	Chemical Integrator, Type/Class 5 Temperature Range: 121-134°C (250-275°F). Sterilization Methods: Suitable for gravity and vacuum-assisted steam sterilization cycles. Technology: Moving front ink technology. Readability: Provides easy-to-read ACCEPT or REJECT results Packaging: 100's/pack	pack	36	1,457.50	52,470.00	9	9	9	9	36
41	Cleaner and disinfectant. Efficacy: Tuberculosis (TB): Effective in 3 minutes. Hepatitis B and C viruses, HIV-1, and more: Effective in 2 minutes. Towelletes: Durable non-woven, lint-free, and do not bunch up. Packaging: 160 towelletes per canister.	canister	62	1,193.50	73,997.00	14	14	14	20	62
42	Cleaner Type: Dual-action enzymatic cleaner with surfactant. For removing biostains Volume: 1 gallon. At least 1 year upon delivery	gallon	48	4,647.50	223,080.00	12	12	12	12	48
43	Cleaner type: enzymatic (Proteolytic enzyme-based cleaner) Size: 5000ml (5 Liters) Intended Use: Medical Equipment and endoscopes. Expiry: with at least 1 - 2 year expiration.	container	1	4,070.00	4,070.00	1	0	0	0	1
44	Collar • Type: Cervical with pre-formed shape, tracheotomy opening and adjustable Velcro straps. • Material: Polyethylene Foam soft lining • Size: Small • Safety features: hypoallergenic, radiolucent.	piece	16	385.00	6,160.00	9	3	3	1	16
45	Composite Restorative Material Set: should contain shades from A1-A3.5, with etchant and bonding agent, hybrid with nanotechnology, with CE or US FDA certification	pack/box	2	3,600.00	7,200.00	2	0	0	0	2
	Composite Shade Guide, should contain shades A1-D4 Composite Trimming Burs, Cone, tapered, white, for highspeed, per piece	piece piece	2 22	1,320.00 50.00	2,640.00 1,100.00	2	0	0	0	2 22
48	Cotton buds Fiber composition: 100% cotton Plastic stem (unbreakable safe plastic stem) 108's/pack	Pack	118	75.00	8,850.00	22	32	32	32	118
49	Cotton Plier w/ lock (Hand Instrument).	piece	16	 159.50	2,552.00	15	0	1	0	16
50	Cotton • Type: balls, hypoallergenic • Packaging: by 300's • Expiry: with at least year expiration.	per pack	361	132.00	47,652.00	211	15	15	120	361
51	Cotton • Type: roll, hypoallergenic • Size: 400 grams • Expiry: 1 - 2 years expiration	per pack	407	143.00	58,201.00	81	91	100	135	407
52	CPR Board / Cardiac Board, Plastic Size: L-59.5 x W- 41 x H-7cm Curtain Track and Partition Curtains Medical	piece	8	4,150.30	33,202.40	6	0	2	0	8
00	Curtain rack and Farituon Curtains weekcal Type: for hospital cubicle Material: Polyester Fiber, Shading Degree: Semi-Shading (40%-70%). Blue Color Dental Absorbable STERILE Hemostatic Gelatin Sponge (32pc Gelfoam/pack)	pc	5	1,775.73	8,878.65	5	0	0	0	5
	Dental Caries Indicator/detector, 5ml/bottle, blue or violet color when dyed	pack bottle	12	390.00	4,680.00	12 6	0	0	0	12 6
56	Dental floss mint flavor 50ml Slides easily between teeth without shredding Removes plaque between teeth and below the gum line	Piece	6	290.00	1,740.00	6	0	0	0	6
-	Dental Matrix Band Holder, adjustable and autoclavable	piece	10	 290.00	2,900.00	10	0	0	0	10
58 59	Dental Matrix Band, Stainless, for molar, 20pcs/pack Dental Sterilization Pouch, Self-sealing, auto-clavable, 135mm*280mm pouch, 200pcs/box	pack box	6	240.00 400.00	1,440.00	6	0	0	0	6
60	Dental Sterilization Pouch, Self-sealing, auto-clavable, 190mm*360mm pouch, 200pcs/box		6	850.00		6	0	0	0	
	Dental Syringe, Aspirating, autoclavable, stainless steel	box piece	6 5	400.00	5,100.00 2,000.00	5	0	0	0	6 5
							•	•	•	

	Deodorant • With Natural Mineral component									
62	Anti-perspirant Anti-bacterial Paraben, alcohol and aluminum chlorohydrate free Spray bottle At least 100-118ml	Bottle	390	350.00	136,500.00	95	105	114	78	390
63	Diaper Type: Cloth, for Newborn, Lampin Size: XL (27" x 27") Material: Fabric (Made from Birdseye weave cotton) Packaging: 12 piece per pack	pack	36	466.80	16,804.80	9	9	9	9	36
64	Diaper, Tape Type: Newborn weighing up to 10 lbs (4.5 kg). Features: High Absorbency and Multiple Layers. Material: Soft, breathable outer layer, inner lining is designed to wick away moisture with leak guards. Fit: Adjustable Tabs, Disposable Quantity: Pack of 20. Expiry: with at least 1 -2 years expiration.	pack	24	605.00	14,520.00	6	6	6	6	24
65	Digital Dental X-ray Sensor (For Periapical X-ray) Technical Specifications: - With AED Technology (Automatic Exposure Detection) - APS CMOS Technology detector - Thin and Ergonomicaly Designed with rounded corners and edges - IP66 rating - Active Area = 20'30 to 26*36 - General Sensor dimension = 4mm - 6mm thickness - Resolution = Thoretical - 25lp/mm to 27lp/mm = Measured ->12lp/mm - AD Conversion is 16bit - USB 2.0-3.0 - Cable Length shoud be > 3m Other Specs: - English language - Operation System = Desktop/Laptop for Win7,8 and 10 - Greater than 400,000-500,000 times sensor life imaging - Warranty for 2years	unit	4	40,000.00	160,000.00	4				4
66	Disinfectant and cleaner. Type: Liquid concentrate Usage: For manual disinfection of surgical instruments. Volume: 1 filer bottle. Contains: Cocospropylenediamineguanide diacetate: 1- 3.75 grams. Didecyloxethylmethylammonium propionate: 3 - 5.63 grams. Expiration: At least 1 year upon delivery	bottle	14	17,600.00	246,400.00	4	4	4	2	14
67	Disinfectant • Type: for instruments, cold-sterilant solution • Composition: Non-gluteraldehyde , alkyl triamine. • Contact time: 14 days. • Quantity: 1000ml (1 liter) bottle. • Expiry: with at least 1 - 2 year expiration.	bottle	12	4,950.00	59,400.00	3	3	3	3	12
68	Disinfectant • Type: For skin, Medical-grade alcoholic . • Usage: For use prior to punctures, incisions, blood extraction, and both pre- and post-surgical interventions. • Packaging: 1 liter bottle. • contains: 2-Propanol (Isopropanol): 55 - 63.14 grams • Expiration: At least 1 year upon delivery	bottle	36	2,178.00	78,408.00	27	3	3	3	36
69	Disinfectant • Type: high level for medical instruments • Active Ingredient: 0.60% orthophthalaldehyde (OPA). • Form: Ready to use (no activator needed). • Volume: 5 liters. • Expiration: At least 1 year upon delivery	bottle	15	5,494.50	82,417.50	4	5	2	4	15
70	Disinfectant, for hand Type: Medical-grade alcoholic , surgical. Efficacy: Effective against Rota and Noro viruses. contains emollients for skin care. Packaging: 1 liter bottle. contains: 2-Propanol (Isopropanol): 55 - 63.14 grams Expiration: At least 1 year upon delivery	bottle	148	2,178.00	322,344.00	41	35	41	31	148
71	Disinfectant/Sterilant • Type: High-Level • Active Ingredient: 2.5% Glutaraldehyde Solution • Expiration: At least 1 year upon delivery	Gallon	12	2,640.00	31,680.00	3	3	3	3	12
72	Double Action Bone Rongeur Specifications: Length: 6 inches (15 cm) Jaw Design: Slight Angled Jaw Double Action Mechanism Material: High-Grade Surgical Stainless Steel: Finish: Polished or Satin Finish Handle: Ergonomic Design	per piece	3	6,087.24	18,261.72	3	0	0	0	3
73	Drape • Type: Surgical Incise, Adhesive Size: 56cmx45cm • Packaging: 10pcs/box • Expiration: At least 1 year upon delivery	Box	18	10,450.00	188,100.00	4	6	6	2	18

74	Draw Sheet Type: Reusable, sliding Size: 26 inches x 53 inches Made: medical polymer material, washable, stain and fluid resistant.	per piece	150	1,093.29	163,993.50	80	30	30	10	150
75	Dressing Cart All Stainless Mounted on 4pcs 2" caster wheels Included in Dressing cart 1 small trays 1 small basin 8 small bottle 5 big bottles 2 drawers 1 cabinet	unit	6	15,400.00	92,400.00	5	0	1	0	6
76	DRESSING • Type: STERILE, WATERPROOF BREATHABLE TRANSPARENT WITH NON-ABSORBENT NON-ADHERENT PAD • Size: 9cmx 35cm • Packaging: 25 pcs/box • Expiration: At least 1 year upon delivery	Box	12	 7,700.00	92,400.00	3	3	3	3	12
77	Dressing Type: Hydrocolloid , Control gel formula dressing Size: (4 x4 inches) Expiration: At least 1 year upon delivery	piece	20	453.75	9,075.00	10	10	0	0	20
78	Dressing Type: Sterile, waterproof, breathable transparent . Pad: Non-absorbent, non-adherent pad. Size: 9 cm x 25 cm pad size. Packaging: 25 pieces per box. Expiration: At least 1 year upon delivery	box	12	372.90	4,474.80	3	3	3	3	12
79	Dressing Typer: Sterile, waterproof, breathable transparent Pad: Non-absorbent, non-adherent pad. Size: 5 cm x 7 cm pad size. Packaging: 50 pieces per box. Expiration: At least 1 year upon delivery	box	5	313.15	1,565.75	2	1	1	1	5
80	Dressing Typer: Sterile, waterproof, breathable transparent . Pad: Non-absorbent, non-adherent pad. Size: 6 cm x 10 cm pad size. Packaging: 50 pieces per box. Expiration: At least 1 year upon delivery	box	4	324.50	1,298.00	1	1	1	1	4
81	Dressing, Type: Sterile, waterproof, breathable transparent Pad: Non-absorbent, non-adherent pad. Size: 9 cm x 15 cm pad size. Packaging: 25 pieces per box. Expiration: At least 1 year upon delivery	box	12	346.50	4,158.00	3	3	3	3	12
82	Dressing. Type: Sterile, waterproof, breathable transparent Pad: Non-absorbent, non-adherent pad. Size: 9 cm x 20 cm pad size. Packaging: 25 pieces per box. Expiration: At least 1 year upon delivery	box	12	357.50	4,290.00	3	3	3	3	12
83	Electrode Pads Standard Size, Disposable Compatibility: EDAN X12 Quantity: 50's Expiration: At least 1 year upon delivery	pack	82	302.50	24,805.00	21	21	21	19	82
84	Electrode Paste Type:Neurodiagnostic Formulation: Conductive Formula and Viscous texture. Key Features: Non-Drying, Hypoallergenic, Easy Application and Removal. Specifically formulated for non-disposable neurodiagnostic electrodes. Expiry: with at least 1-2 years expiration.	piece	30	4,235.00	127,050.00	14		14	2	30
85	Emergency Stretcher Provided with bumper Railing IV hook Mattress Shelf below with Oxygen holder 5" mounted wheel caster Size: H: 32" x L: 74" x W: 24"	set	6	8,800.00	52,800.00	5	1	0	0	6
86	EXAMINATION TABLE - stainless steel frame - Hamilton-type -3 panel padded foam matress - pull out foot stool - elevating back rest - one pair of stirrup - adjustable legrest Backrest Angle: 0 - 80 degrees Legrest Angle: 270 - 360 degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot Stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87 cm	set	5	30,000.00	150,000.00	4		1		5
87	Examination table Powder-coated steel frame 3 panel padded foam mattress Pullout foot stool Easy to clean, stain resistant upholstery Four front storage drawers. Large drawer Elevating backrest One pair of Stirrup Adjustable legrest Specifications: Backrest Angle: 0 ~ 80 degrees Legrest Angle: 270 ~ 360 Degrees Max Capacity: 300lbs Total Mattress Length: 178cm Foot stool Size: 29 x 18 x 2 cm Product Size: 141 x 51 x 87cm	set	1	12,650.00	12,650.00	1				1
88	Film Dressing, transparent, 2x2" x 20's	box	105	2,041.27	214,333.35	30	30	20	25	105

	Film Dressing, transparent, 4x10" x 20's		005	0.040.00	011 100 00				50	
89	Film Dressing, transparent, 4x4* x 20's	box	235	 2,613.60	614,196.00	65	60	60	50	235
90		box	60	2,420.00	145,200.00	15	15	15	15	60
	Fluoride Applicator Brush, any color, x100per pack Fluoride Varnish:	pack	12	 110.00	1,320.00	12	0	0	0	12
92	White varnish, with Innovative Tri-calcium Phosphate and 5%Sodium Fluoride contains 22.600 ppm Sodium Fluoride, Melon or Mint flavor, (box include 100packs of .5ml dose varnish and 100pcs applicator brush)	box	2	13,750.00	27,500.00	2	0	0	0	2
93	Foot Stool Single Stainless Size: Height: 22cm x Width: 25cm x Length: 35cm Leg Diameter: 7.5cm Capacity: at least 100kg	set	17	1,760.00	29,920.00	16		1		17
	Forcep Type: Kelly Haemostatic, curved Material: Stainless Steel Size: 6 inches	PIECE	6	550.00	3,300.00	6				6
95	Forcep type: Toothed pick up material: stainless steel size: 3 1/2 inches	PIECE	6	935.00	5,610.00	6				6
96	Forcep, Mosquito, (Straight), stainless, 7"	per piece	20	715.00	14,300.00	10	3	4	3	20
97	Forceps • Type: Adson Dressing without Teeth. • Size: 4 3/4 inches. • Material: Stainless steel Medical grade	per piece	27	313.50	8,464.50	13	3	8	3	27
	Forceps Type: Mosquito, curved Material: stainless Size: 5"	piece	112	275.00	30,800.00	29	40	23	20	112
	Forceps Type: Mosquito, straight Material: medical grade stainless steel Size: 5"	piece	56	275.00	15,400.00	13	20	13	10	56
100	Forceps • Type: Adsom dressing without teeth • Material: Medical grade stainless steel • Size: 4 3/4 inches	per piece	8	330.00	2,640.00	5	0	3	0	8
	Forceps Type: Alligator biopsy Material: medical grade stainless steel Size: 6 inches	per piece	2	1,595.00	3,190.00	2	0	0	0	2
102	Forceps Type: Alligator biopsy Material: medical grade stainless steel Size: 8 inches	per piece	6	1,595.00	9,570.00	4	2	0	0	6
	Forceps Type: Allis Tissue, serrated jaw with teeth Material: medical grade stainless steel Size: 7.0"	per piece	19	708.40	13,459.60	10	3	3	3	19
104	Forceps type: Foerster Sponge/Kelly Placenta . Curved Jaw Design: Serrated Jaws Material: Typically made from stainless steel or other high-grade surgical-grade metals. Size:Length: 9.5 inches (approximately 24 cm)	Piece	6	1,200.00	7,200.00	6	0	0	0	6
105	Forceps type: Foerster Sponge/Kelly Placenta, Straight Jaw Design: Serrated Jaws Material: Typically made from stainless steel or other high-grade surgical-grade metals. Size: Length: 9.5 inches (approximately 24 cm)	Piece	1	1,200.00	1,200.00	1	0	0	0	1
106	Forceps Type: Kelly, Curved Material: Medical-grade stainless steel Size 5.5 inches	piece	50	93.50	4,675.00	10	20	10	10	50
107	Forceps Type: Kelly, Straight Material: Stainless steel Size 5.5 inches	piece	32	93.50	2,992.00	12	10	5	5	32
108	Forceps Type: Thumb Material: medical grade stainless steel Size: 7 inches	piece	16	544.50	8,712.00	5	3	5	3	16
109	Forceps Type: Tissue material: medical grade stainless steel Size: 7 inches	piece	26	 544.50	14,157.00	5	3	15	3	26
110	Forceps, Mosquito • Material: Medical-grade stainless steel • Length: 7 inches (approximately 18 cm). • Jaw Type: Curved jaws and serrated inner surface with fine, blunt tips. • Finish: Matte or Polished	per piece	14	715.00	10,010.00	4	3	4	3	14
111	Gel, Skin Prep Type: for EEG Key Ingredients: Mild Abrasive Particles with moisturizing agents. Consistency: Gel Formulation pH Balance: Neutral or Slightly Acidic (pH 5.5 - 7) Tube: 114g with resealable cap. Expiry: with at least 1 - 2 year expiration.	per piece	24	3,025.00	72,600.00	12	0	12	0	24
112	Glass ionomer Cement, Type II, universal restorative, radiopaque, powder and liquid, 1 set/box with CE or US FDA certification	box	4	 3,500.00	14,000.00	4	0	0	0	4
							1	1	1	

				 -				-		
11;	Gloves, Large Type Nitrile Material: Made from synthetic nitrile rubber, Polyvinyl Chloride (PVC). Features: Powder-Free, Latex-Free, Low Dermatitis Potential, Ambidextrous Color: Blue Quantity: 100 per box Expiry: with at least 1-2 years expiration.	box	2	385.00	770.00	1		1		2
114	Gooseneck Lamp / Droplight With Cover (W/ 5 Wheels) Stainless Stand	set	12	3,850.00	46,200.00	10		2		12
11!	Guide Wire Type: Endotracheal, sterile, disposable French Size: 10 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	85	348.59	29,630.15	34	15	21	15	85
110	Guide Wire Type: Endotracheal, sterile, disposable French Size: 12 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	88	348.59	30,675.92	35	15	23	15	88
117	Guide Wire Type: Endotracheal, sterile, disposable French Size: 14 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	97	348.59	33,813.23	40	15	27	15	97
118	Guide Wire Type: Endotracheal, sterile, disposable French Size: 6 Material: medical grade stainless steel or coated polymers. Length: lengths 60 to 80 cm Expiry: with at least 1 - 2 year expiration.	per piece	73	348.59	25,447.07	27	15	16	15	73
119	Handle /Holder Type: for scalpel blade Material: Medical grade stainless Steel Size: around 12–15 cm (4.7–5.9 inches). Compatibility: Designed to fit #3 size blades	per piece	12	214.50	2,574.00	3	3	3	3	12
120	High Speed Handpiece Instrument: With 45degree angle, stainless body, auto-clavable, slide proof handle Technical Specs: 1. Chuck type: push button. 2. Light: Fiber optic. 3. Clamping means of bur Push button. 4. Bearing Material: Ceramic Bearing. 5: Material: Metal. 6. Color: Silver. 7. Noise: Less than 65 dB. 8. Hole: for 2 holes male part 9. Working Air Pressure: 0.2Mpa~0.3Mpa 10. Speed: 280,000-400,000 RPM	piece	2	9,000.00	18,000.00	2				2
12	Holder Type: for needle Material: Medical-grade stainless steel. Length; 7 inches (approximately 18 cm): Design Features: Serrated Jaws with ratchet lock mechanism and finger rings. Finished: Matte or Polished.	box	16	1,428.00	22,848.00	5	3	5	3	16
12:	ID Bracelet • Material: Durable Plastic or Vinyl, Disposable. • Color: green, with write -on panel. • Size: for pedia, with adjustable closure. • Quantity: 100 per box	box	6	250.00	1,500.00	2	2	1	1	6
12:	Immobilizer Type: Head Material: No metal components, waterproof, buoyant, and easily cleaned and disinfected, with straps base and pillows.	piece	12	2,530.00	30,360.00	7	0	5	0	12
124	Intermediate Restorative Material Cement, Contains Zinc Oxide Eugenol, Type III Class I, in a standard package, box contain powder and liquid, with CE or US FDA certification, 1 set/box Intraoral Camera with Monitor and dental chair bracket holder:	box	4	500.00	2,000.00	4	0	0	0	4
125	Initiation Cannera with Monitor and demain chain bracket noider: Monitor: 17 inch HD Display. Embedded operating system. JPG image format and MP4 video playback. High-speed image processing technology. Ergonomic design with a simple and personalized handle attached with it improves the overall handling experience Length of the monitor - at least 38.5cm The breadth of the monitor - at least 38.5cm Intra-Oral Camera: 10 Megapixel CMOS. Auto Focus 4 x Zoom 1280 x 1024 resolution. Four to Six high intensity LED lightsSYSTEM OPERATION Remote control / key control. Key Tunction Key Tunction Key Enuction Save picture Tum off camera Save picture Take video Key 3 – Play forward Delete all picture Key 4 – Play backward	unit	4	25,000.00	100,000.00	4				4

126	Isopropanol, Benzalkonium Chloride, (Skin wound & operative disinfectant) Active Ingredients: Propan-2-ol (Isopropyl alcohol): 62g - 63g per 100g (62% - 63% concentration) Benzalkonium chloride: 0.024g - 0.025g per 100g Purified Water: 36.97g Quantity: 1liter with inclusion of 250ml and 50 ml spray bottle. Expiration: at least 1-2 years expiration	set	6	1,588.00	9,528.00	2	2		2	6
127	Isopropanol, N-Propanol, Mecetronium Ethylsulfate, Active Ingredients: • Propan-2-ol (Isopropyl Alcohol): 45.0g • Propan-1-ol (N-Propanol): 30.0g • Mecetronium Ethylsulfate: 0.2 g • Other Ingridients: Glycerol 85%, Tetradecan-1-ol, Purified Water. Quantity: 1 liter Expiry: at least 1-2 years expiration.	bottle	14	1,788.00	25,032.00	3	3	3	5	14
128	Jar type: for forcep, without lid size: Diameter: 50mm Height: 175mm material: medical grade stainless steel	рс	3	1,297.89	3,893.67	3				3
129	Kidney Basin Material: medical-grade 304 stainless steel Size: 10 inches	per piece	10	380.00	3,800.00	8	0	2	0	10
130	Kidney Basin Material: medical-grade 304 stainless steel Size: 12 inches	per piece	16	485.00	7,760.00	13	0	3	0	16
131	Kidney Basin Material: medical-grade 304 stainless steel Size: 8 inches	per piece	12	295.00	3,540.00	12	0	0	0	12
132	Lead Gown Inclusion: with thyroid shield Material: Front 0.5mmPb Back - 0.25mmPb L: maximum 43.30 inches W: maximum 23.6inches Weight: maximum 5.6kg/pc	Set	8	14,560.00	116,480.00	6	0	2	0	8
133	Lotion • Moisturzing lotion • With sun protection of approximately 24-50 SPF • At least 125-200ml • Bottle with pump • Dermatologically tested • Hypoallergenic	Bottle	12	850.00	10,200.00	8	4	0	0	12
134	Lotion Type: Insect Repellent, Anti-Mosquito Active Ingredients: IR3535: Also known as 3-[N-Butyl-N-acetyl]-aminopropionic acid, ethyl ester. Non-DEET Formula. Sun Protection. Organic UV Filters. Germ Protection: Duration of Protection: up to 8 Hours protection Skin Compatibility: Hypoallergenic. Dermatologically Tested. Derm -Cool Formula Application: non greasy Size and Packaging: 50ml	Bottle	40	290.00	11,600.00	10	10	10	10	40
135	Mask Type Surgical, N88 Design: Disposable, 3-ply Material: Non-woven fabric Premium 3 Ply Mask (PPSB, Meltblown, PPSB) Bacteria Filtration Efficiency – up to 99% Virus Filtration Efficiency – up to 99% Sub-Micron Particulate (NaCi) filtration Fiberglass Free Hypoallergenic excellent Breathability Adaptable nose bar high filtration Lightweight Packaging: Box of 50 Expiration: with at least 1-2 years expiration	pack	4,526	61.00	276,086.00	1090	1038	1302	1096	4526
136	Mask type: N95, for face, disposable, fluid resistant, medical grade. material: multiple layers of non-woven fabric, including melt-blown polypropylene. NIOSH Approved, with 95% Particle Filtration Efficiency (PPE) Expiry: with at least 1-2 years expiration	piece	1,705	97.00	165,385.00	620	325	355	405	1705
137	FDA and CE standard approved Sisposable Color : black or white Quantity: 50pcs per box Expiry: with at least 1-2 years expiration.	pack	102	1,100.00	112,200.00	52	15	20	15	102
	Mat Type: for changing diaper, new born Size: Standard size (18 inches x 30 inches) Material: non-toxic baby safe durable non-slip rubber , water resistant and easy to clean.	PIECE	20	361.90	7,238.00	20	0	0	0	20
	Mortar and Pestle (Porcelain) Mouth Mirrior w/ Handle, stainless, autoclavable	PIECE piece	9 11	 330.00 150.00	2,970.00 1,650.00	9 11	0	0	0	9 11
rc					.,000.00					

14	Multifunctional percussion diagnostic reflex hammer set. Includes: 1. Pinwheel /Geer Wheel Hammer 2. T-shape Hammer / Triple-cornered Hammer 3. Taylor Buck Hammer 4. Babinski Hammer /Metal Rod Hammer 5. Plastic Rod Hammer	set	6		462.00	2,772.00	6				6
14:	Nasoparyngeal Airway size 12. Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex Expiry: with at least 1 - 2 year expiration.	per piece	396		552.00	218,592.00	99	99	99	99	396
14:	Nasoparyngeal Airway size 14. Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex ^{****} Expiry: with at least 1 - 2 year expiration.	per piece	397		552.00	219,144.00	100	99	99	99	397
14-	Nasoparyngeal Airway size 24 Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex ^{****} Expiry: with at least 1 - 2 year expiration.	per piece	407		552.00	224,664.00	105	99	104	99	407
14:	Nasoparyngeal Airway size 28 Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex ^{****} Expiry: with at least 1 - 2 year expiration.	per piece	406		552.00	224,112.00	104	99	104	99	406
14	Nasoparyngeal Airway size 32 Silicone coated latex material Adjustable flange for secure placement Soft material for enhanced nasal passageway comfort Rounded tip allows for gentle insertion Single-use product Made with natural rubber latex ^{****} Expiry: with at least 1 - 2 year expiration.	per piece	406		552.00	224,112.00	104	99	104	99	406
14	Nebulizer "Size: 10.1" W x 10.5" H x 6.5" D Weight: 7-Ibs Power requirements: 1.3 amps, 115VAC 60Hz Power consumption: 90 watts"	unit	7		12,375.00	86,625.00	7	0	0	0	7
14	Nebulizer small, lightweight and convenient tabletop nebulizer; 52 decibels of sound while operating, And at 9.5 ounces, it is 3.5x lighter than most tabletop compressor models, with an average size of 3 µm		7		4,500.00	31,500.00	7	0	0	0	7
14	Negatoscope (Single) Negatoscope single High color temperature Low power consumption and little temperature rising. Size: L: 20" x W: 3" x H:16" The Flourescent Illuminator provides a soft diffuse bluish white light found to be most satisfactory for film illumination. Made of ordinary metal with stainless steel	piece	2		2,640.00	5,280.00	2				2
15	Opener Type: for ampoule, handy Size range: 7.15 mm to 9.75 mm Volume compatibility: 1.15 mL Material: medical-grade plastic	piece	12		144.00	1,728.00	4	2	4	2	12
15	OTOSCOPE/ OPTHALMOSCOPE Package includes: 1 Otoscope 1 Ophthalmoscope 4 Speculum Hardcase Box Features: -Made of premium ABS material -Optimum 3X magnification -Scratch-resistant lens -Energy efficient, durable, enhanced LED light source -Suitable for professional use and personal use Specification: Item Type: Otoscope-Ophthalmoscope Diagnostic Set Material: ABS Item Color: Black	set	7		5,555.00	38,885.00	7				7
	Oxygen Regulator Oxygen tank, 10lbs	piece piece	93 13		2,123.55 2,662.00	197,490.15 34,606.00	53 12	7	27 1	6 0	93 13
	- 70	Pione	1.10	1	2,002.00	J7,000.00	12	, v			10

Oyxgen Trolley Features: Stainless Steel Frame Sturdy construction hook loop for Oxygen Cannula Screw lock to help secure the oxygen cylinder 2 Wheeled Trolley Wheel Type: Solid rubber or pneumatic (air-filled) wheels .Wheel Size: Typically 6-8 inches in Let			
154 diameter. Unit 4 4,290.00 17,160.00 4 Dimensions: Height: Approximately 90–120 cm (depending on the trolley design and cylinder size). Unit 4 4,290.00 17,160.00 4 Width: Around 30–40 cm, suitable to accommodate the 20 lb cylinder. Depth: About 25–35 cm. Image: Construction of the trolley design and cylinder size). Image: Construction of the trolley design and cylinder. Image: Construction of			4
Pads • Type: Maternity 155 • Maternial: Made from pure, absorbent cotton. • Packaging: 8pcs per pack • Expiry: with at least 1 -2 years expiration. • Internet in the second secon	120	120	470
Pads Type: for AED, Adult. 156 Compatibility: Radian Heart Guardian HR-501. Expiry: with atleast 1 year expiration. Per piece 4 7,366.00 29,464.00 2 0	2	0	4
Paper 157 Type: Thermal for NST, z fold pad, compatible with Narang Medical CTG Machine pad 120 480.00 57,600.00 30 30 30	30	30	120
Patient Transfer Belt Multipurpose Positioning Bed Pad Waterproof piece 6 1,978.90 11,873.40 3 3	0	0	6
Explity. Will all teast 1-2 year explication. Period	5	5	35
160 Penrose Tubing Drain, Latex, size 1/2 piece 14 253.00 3,542.00 3 3	3	5	14
Phototherapy Machine Blue fluorescent tube Timer to count phototherapy time; 161 Angle of lamp module can be adjusted (for mobile model); Height of lamp module can be adjusted (for mobile model); Wheels can be locked (for mobile model)			2
Pillow Type: Head Positioner Shape: Donut shape / pillow donut Material: Made from rubber or a similar flexible material. For Pediatric Use. For Pediatric Use. 162 Size: Outer Diameter (OD): 5 1/2 inches (14 cm) Inner Diameter (ID): 2 1/4 inches (5.7 cm) Thickness/Height: 1 1/4 inches (5.7 cm) Color: any available color			6
Pit and Fissure sealant, Light cured, with CE and/or US FDA certification, 1-2g/syringe with extra syringe/tu 163 tips included 10 500.00 5,000.00 10 0	0	0	10
Included be In Decked Decked <thdecked< th=""> <thdecked< th=""> <thdecked< th=""> <t< td=""><td>3</td><td>1</td><td>9</td></t<></thdecked<></thdecked<></thdecked<>	3	1	9
Plant-based absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Bactericidal advantage, structured non-woven fabric (needle-punched to interlock) 165 Packaging: Box of 10. Expiry: with at least 1 - 2 year expiration.	3	1	9
Plant-based absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Features: Bactericidal advantage, structured non-woven fabric (needle-punched to interlock). 166 Size: 2.5 cm x 5 cm. Packaging: Box of 10. Expiry: with at least 1 - 2 year expiration.	6	2	18
167 Plaque Disclosing Solution, 30ml/bottle bottle 10 110.00 1,100.00 0 Plaster Adhesive, Tape cloth 1.25cm x 5m is a tan-coloured zinc oxide tape for securing <t< td=""><td>0</td><td>0</td><td>10</td></t<>	0	0	10
168 Arrestings, and is both waterproof and dirt repellent. PIECE 284 258.50 73,414.00 79 65 Plaster Adhesive, Tape cloth 2.5cm x 5m is a tan-coloured zinc oxide tape for securing dressings, Image: Cloth 2.5cm x 5m is a tan-coloured zinc oxide tape for securing dressings, Image: Cloth 2.5cm x 5m is a tan-coloured zinc oxide tape for securing dressings,	82	58	284
169 and is both waterproof and dirt repellent. PIECE 109 330.00 35,970.00 31 23 Expiry: with at least 1 - 2 year expiration. PIECE 109 330.00 35,970.00 31 23	30	25	109
Plaster Of Paris (POP), 4" PACK 209 121.00 25,289.00 59 64	43	43	209
Plaster Of Paris (POP), 6" PACK 260 137.50 35,750.00 79 71	60	50	260
LX/III. Will at least 1 = 2 year expiration. 172 Polybib, disposable, random color, x100s pack 42 180.00 7,560.00 33 3	3	3	42
173 Portable pill tablet cutter splitter PIECE 22 47.30 1,040.60 14 6	2	-	22
Pouch Type: for Sterilization, Gusseted 174 Size: width: 8 in x length: 30 meters for autoclave and a sealing device, with steam and EO indicator	24	24	96

		-		 			1			
175	Pouch Type: for Sterilization, Gusseted Size: width: 4 in x length: 30 meters for autoclave and a sealing device, with steam and EO indicator	roll	96	440.00	42,240.00	24	24	24	24	96
176	Pouch Type: for Sterilization, Gusseted Size: width: 6 in x length: 30 meters for autoclave and a sealing device, with steam and EO indicator	roll	24	715.00	17,160.00	6	6	6	6	24
177	Prophylaxis brush, For low speed handpiece, Latch flat type, nylon rubber brush, white color, 100pcs/pack	pack	12	400.00	4,800.00	12	0	0	0	12
178	Pulse Oximeter 5's rapid reading,OLED display with lanyard Easy to operate noninvasive and No prick High accuracy Oled display 5 directional display auto power off Large bright digital numbers low battery indicator Package Include: triple A battery lanyard oximeter pouch manual	PIECE	349	616.00	214,984.00	107	81	81	80	349
179	Pulse Oximeter, Pediatric Materials: ABS Plastic Weight: 0.06kg LED display large reading number Built in silicone case finger tip Rechargable, small in volume, light weight and convenient to carry Super soft rubber pad better quality material to protect baby finger Package Include: charging cord lanyard user manual	PIECE	63	1,650.00	103,950.00	37	10	10	6	63
181	Restorative Burs, Round, #1/2, diamond, for highspeed, per piece	piece	22	50.00	1,100.00	22	0	0	0	22
182	Restorative Burs, Tapered fissured, diamond, for highspeed, per piece Retractor	piece	22	50.00	1,100.00	22	0	0	0	22
183	Type: Senn (double ended) Material: Stainless Steel size: 6 inches	PIECE	6	495.00	2,970.00	6				6
184	Retractor Type: Weitlaner (self-retaining with prongs) material: stainless steel size: 5.5 inches	PIECE	6	2,420.00	14,520.00	6				6
185	Retractor Type: Weitlaner (self-retaining with prongs) material: stainless steel size: 6.5 inches	PIECE	6	2,750.00	16,500.00	6				6
186	Scissor, Surgical, straight 7 1/4", stainless	pair	19	544.50	10,345.50	14	0	5	0	19
187	Scissors Type: Bandage Blades: Curved and serrated Tips: Blunt Material: medical grade stainless Steel Length: 5.5 inches	pair	12	400.00	4,800.00	7	0	4	1	12
188	Scissors Type: Iris(Curved) Length: 4 1/2 inches (approximately 11.4 cm) Design: Curved blade Material: medical grade stainless steel Finish: Polished or matte, corrosion-resistant	per piece	28	1,391.50	38,962.00	17	3	5	3	28
189	Scissors Type: Iris(Straight) Length: 4 1/2 inches (approximately 11.4 cm), Design: Straight blade Material: medicall-grade stainless steel Finish: Polished or matte, rust and corrosion-resistant	per piece	18	1,391.50	25,047.00	16	0	2	0	18
190	Scissors Type: Metzenbaum(Straight) Material: medical-grade stainless steel. Length: 7 inches (approximately 18 cm). Blade Type: Straight Blades and Blunt Tip. Finish: Matte or Polished	per piece	50	550.00	27,500.00	20	13	9	8	50
191	Scissors, Mayo • Type: Curved blades. • Length: 7 1/4 inches (approximately 18.4 cm). • Material: Medical grade stainless steel.	per piece	8	550.00	4,400.00	7	0	1	0	8
192	Scissors, Mayo Type: straight blades. Length: 7 1/4 inches (approximately 18.4 cm). Material: medical grade stainless steel.	per piece	10	550.00	5,500.00	9	0	1	0	10
193	Scissors, Type: Metzenbaum(Curved) Material: Stainless Steel: medical-grade surgical stainless steel Length: 7 inches (approximately 18 cm). Blade Type: Curved and Blades Blunt Tips. Finish: Matte or Polished.	per piece	71	550.00	39,050.00	21	23	14	13	71

194	Scissors. Type: Metzenbaum(Curved) Material: medical-grade stainless steel. Length: 8 inches (approximately 20 cm). Blade Type: Curved blades and blunt tips. Finishes: Matte or Polished.	per piece	15	550.00	8,250.00	9	3	0	3	15
195	Shoe Cover, Disposable,non- woven Anti skid and non slip disposable shoe Multi pack, 10 pair per pack Expiry: with at least 1 - 2 year expiration.	pack	150	88.00	13,200.00	50	50	50	0	150
196	Silver Diamine Fluoride 38% - 4.5-5ml / bottle - long expiration date	bottle	6	3,600.00	21,600.00	6	0	0	0	6
197	Slow Speed Handpiece Set: Should contain main motor, straght and contra angle handpieces (4 holes), with external water spray, latch type, self –lubricated air motor with ball bearing, 800-20,000 rpm	piece	2	9,000.00	18,000.00	2	0	0	0	2
198	Solution • Type: Formaldehyde • Volume: 1000 ml. • Concentration: 37% aqueous solution of formaldehyde (Formalin). • Chemical Formula: HCHO. • Expiry: with at least 1 - 2 year expiration.	liter	60	474.98	28,498.80	15	15	15	15	60
199	Solution Type: Glutaraldehyde Glutaraldehyde 2.5%: A high- Form and Packaging: 1-Gallon Container: Liquid Activator Included Quantity: 1-gallon (3.78 liters) Expiry: 1 - 2 years expiration	Gallon	60	1,518.00	91,080.00	15	15	15	15	60
200	Sony Thermal Paper for Ultrasound, UPP-110s 110mm x 20m	roll	26	 643.50	16,731.00	0	0	13	13	26
201	Speculum (Pederson) • Type: Vaginal • Material: Medical grade stainless Steel • Size: Extra-large	PIECE	10	605.00	6,050.00	5	0	5	0	10
202	Speculum (Pederson) • Type: Vaginal • Material: Medical grade stainless Steel • Size: Large	PIECE	21	533.50	11,203.50	16	0	5	0	21
203	Speculum (Pederson) • Type: Vaginal • Material: Medical grade stainless Steel • Size: Medium	PIECE	21	495.00	10,395.00	16	0	5	0	21
204	Speculum (Pederson) • Type: Vaginal • Material: Medical-grade stainless steel • Size: Small	PIECE	11	462.00	5,082.00	11	0	0	0	11
205	Sphygmomanometer, desk type, clock model, square shaped. 14cm diameter dial, 300 mm aneroid meter	piece	28	2,178.00	60,984.00	9	8	5	6	28
206	Spineboard With Strap With holes around the stretcher for convenient transportation. On head end there is a space to fix head immobilizer. Floats in water. Equipped with 2 safety belts. Spider strap (optional) Size: Length 184 x Width 45 x Height 6cm Load capacity: 160kg.	piece	4	3,630.00	14,520.00	3	1			4
207	Splint • Type: for knee immobilizer • Material: Outer Fabric: made from nylon or polyester. Padding: Soft foam or gel padding. Supports: includes metal or plastic stays/straps • Design Features: Adjustable straps, air flow and contoured shape. • Size and Dimensions: Large / Length: 21 inches (53 cm)	per piece	7	3,036.00	21,252.00	3	2	2		7
208	Splint • Type: Knee Immobilizer • Material: Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.) Padding: Soft foam, gel, or cushioned padding. Supports: Includes metal, plastic, or composite stays for. • Design Features: Adjustable Straps: Equipped with adjustable Velcro or hook-and-loop straps. Air Flow: • Contoured Shape: Size and Dimensions: Medium (knee circumference of approximately 16 to 19 inches (40-48 cm)	per piece	21	3,036.00	63,756.00	9	2	8	2	21
209	Splint • Type: Knee Immobilizer • Material: Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.) Padding: Soft foam, gel, or cushioned padding. Supports: Includes metal, plastic, or composite stays for. • Design Features: Adjustable Straps: Equipped with adjustable Velcro or hook-and-loop straps. Air Flow: • Contoured Shape: Size and Dimensions: Small (knee circumference of approximately 13 to 16 inches 33-40 cm).	per piece	19	3,036.00	57,684.00	9		8	2	19

_	Splint • Type: Knee Immobilizer • Material: Outer Fabric: made from durable, breathable materials (nylon, polyester, or a combination of both.) Padding: Soft foam, gel, or cushioned padding. Supports: Includes metal, plastic, or composite stays for. Design Features: Adjustable Straps: Equipped with adjustable Velcro or hook-and-loop straps. Air Flow: Contoured Shape: • Size and Dimensions: Large / Length: 23 inches (58 cm) Splint, adult, large Splint, adult, medium	per piece piece	9 664 727	3,036.00 93.50 93.50	27,324.00 62,084.00 67,974.50	3 171 182	2 161 182	2 171 192	2	9 664 727
_	Splint, adult, small	piece	774	93.50	72,369.00		182	192	171	774
	Splint, neonate, medium	piece	730	 80.30	58,619.00	210	180	180	160	730
_	Splint, neonate, small	piece	690	80.30	55,407.00	200	170	160	160	690
_	Splint,pedia,large	piece	636	77.00	48,972.00	159	159	159	159	636
_	Splint,pedia,medium	piece	766	77.00	58,982.00	219	189	189	169	766
218	Splint,pedia,small	piece	766	77.00	58,982.00	219	189	189	169	766
219	Spreader Type: Plaster cast (Henning) Material: medical grade stainless steel Size: 11 inches Design: blades (two flat curved and tapered) handle (ergonomic design)	pair	1	5,000.00	5,000.00	1	0	0	0	1
220	Volume: 1 gallon." Expiration: At least 1 year upon delivery	gallon	24	1,325.50	31,812.00	6	6	6	6	24
22 [.]	Stethoscope Deluxe, for adult Innovative Design Optimum Acoustic Performance Finest Craft Finish Multi Patents 28 inch tube Patented Snap Tight Soft-Sealing Eartips Durable, latex-free Patented floating diaphragm with non-chill rim Non-chill rim and diaphragm Anatomically designed headset	piece	49	1,265.00	61,985.00	25	10	8	6	49
222	Stethoscope A dual-head stethoscope designed for both pediatric and adult use typically features two heads or diaphragms suited for different patient sizes. Key Specifications: 1.Dual Chest Piece: •Adult Diaphragm: Larger side for adult patients, used to listen to high-frequency sounds (e.g., lung and heart). •Pediatric Diaphragm: Smaller, more sensitive side for children, designed for better sound capture in smaller bodies. 2.Adjustable Tubing: •Flexible, durable tubing that transmits sound clearly and is comfortable to use. 3.Ergonomic Design: •Lightweight and adjustable headset for comfort and a secure fit during use. 4.Comfortable Earpieces: •Soft, snug earpieces for effective sound isolation and comfort. 5.Sound Quality: +High-quality acoustic performance for accurate diagnosis in both adults and children.		17	11,495.00	195,415.00	9	3	3	2	17
223	Stethoscope, Double Sided, single tube	piece	13	1,430.00	18,590.00	6	4	0	3	13
	Stethoscope, Tunable, dual-sided stainless steel chestpiece with open or closed bell, non-chill bell		55	16,500.00			9	9	9	55
224	Suction Machine Suction Machine Hoescription: Designed to reduce oil pollution and handle surgical suction needs for phlegm, thick liquids, and more. +Features: -Oil-free pump for clean operation. +Easy to carry, low maintenance, and high suction power. -Safe design with no positive pressure during use. +Specifications: +Power Voltage: AC 220V ± 22V, 50Hz ± 1Hz +Max Negative Pressure: ≥ 0.09 MPa +Noise Level: ≤ 65 dB(A) +Power Consumption: ≤ 180 VA +Pumping Rate: ≥ 40 L/min +Reservoir Capacity: 2500 mL each (2 pieces included)	unit	4	8,800.00			9	9	2	4
220	Suction Machine, (Medium) Suction pump; Piston pump Power supply: AC220V ± 22V/110v±11V,5Hz/60Hz±1Hz Ultimate Negative pressure value:≥0.09MPa Input power: 150VA+15% Regulating scope of negative pressure: 0.02MPa~ultimate negative pressure value Pumping rate ≥20U/min Reservoir:>2500 mL/pc, 2pcs in the suction unit Noise: 60dB(A) Dimension : 380mm x 312mm x 480mm Weight : 16kgs Suture	unit	1	7,150.00	7,150.00	1				1
22	Material: nylon size: 3.0 needle: 1/2 reverse cutting 26mm color: any color available packaging: 1/2 per box Expiration: At least one year upon delivery	box	62	7,260.00	450,120.00	15	19	19	9	62

228	Suture • Material: Chromic Gut • Type: Absorbable suture material. Sterile. • Suture Size: 3-0 • Needle Type: C-6 • Shape: 3/8 circle needle • Needle Length: 18.7mm • Cutting Type: Cutting needle • Expiry: with at least 1 - 2 year expiration.	box	144	319.00	45,936.00	36	36	36	36	144
229	Suture • Typer: Surgical, Chromic Gut, Sterile, Absorbable • Suture size: USP 2-0 • Needle Type: RB (Round Bodied), medical grade stainless steel. • Needle Shape: Taper Point • Expiry: with at least 1 - 2 year expiration.	per piece	490	157.30	77,077.00	124	149	149	68	490
230	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, braided. Suture Size: 0 / Length: 90 cm. Antibacterial Coating: Coated with triclosan, Inclusion: Needle 36 mm 1/2 circle taper extra-large round ribbed and flattened needle. Packaging: Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	Box	24	16,814.60	403,550.40	12		12		24
231	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, braided. Suture Size: 4-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion: 19mm 3/8c for skin cutting needle;. Packaging:Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	Box	12	14,446.30	173,355.60	6		6		12
232	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, Monofilament, braided. Suture Size: 2-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion: Packaging: Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	Box	12	15,023.80	180,285.60	6		6		12
233	Suture Material: Made from polyglactin 910, Synthetic, Absorbable, Monofilament, braided. Suture Size: 4-0 / Length: 70 cm. Antibacterial Coating: Coated with triclosan, Inclusion: 26mm SH 1/2circle small half round ethalloy ribbed and flattened needle. Packaging: Box of 36 sutures. Expiry: with at least 1 - 2 year expiration.	Box	12	13,409.00	160,908.00	6		6		12
234	Suture Material: nylon size: 2.0 needle: 1/2 reverse cutting 26mm color: any color available packaging: 12 per box Expiration: At least one year upon delivery	box	63	7,260.00	457,380.00	16	20	18	9	63
235	Suture Material: nylon size: 5.0 needle: 1/2 reverse cutting 26mm color: any color available packaging: 12 per box Expiration: At least one year upon delivery	box	57	7,260.00	413,820.00	13	18	18	8	57
236	Suture Type: Sitk strands. Size: 1. Strands: 13 strands per pack. Length per Strand: 60 cm. Packaging: Pack of 12. Expiry: with at least 1 - 2 year expiration.	Box	2	2,658.70	5,317.40	1	1	0	0	2
237	Needie: 3 mm Mi-1 round needie. Packaging: Box of 36 Expiry: with at least 1 - 2 year expiration.	Box	2	12,712.70	25,425.40	1	1	0	0	2
238	Suture Type: Silk suture. Size: 2-0. Length: 75 cm. Needle: 25mm SH-1 Plus round needle. Packaging: Box of 12. Expiry: with at least 1 - 2 year expiration.	Box	4	2,658.70	10,634.80	1	1	1	1	4
239	Suture Type: Silk suture. Size: 2-0. Length: 75 cm. Needle: 36mm MH round needle. Packaging: Box of 36. Expiry: with at least 1 - 2 year expiration.	Box	4	20,598.60	82,394.40	1	1	1	1	4
240	Suture Type: Silk suture. Size: 3-0. Length: 75 cm. Needle: 25mm SH-1 Plus round needle. Packaging: Box of 12. Expiry: with at least 1 - 2 year expiration.	Box	4	2,439.80	9,759.20	2	1	0	1	4

	Suture									
241	Type: Silk suture. Size: 4-0. Length: 75 cm. Needle: 26mm SH-1 Plus round needle. Packaging: Box of 12. Expiry: with at least 1 - 2 year expiration.	Box	63	2,439.80	153,707.40	17	13	17	16	63
242	Suture Typer: Surgical, Chromic Gut, Sterile, Absorbable Suture size: USP 1 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration	per piece	342	278.30	95,178.60	118	83	83	58	342
243	Suture Typer: cycical, Chromic Gut, Sterile, Absorbable Suture size: USP 3 -0 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration.	per piece	463	319.00	147,697.00	115	127	129	92	463
244	Suture Typer: Surgical, Chromic Gut, Sterile, Absorbable Suture size: USP 4-0 Needle Type: RB (Round Bodied), medical grade stainless steel. Needle Shape: Taper Point Expiry: with at least 1 - 2 year expiration.	box	165	319.00	52,635.00	46	39	41	39	165
245	Suture, Chromic, 2.0 1/2 round bodied 40mm, sterile x 12's	box	262	350.90	91,935.80	77	73	76	36	262
246	Suture, Chromic, 2.0 1/2 round bodied 40mm, sterile x 12's Expiration: At least one year upon delivery	box	6	1,887.60	11,325.60	6	0	0	0	6
	Suture, Nylon 2.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well- polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	162	247.50	40,095.00	49	51	22	40	162
248	Suture, Nylon 3.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well-polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	252	247.50	62,370.00	72	73	45	62	252
249	Suture, Nylon 4.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well- polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	209	247.50	51,727.50	61	62	35	51	209
250	Suture, Nylon 5.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well- polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	121	247.50	29,947.50	33	37	26	25	121
251	Suture, Nylon 6.0 Cutting, Monofilament Non Absorbable. Stainless Steel Needle, Sharp, Well- polished, Sterile x 12's Expiry: with at least 1 - 2 year expiration.	box	119	247.50	29,452.50	32	36	26	25	119
252	Suture, Plain Surgical Gut, 2.0 w/ 30mm Round 3/8 Curve Needle 75cm length, Sterile Expiry: with at least 1 - 2 year expiration.	PIECE	12	88.00	1,056.00	6	1	5	0	12
253	Suture, Polyglactin,0 Taper/Round Needle,1/2 Circle 36mm,Sharp Sterile Needle Expiry: with at least 1 - 2 year expiration.	PIECE	60	275.00	16,500.00	15	15	15	15	60
254	Suture, Polyglactin,4.0 Reverse Cutting 19mm 3/8 Circle,27" (70cm), Sterile Expiry: with at least 1 - 2 year expiration.	PIECE	60	275.00	16,500.00	15	15	15	15	60
255	Suture, Polyglactin/Polyglycolic 0 Taper/Round Needle 1/2 Circle 36nm,Sharp sterile needle Expiry: with at least 1 - 2 year expiration.	PIECE	110	275.00	30,250.00	45	35	15	15	110
256	Suture, Polyglactin/Polyglycolic 2.0 Cutting Expiry: with at least 1 - 2 year expiration.	PIECE	110	275.00	30,250.00	45	35	15	15	110
257	Suture, Polyglactin/Polyglycolic 2.0 taper /round needle 1/2 circle 36mm,sharp sterile needle Expiry: with at least 1 - 2 year expiration.	PIECE	110	275.00	30,250.00	45	35	15	15	110
258	Suture, Polyglactin/Polyglycolic 3.0 with taper/round needle 26mm,sterile Expiry: with at least 1 - 2 year expiration.	PIECE	110	275.00	30,250.00	45	35	15	15	110
259	Suture, Polyglactin/polyglycolic 4.0 taper/ round needle 22mm,sterile Expiry: with at least 1 - 2 year expiration.	PIECE	110	282.70	31,097.00	45	35	15	15	110
260	Suture, Silk, 2.0 1/2 circle curved, cutting atleast 26mm, sterile x 12's	box	100	345.96	34,596.00	65	11	14	10	100
261	Suture, Silk, 3.0 1/2 circle curved, cutting atleast 26mm, sterile x 12's	box	110	345.96	38,055.60	30	26	34	20	110
262	Suturing thread Type: Silk strands. Size: 2-0. Strands: 13 strands. Length per Strand: 60 cm. Expiry: with at least 1 - 2 year expiration.	Box	46	2,658.70	122,300.20	11	15	15	5	46
263	Syringe, Pre-Filled Saline Flush Volume per Syringe: 10 ml Solution: 0.8% - 0.9% Sodium Chloride Barrel: Transparent with clear printed graduation markings for accurate measurement Plunger Seal: Smooth glide with a leak-proof seal between plunger and barrel Connection Type: Luer lock for secure attachment Material Specifications: PVC-Free, DEHP-Free, Latex-Free Usage: Ready-to-use; suitable for saline flushing procedures Packaging: Individually pre-filled and sealed syringes Quantity per Box: 30 syringes	box	104	1,362.79	141,730.16	24	27	27	26	104

264	Syringe, Pre-Filled Saline Flush Volume per Syringe: 3 ml Solution: 0.8% - 0.9% Sodium Chloride Barrel: Transparent with clear printed graduation markings for accurate measurement Plunger Seal: Smooth glide with leak-proof seal between plunger and barrel Connection Type: Luer lock for secure attachment Material Specifications: PVC-Free, DEHP-Free, Latex-Free Usage: Ready-to-use: intended for saline flushing prcedures. Packaging: Individually pre-filled and sealed syringes Quantity per Box: 30 syringes	box	102	1,087.24	110,898.48	24	27	27	24	102
265	Syringe, Pre-Filled Saline Flush Volume per Syringe: 5 ml Solution: 0.3% - 0.9% Sodium Chloride Barrel: Transparent with clear printed graduation markings for precise measurement Plunger Seal: Designed for smooth glide with a leak-proof seal between plunger and barrel Connection Type: Luer lock for secure and reliable attachment Material Specifications: PVC-Free, DEHP-Free, Latex-Free Usage: Ready-to-use; intended for saline flushing procedures Packaging: Individually pre-filled and sealed syringes Quantity per Box: 30 syringes	box	102	1,241.68	126,651.36	24	27	27	24	102
266	Table • Type: Bedside, with wheels • Made: Formica top, stainless steel frame. Tubular with guard rails 1 Drawer 1 lower shelf Size: H: 31 inches L: 19 inches W: 16 inches Locally Manufactured	SET	5	6,534.00	32,670.00	5	0	0	0	5
267	Thermal Paper • Type: for ecg • Width: 210mm • Length (Height): 295mm • Compatibility: Mindray BeneHeart R12 ECG machine (200-sheet packs) • Expiry: with at least year expiry	per piece	120	633.49	76,018.80	45	25	20	30	120
268	Tongue Depressor Wooden x 2 per pack, (Sterile) 100'S	box	59	195.18	11,515.62	18	13	14	14	59
269	Toothpaste to Relieve Tooth Sensitivity 100g	tube	864	 100.00	86,400.00	184	210	200	270	864
	Topical absorbable hemostat. Material: Oxidized regenerated cellulose. Features: Bactericidal advantage. Size: 1 inch x 1 inch. Packaging: Box of 12 Expiry: with at least 1 - 2 year expiration.	Box	18	21,128.90	380,320.20	4	6	6	2	18
	Topical Anesthesia, Benzocaine, 20% ointment/gel, with fruity flavor, 30g/bottle Topical Anesthesia, Lidocaine, 5% ointment/gel, with fruity flavor, 30g/bottle	bottle bottle	34 24	 300.00 250.00	10,200.00 6,000.00	34 24	0	0	0	34 24
070	Towel for OR, Surgical,, 17x27" Size 45cmx61cm Color: Blue	piece	130	175.45	22,808.50	30	20	50	30	130
	Traction Traction Type: for leg Size: large (length 38 -48 inches) width of the device, including padding, should be around 5 inches (12.7 cm) Weight capacity: 300 lbs (136 kg) Material: Frame: aluminum alloy or carbon fiber Foam Padding: high-density, nontoxic, hypoallergenic and moisture wicking cover. Straps: Heavy-duty nylon or polyester webbing adjustable straps. Inclusion of thigh and ankle support, adjustable foot plate, knee support and cushioning.	set	12	1,870.00	22,440.00	3	3	3	3	12
275	Traction type: for leg size: medium (length 30 -40 inches) width of the device, including padding, should be around 4-5 inches. weight capacity: 113 kg Material: Frame: aluminum alloy or carbon fiber Foam Padding: high-density, nontoxic, hypoallergenic and moisture wicking cover. Straps: Heavy-duty nylon or polyester webbing adjustable straps. Inclusion of thigh and ankle support, adjustable foot plate, knee support and cushioning.	set	12	1,870.00	22,440.00	3	3	3	3	12
276	Traction type: for leg size: small (length 24 -34 inches) width of the device, including padding, should be around 4 inches. weight capacity: 68 kg) Material: Frame: aluminum alloy or carbon fiber Foam Padding: high-density, nontoxic, hypoallergenic and moisture wicking cover. Straps: Heavy-duty nylon or polyester webbing adjustable straps. Inclusion of thigh and ankle support, foot plate and cushioning.	set	9	1,870.00	16,830.00	3		3	3	9
277	Trauma Shears 7 1/4" Emergency Scissors	pair	11	 1,815.00	19,965.00	10	0	1	0	11
278	Tray Type: Medicine Stainless Steel Rectangular with Cover Dimensions: Length: 31 cm Width: 21 cm Height/Depth: 5 cm	piece	14	726.00	10,164.00	10	1	2	1	14
279	Tube Type: For Feeding Size: Fr 5 /40 cm length. Material: Made from medical-grade PVC (Polyvinyl Chloride) with frosted surface, soft, rounded tip and calibration markings. Expiration: At least 1 year upon delivery	piece	240	 35.20	8,448.00	60	60	60	60	240

	Tube Type: For Feeding									
280	Type, rol recently Size: Fr 1040 cm length. Material: Made from medical-grade PVC (Polyvinyl Chloride) with frosted surface, soft, rounded tip and calibration markings. Expiration: At least 1 year upon delivery	piece	350	35.20	12,320.00	80	90	90	90	350
281	Tube, Endotracheal 2.0 fr.8, uncuffed	ninon	215	 97.19	20,895.85	60	50	55	50	215
	Tube, Endotracheal 2.5 fr.10, uncuffed	piece		97.19			50	50	50	215
282	Tube, Endotracheal 3.0 fr.12, uncuffed	piece	205		19,923.95	55				
283	Tube, Endotracheal 3.5 fr.14, uncuffed	piece	205	 97.19	19,923.95	55	50	50	50	205
284	Tube, Nasogastric, Pediatirc fr.5, silicon with tip cover, sterile and disposable, Non-pyrogenic	piece	205	97.19	19,923.95	55	50	50	50	205
285		piece	429	80.30	34,448.70	106	111	111	101	429
286	Ultrasound probe antiseptic spray 1 liter with free spray bottle	bottle	8	2,856.70	22,853.60	3	3	2	0	8
287	Underpads Type: Disposable Color: Blue Size: Small Packaging: 10 pads per pack	pack	60	478.80	28,728.00	15	15	15	15	60
288	Underpads, Blue Disposable Packaging: 10's / pack Size: Medium Highly absorbent, soft fluff fill Waterproof Sealed on all four sides to prevent leakage Non-skid blue backing	pack	179	178.20	31,897.80	41	51	51	36	179
289	UV Light (4 Bulbs 30 Watts) UV Light 4 Bulb 30W Locally made UV unit Dimension: 12 x 12 x 62 Height (inch), with 4pcs UV Lamp. With wheel caster. With wired for 220v. 60Hz operation with a standard power cord. UV Lamps 30 watts high output UVC lamps intensity @ 1.5m	unit	1	26,400.00	26,400.00	1				1
290	Vinegar, Type: Red Cane, size: 985ml shelf life: 3-5 years upon delivery	piece	12	390.00	4,680.00	3	3	3	3	12
291	Volumetric Type: IV Infusion Set, calibrated burette chamber, Y connector Capacity: 150cc Micro drip: 60 drops per milliliter Tubing: 200-210cm, flexible, medical-grade plastic Expiration: At least 1 year upon delivery	set	120	162.00	19,440.00	25	35	30	30	120
292	Wash lotion for hand cleansing, ph 5.5, mild surfactants, 1G with provided pump bottle every 10 L	bottle	90	298.47	26,862.30	18	21	18	33	90
293	Water, distilled, 10 liters Expiration: At least 1 year upon delivery	container	372	121.00	45,012.00	93	93	93	93	372
294	Weighing Scale size: 300×300×24.55mm Weighing range: 0.1-150kg Minimum graduation: 0.1kg Shell material: reinforced glass + engineering plastic Working temperature: 0°C~40°C Product net weight: 1.45kg Wireless connection: Bluetooth 5.0 Rated voltage: 4.5V= (AAA alkaline batteries × 3) Supported system: Android 8.0 or iOS 12.0 and above	unit	8	2,200.00	17,600.00	7		1		8
295	Weighing Scale with height measurement, dial type	unit	15	4,565.00	68,475.00	8	1	4	2	15
296	Wet wipes - Disposable - For cleansing - Antibacterial and alcohol free - Soft and gentle to all skin type - 90 sheets per single pack	Pack	310	400.00	124,000.00	65	95	95	55	310
297	Wheelchair (Double Cross bar), stainless, •Specifications: •Weight Capacity: Up to 250–300 kg (varies by model) •Seat Width: 20–24 inches (varies by model) •Overall Weight: 18–25 kg (varies by model) •Meight: 18–25 kg (varies by model) •Material: High-strength steel or lightweight aluminum •Wheight System: Hand-operated brakes for safety •Foldable Dimensions: Compact for easy storage •Accessories: with IV stand and oxygen cylinder	piece	20	6,600.00	132,000.00	13		7		20
298	Wheelchair, foldable, light weight travel, manual with break and IV stand, can carry 110kg. person black color.	piece	25	2,200.00	55,000.00	15	4	5	1	25
299	Wound Irrigation Solution Components: Betains: 0.1 - 0.2%. Polyhexanide (PHMB): 0.1 - 0.2 %. Other Ingredients: Purified water, sodium chloride (for isotonicity), and possibly other stabilizers or buffering agents as per formulation. Formulation: pH: Typically around 6.0-7.0, Quantity: 40ml shelf life:3-Syears Expiration: atleast 1 year upon delivery	BOTTLE	24	646.80	15,523.20	6	6	6	6	24
300	Wound Irrigation Solution, 350 ml	BOTTLE	128	1,760.00	225,280.00	25	34	35	34	128
1.00	Expiry: with at least 1 - 2 year expiration.		0	.,, 50.00	220,200.00	•				

		Grand Total	18,705,864.51			

For Goods Offered From Abroad

.

Name of Bidder _____. Invitation to Bid¹ Number ____. Page _____ of

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

¹ If ADB, JICA and WB funded projects, use IFB.

For Goods Offered From Within the Philippines

Name of Bidder ______. Invitation to Bid² Number _. Page_of ____.

1	2	3	4	5	6	7	8	9	10
Item	Description	Country	Quantity	Unit price EXW	Transportation	Sales and	Cost of	Total Price,	Total Price
		of origin		per item	and Insurance	other taxes	Incidental	per unit	delivered Final
					and all other	payable if	Services, if	(col 5+6+7+8)	Destination
					costs	Contract is	applicable, per		(col 9) x (col 4)
					incidental to	awarded, per	item		
					delivery, per	item			
					item				

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

² If ADB, JICA and WB funded projects, use IFB.

REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by</u> <u>relation, membership, association, affiliation, or controlling interest with another</u> <u>blacklisted person or entity as defined and provided for in the Uniform Guidelines</u> <u>on Blacklisting:</u>
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this ____ day of ____, 20___ at ____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practice]

Statement of all Ongoing Government & Private contracts including contracts awarded but not yet started

Business Name : ______Business Address : _____

						Amo	ount	End user's
Name of Contract/ Project Cost	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Date of Delivery	Contract	Value of Outstanding Contract	acceptance or official receipt(s) or sales invoice issued for the contract
<u>Government</u>								
Drivete								
Private								
	ototomori					Total Cast		
Note: This supported with		shall be				Total Cost		

1 Notice of Award , Contract, NTP, and other docs, if necessary

Submitted by : _____

(Printed Name & Signature)

:_____

Designation Date

Statement of all completed Government & private contracts which are similar in nature and complexity to the Contract to be Bid

Business Name : _____ Business Address : _____

Name of Contract/ Project Cost	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Date of Delivery	Contract Amount	End user's acceptance or official receipt(s) or sales invoice issued for the contract
Government							
<u>Private</u>							
Note: This sta suppor	atement sha rted with:	all be					

supported with: 1 Notice of Award, Contract, NTP,

and other docs, if necessary

Submitted by : _____

(Printed Name & Signature)

:_____

:_____

Designation Date

Statement of Bidder's Single Largest Completed Contract (SLCC)

Business Name : _____ Business Address : _____

Name of Contract/ Project Cost	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Date of Delivery	Amount of completed contracts, adjusted by the Bidder	End user's acceptance or official receipt(s) <i>and</i> sales invoice issued for the contract
<u>Government</u>							
Private							
Note: This statement s	hall be supp	ported with:				Total Cost	

1 Notice of Award, Contract, NTP, and other docs, if necessary

Submitted by	:	
		(Printed Name & Signature)
Designation	•	· _ ·
Date	:	