



Department of Health
 Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105

Mobile: 0968-8525-604; Office of the Medical Center Chief: 0968-852-6726 mail@mmwgh.gov.ph mmwgh.gov.ph

BIDS AND AWARDS COMMITTEE
Resolution No. 2025-104

[Signature]
 MARCELINE N. CAJAYAN

[Signature]
 Jamie Rose P. Serrano

Approving of Award of Contract
 For

Supplies and Equipment for Implementation of Public Wi-fi, Server and UPS for File Storage and Hosting of Inhouse Systems with Installation, and Audio and Video Equipment Supply, Delivery and Installation

For the Rebidding of Supplies, Equipment, and Installation Services for Various IMISU Projects (IGF)

WHEREAS, Open Competitive Bidding for the Rebidding of Supplies, Equipment, and Installation Services for Various IMISU Projects (IGF) was conducted in accordance with the Republic Act 9184 and its Revised Implementing Rules and Regulations;

WHEREAS, the Invitation to Bid (IB) was posted in PhilGEPS dated February 6, 2025 and in conspicuous place at the premises of MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL compound;

WHEREAS, a Pre-Bid Conference was held on February 14, 2025, at 04:00 PM, at the Procurement Conference Room and/or through webcasting via Zoom, Mariveles Mental Wellness and General Hospital – Mariveles, Bataan with seven (7) prospective bidders attending namely;

1. Bloomsocial Inc.
2. Clickhaus Computer Sales and Services
3. Handlink Inc.
4. JPC Express & General Merchandise
5. Orbetech Communication Equipment Trading
6. Pronet Systems Integrated Network Solution, Inc.
7. Tekzone Computer Sales and Services Inc.

WHEREAS, four (4) bidders procured the bidding documents, namely;

1. Orbetech Communication Equipment Trading - Supplies and Equipment for Implementation of Public Wi-Fi and Server and UPS for File Storage and Hosting of In-House Systems with Installation
2. Tekzone Computer Sales and Services Inc. - Supplies and Equipment for Implementation of Public Wi-Fi and Server and UPS for File Storage and Hosting of In-House Systems with Installation
3. Bloomsocial Inc. - Audio and Video Equipment Supply, Delivery, and Installation
4. Clickhaus Computer Sales and Services - Audio and Video Equipment Supply, Delivery, and Installation

WHEREAS, on the scheduled Submission and Opening of Bids last February 26, 2025, at 4:00 PM, at the Mariveles Mental Wellness and General Hospital Compound– Mariveles Bataan, four (4) bidders tendered their Bids, namely;

1. Orbetech Communication Equipment Trading - Supplies and Equipment for Implementation of Public Wi-Fi and Server and UPS for File Storage and Hosting of In-House Systems with Installation
2. Tekzone Computer Sales and Services Inc. - Supplies and Equipment for Implementation of Public Wi-Fi and Server and UPS for File Storage and Hosting of In-House Systems with Installation
3. Bloomsocial Inc. - Audio and Video Equipment Supply, Delivery, and Installation
4. Clickhaus Computer Sales and Services - Audio and Video Equipment Supply, Delivery, and Installation

WHEREAS, the original envelopes, containing the Eligibility and Technical Documents were opened. The presence, completeness and correctness of the required documents were checked and verified by the BAC in the presence of bidders. The results are as follows;

1. Orbetech Communication Equipment Trading – eligible
2. Tekzone Computer Sales and Services Inc. – eligible
3. Bloomsocial Inc. – eligible
4. Clickhaus Computer Sales and Services – eligible

WHEREAS, the Financial Proposal of the eligible bidders were opened. The presence, completeness and correctness of the entire documents were checked and verified by the BAC. The result are as follows;

1. Orbetech Communication Equipment Trading – eligible
2. Tekzone Computer Sales and Services Inc. – eligible
3. Bloomsocial Inc. – eligible
4. Clickhaus Computer Sales and Services – eligible

[Signatures of Committee Members]



Department of Health
Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105

Mobile: 0968-8525-604; Office of the Medical Center Chief: 0968-852-6726 mail@mmwgh.gov.ph mmwgh.gov.ph

WHEREAS, the bidders who were declared "Eligible" and were rated "PASSED" and subsequently their respective bids were publicly read and posted in the Abstract of Bids, to wit;

Name of Company	Bid Security Form	Amount of Bid Security
Orbetech Communication Equipment Trading	Bid Securing Declaration	N/A
Tekzone Computer Sales and Services Inc.	Bid Securing Declaration	N/A
Bloomsocial Inc.	Bid Securing Declaration	N/A
Clickhaus Computer Sales and Services	Bid Securing Declaration	N/A

WHEREAS, during post-qualification, it was determined that Orbetech Communication Equipment Trading, being the Lowest Calculated Bidder, failed to comply with the technical requirements, particularly with the Statement of Compliance for each individual parameter of the specifications provided in the bidding documents; Moreover, upon further evaluation, the said bidder was found to have submitted an expired PhilGEPS Registration Certificate. Therefore, the BAC rated the technical component of Orbetech Communication Equipment Trading as "post-disqualified";

WHEREAS, on February 28, 2025, the BAC, through its Secretariat, notified Orbetech Communication Equipment Trading in writing of its post-disqualification;

WHEREAS, Section 55.1 of the 2016 Revised IRR of R.A. 9184 provides, among others that "Decisions of the BAC at any stage of the procurement process may be questioned by filing a request for reconsideration within three (3) calendar days upon receipt of written notice or upon verbal notification;

WHEREAS, on March 2, 2025, Orbetech Communication Equipment Trading filed a Motion for Reconsideration; however, the BAC decided not to grant their Motion for Reconsideration and issued a Letter of Denial on March 5, 2025, in response to their motion;

WHEREAS, the decision was discussed with the aforementioned bidder and was amenable that the Motion for Reconsideration would not be granted;

WHEREAS, the BAC initiated the same post-qualification process with Tekzone Computer Sales and Services Inc. as the Second Lowest Calculated Bidder (2nd LCB). However, it was found that the bidder failed to comply with the required minimum technical specifications, particularly with the required file storage server, hence, the 2nd LCB was found to be NON-RESPONSIVE;

WHEREAS, on March 5, 2025, the BAC, through its Secretariat, notified Tekzone Computer Sales and Services Inc. in writing of its post-disqualification, and gave them three (3) calendar days upon receipt of the notice to file a Motion for Reconsideration;

WHEREAS, on March 6, 2025, the aforementioned bidder filed a Motion for Reconsideration, providing necessary information to address the noted non-compliance;

WHEREAS, March 7, 2025, upon careful examination, verification validation and ascertainment of all statements and representations made, the BAC decided to grant the motion of Tekzone Computer Sales and Services Inc.;

WHEREAS, the bid for the items listed below were found to be substantially complying:

SUPPLIES AND EQUIPMENT FOR IMPLEMENTATION OF PUBLIC WI-FI

Name of Company	Total Cost	Amount	Variance
TEKZONE COMPUTER SALES AND SERVICES, INC.	973,170.00	943,169.31	0.0001%

SERVER AND UPS FOR FILE STORAGE AND HOSTING OF IN-HOUSE SYSTEMS WITH INSTALLATION

Name of Company	Total Cost	Amount	Variance
TEKZONE COMPUTER SALES AND SERVICES, INC.	3,000,000.00	2,999,997.54	0.0001%

AUDIO AND VIDEO EQUIPMENT SUPPLY, DELIVERY AND INSTALLATION

Name of Company	Total Cost	Amount	Variance
BLOOMSOCIAL, INC.	2,000,000.00	1,697,000.00	15.15%



Department of Health
 Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105

Mobile: 0968-8525-604; Office of the Medical Center Chief: 0968-852-8726 mail@mmwgh.gov.ph mmwgh.gov.ph

NOW THEREFORE, on the basis of the above, the herein members of the BAC HEREBY RESOLVE, to award the items listed below to the bidder that was determined as the LCRBs:

TEKZONE COMPUTER SALES AND SERVICES, INC. with Total Contract Price of *Php 3,943,166.85 inclusive* of local taxes for the items listed below:

SUPPLIES AND EQUIPMENT FOR IMPLEMENTATION OF PUBLIC WI-FI

Item No.	Description	Qty.	Unit	Total Amount (Php)
1	Stainless Steel Cable Ties x 2 box 100pcs Stainless Steel Cable Self-sealing Cable Zipper Tie Multi-Purpose Exhaust Sealing Tie (4.6x300mm) Fiber Optic SC Connector x 100 pcs. FiberHome SC Connector Butterfly Fast Connector 5 Port Outdoor POE Extender x 15 unit 5 Port Outdoor POE Switch/Extender/Booster, 60W 48V 10/100/1000M POE Passthrough Switch Outdoor Ethernet Extender, PoE Repeater 6U Data Cabinet x 12 unit Network Data Cabinet Heavy-duty - 10.5" 26.7 cm Size: 6U/ 6-Layer/ 1FT Height Dimension: W600 x D450mm x H=1FT 19" Rack Mountable 4 Pcs Railings in each corner Single swing detachable front tempered glass door with keylock Removable Side Panels With free 8-10 sets of M5 Cagenuts Powder Coated Finished Black Dyna Bolt x 50 pcs. Expansion Screw Outdoor Cat6 UTP Cable x 3 unit Supporting frequencies of up to 250 MHz and the 10BASE-T, 100BASE-TX, 1000BASE-T, and 10GBASE-T 1000ft/305m Indoor Cat6 UTP Cable x 1 unit Supporting frequencies of up to 250 MHz and the 10BASE-T, 100BASE-TX, 1000BASE-T, and 10GBASE-T 1000ft/305m Network Controller with POE Switch x 10 unit 10Gbps switch Chip, Core: 4, CPU Freq: 1400, Routing NAT: 2,703mbps, 3-way power CPU: 88F7040, CPU core count: 4, CPU nominal frequency: 350-1400 (auto) MHz, RouterOS license: 5, Operating System: RouterOS (v7 only), Size of RAM: 1 GB, Storage size: 1 GB, Storage type: NAND, MTBF: Approximately 200'000 hours at 25C, Tested ambient temperature: -40°C to 60°C, Number of DC inputs: 3 (DC jack, PoE-IN, 2-pin terminal), DC jack input Voltage: 24-57 V, 2-pin terminal input Voltage: 24-57 V, Max power consumption: 20 W, Max power consumption without attachments: 14 W, FAN count: Passive, PoE in: 802.3af/at, PoE in input Voltage: 24-57 V, 10/100/1000 Ethernet ports: 7, Number of 2.5G Ethernet ports: 1, SFP+ ports: 1, Number of USB ports: 1, USB Power Reset: Yes, USB slot type: USB 3.0 type A, Max USB current (A): 1, CPU temperature monitor:	1	lot	943,169.31

[Handwritten signatures and initials]



Department of Health
 Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Monroe Street, Polkacion, Mariveles, Bataan, Philippines, 2105

Mobile: 0968-8525-604; Office of the Medical Center Chief: 0968-852-6726 mail@mmwgh.gov.ph mmwgh.gov.ph

<p>Yes, Certification: CE, EAC, ROHS Rackmount kit x 10 pcs rackmount for RB5009UG UPS 1000VA x 15 pcs 1000VA/600Watts protects from an overload or short circuit, Automatic Voltage Regulation (AVR) SPECIFICATION Output power capacity: 600Watts / 1.0 kVA, Max Configurable Power (Watts): 600Watts / 1.0 kVA, Nominal Output Voltage: 230V, Output Frequency (not synced): 50/60 Hz +/-1 Hz, Topology: Line Interactive, Waveform type: Stepped approximation to a sinewave, Transfer Time: 6ms typical: 10ms maximum Input Nominal Input Voltage: 230V, Input frequency: 50/60 Hz +/- 5 Hz (auto sensing), Input Connections: IEC-320 C14, Cord Length: 1.52meters, Number of Power Cords: 1 Batteries & Runtime Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Expected Battery Life (years): 3 - 5, Efficiency: View Efficiency Graph Crimping Tool x 4 pcs RJ45 Metal Shielded box x 5 box Power Distribution Unit x 15 unit USB-7 7-slot White Aluminum 3500w 15A Surge Protection Outdoor Omni - Directional Access Point x 20 unit Wi-Fi 6 AX1800 Outdoor Omni-directional Access Point Protocol: 802.11ax (Wi-Fi 6), Throughput: 1775 Mbps, Client Capacity: 256, Recommended Client: 100, Protection Level: IP68, Network Ports: 2 x GE, PoE - Standard: 802.3at, Dimensions: 200 mm x 220 mm x 166 mm (excluding mounting kits). Operating Temperature: -30°C ~ 65 °C, Antenna Type: Omni-directional, Reyee Mesh: Yes, Free Cloud Management: Yes, Warranty: 3 Years</p>			
Total			Php 943.169.31

SERVER AND UPS FOR FILE STORAGE AND HOSTING OF IN-HOUSE SYSTEMS WITH INSTALLATION

ITEM NO	PARTICULAR	Quantity	Unit	Total Amount (Php)
1	Server x 1 unit - CPU 4410Y 2.0G 12-core 150W 2pcs - Memory: 16G DDR5 4pc - Storage: 18T SATA 8 - Array: H755 - Network: Self-contained 5720 2-port Gigabit - Power Supply: 1400W single power - Accessories: Rail Remote Control - Processor • Up to two 4th Generation Intel Xeon Scalable processors with up to 32 cores per processor - Memory • 16 DDR5 DIMM slots, supports RDIMM 1 TB max, speeds up to 4800 MT/s, supports registered ECC DDR5 DIMMs only Storage controllers • Internal Controllers: PERC H965i, PERC H755, PERC H755N, PERC H355, HBA355i • Internal Boot: Boot Optimized Storage Subsystem (BOSS-N1): HWRAID 1, 2 x M.2 NVMe SSDs or USB	1	lot	2,999,997.54

[Handwritten signatures]



Department of Health
 Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105

Mobile: 0968-8525-604; Office of the Medical Center Chief: 0968-852-6726 mail@mmwgh.gov.ph mmwgh.gov.ph

<ul style="list-style-type: none"> • External HBA (non-RAID): HBA355e; Software RAID: S160 GPU Options • 2 x 75 W SW, LP Drive Bays Front bays: <ul style="list-style-type: none"> • 0 drive bay • Up to 8 x 3.5-inch SAS/SATA (HDD/SSD) max 160 TB • Up to 12 x 3.5-inch SAS/SATA (HDD/SSD) max 240 TB • Up to 8 x 2.5-inch SAS/SATA/NVMe (HDD/SSD) max 122.88 TB • Up to 16 x 2.5-inch SAS/SATA (HDD/SSD) max 121.6 TB • Up to 16 x 2.5-inch (SAS/SATA) + 8 x 2.5-inch (NVMe) (HDD/SSD) max 244.48 TB Rear bays: <ul style="list-style-type: none"> • Up to 2 x 2.5-inch SAS/SATA/NVMe (HDD/SSD) max 30.72 TB (supported only with 12 x 3.5-inch SAS/SATA HDD/SSD configuration) Hot swap Redundant Power Supplies <ul style="list-style-type: none"> • 1800 W Titanium 200—240 VAC or 240 HVDC • 1400 W Platinum 100—240 VAC or 240 HVDC • 1100 W Titanium 100—240 VAC or 240 HVDC • 1100 W LVDC -48 — (-60) VDC • 800 W Platinum 100—240 VAC or 240 HVDC, • 700 W Titanium 200—240 VAC or 240 HVDC • 600 W Platinum 100—240 VAC or 240 HVDC Cooling Options • Air cooling Fans • High-performance Gold (VHP) fans, Up to 6 hotswappable fans Form Factor • 2U rack server Embedded Management <ul style="list-style-type: none"> • iDRAC9 • iDRAC Direct • iDRAC RESTful API with Redfish • iDRAC Service Module • Quick Sync 2 wireless module Bezel • Security bezel OpenManage Software CloudIQ for PowerEdge Plug-in OpenManage Integrations <ul style="list-style-type: none"> • BMC Truesight • Microsoft System Center • OpenManage Integration with ServiceNow • Red Hat Ansible Modules • Terraform Providers • VMware vCenter and vRealize Operations Manager Security • Cryptographically signed firmware <ul style="list-style-type: none"> • Data at Rest Encryption (SEDs with local key management) • Secure Boot • Secure Erase • Secured Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown (requires iDRAC9 Enterprise) • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Embedded NIC • 2 x 1 GbE LOM Network options • 1 x OCP card 3.0 Ports Front Ports: <ul style="list-style-type: none"> • 1 x iDRAC Direct (Micro-AB USB) port, 1 x USB 2.0, 1 x VGA Internal Ports: 1 x USB 3.0 Rear Ports <ul style="list-style-type: none"> • 1 x Dedicated iDRAC Ethernet port, 1 x USB 2.0, 1 x USB 3.0, 1 x VGA, 1 x Serial 			
--	--	--	--

[Handwritten signatures and initials]



Department of Health
 Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105

Mobile: 0968-8525-604; Office of the Medical Center Chief: 0968-852-6726 mail@mmwgh.gov.ph mmwgh.gov.ph

	<p>PCIe • 1 CPU Configuration: Up to 4 PCIe slots (2 x8 Gen5, 1 x16 Gen4, 1 x8 Gen4) • 2 CPU configuration: Up to 6 PCIe slots (2 x16 Gen5, 3 x16 Gen4, 1 x8 Gen4) Operating System and Hypervisors • Microsoft Windows Server with Hyper-V • Red Hat Enterprise Linux • SUSE Linux Enterprise Server • VMware ESXi • Canonical Ubuntu Server LTS Inclusions: Warranty Certificate UPS for Server x 1 10KVA, 230V Operating System x 1 Windows Server Standard 2019/2022 Others: Labor and Installation Inclusions: Warranty Certificate For other requirements, please refer to the Terms of Reference (ToR)</p>			
2	<p>Server x 1 unit CPU - 4410Y 2.0G 12-core 150W 2pcs Memory - 16G DDR5 4pc Storage - 18T SATA 8 Array - H755 Network - Self-contained 5720 2-port Gigabit Power Supply - 1400W single power Accessories - Rail Remote Control Processor • Up to two 4th Generation Intel Xeon Scalable or Intel Xeon Max processors with up to 56 cores per processor and with Intel® QuickAssist Technology • Up to two 5th Generation Intel Xeon Scalable processors with up to 64 cores per processor Memory • 32 DDR5 DIMM slots, supports RDIMM 8 TB max, • Speeds up to 4800 MT/s on the 4th Generation Intel Xeon Scalable or Intel Xeon Max processors • Speeds up to 5600 MT/s on the 5th Generation Intel Xeon Scalable processors • Supports registered ECC DDR5 DIMMs only Storage controllers • Internal Controllers: PERC H965i, PERC H755, PERC H755N, PERC H355, HBA355i • External Controller: PERC H965e • Internal Boot: Boot Optimized Storage Subsystem (BOSS-N1): HWRAID 2 x M.2 NVMe SSDs or USB • External HBA (non-RAID): HBA355e • Software RAID: S160 Drive Bays Front bays: • Up to 12 x 3.5-inch SAS/SATA (HDD/SSD) max 240 TB • Up to 8 x 2.5-inch SAS/SATA/NVMe (HDD/SSD) max 122.88 TB • Up to 16 x 2.5-inch SAS/SATA/NVMe (HDD/SSD) max 245.76 TB • Up to 16 x EDSFF E3.S Gen5 NVMe (SSD) max 122.88 TB • Up to 24 x 2.5-inch SAS/SATA/NVMe (HDD/SSD) max 368.64 TB Rear bays: • Up to 2 x 2.5-inch SAS/SATA/NVMe (HDD/SSD) max 30.72 TB • Up to 4 x 2.5-inch SAS/SATA/NVMe (HDD/SSD)</p>	1	lot	



Department of Health
 Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105

Mobile: 0968-8525-604; Office of the Medical Center Chief: 0968-852-6726 mail@mmwgh.gov.ph mmwgh.gov.ph

<p>max 61.44 TB</p> <ul style="list-style-type: none"> • Up to 4 x EDSFF E3.S Gen5 NVMe (SSD) max 30.72 TB Power Supplies • 3200 W Titanium 277 VAC or 336 HVDC, hot-swap redundant • 2800 W Titanium 200—240 HLAC or 240 HVDC, hot-swap redundant • 2400 W Platinum 100—240 VAC or 240 HVDC, hot-swap redundant • 1800 W Titanium 200—240 HLAC or 240 HVDC, hot-swap redundant • 1400 W Titanium 277 VAC or 336 HVDC, hot-swap redundant • 1400 W Platinum 100—240 VAC or 240 HVDC, hot-swap redundant • 1100 W Titanium 100—240 VAC or 240 HVDC, hot-swap redundant • 1100 W -(48—60) VDC, hot-swap redundant • 800 W Platinum 100—240 VAC or 240 HVDC, hot swap redundant • 700 W Titanium 200—240 HLAC or 240 HVDC, hot-swap redundant Cooling Options • Air cooling • Direct Liquid Cooling (DLC) Fans • High-performance Gold (HPR Gold) fans • Up to 6 hot plug fans Form Factor • 2U rack server Embedded Management • iDRAC9 <ul style="list-style-type: none"> • iDRAC Direct • iDRAC RESTful API with Redfish • iDRAC Service Module • Quick Sync 2 wireless module Bezel • Security bezel OpenManage Software • CloudIQ for PowerEdge plug-in OpenManage Integrations • BMC Truesight <ul style="list-style-type: none"> • Microsoft System Center • OpenManage Integration with ServiceNow • Red Hat Ansible Modules • Terraform Providers • VMware vCenter and vRealize Operations Manager Security • Cryptographically signed firmware <ul style="list-style-type: none"> • Data at Rest Encryption (SEDs with local key management) • Secure Boot • Secure Erase • Secured Component Verification (Hardware integrity check) • Silicon Root of Trust • System Lockdown (requires iDRAC9 Enterprise) • TPM 2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Embedded NIC 2 x 1 GbE LOM card Network options • 1 x OCP card 3.0 <ul style="list-style-type: none"> • 1 x Management Interface Card (MIC) to support Dell Data Processing Unit (DPU) card GPU Options • Up to 2 x 350 W DW and 6 x 75 W SW Ports Front Ports <ul style="list-style-type: none"> • 1 x iDRAC Direct (Micro-AB USB) port • 1 x USB 2.0 • 1 x VGA Rear Ports 			
--	--	--	--

[Handwritten signatures and initials]



Department of Health
Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines. 2105

Mobile: 0968-8525-604; Office of the Medical Center Chief: 0968-852-6726 mail@mmwgh.gov.ph mmwgh.gov.ph

	<ul style="list-style-type: none"> • 1 x Dedicated iDRAC Ethernet port • 1 x USB 2.0 • 1 x USB 3.0 • 1 x VGA • 1 x Serial • 1 x VGA (for Direct Liquid Cooling configuration) <p>Internal Ports</p> <ul style="list-style-type: none"> • 1 x USB 3.0 <p>PCIe Up to eight PCIe slots:</p> <ul style="list-style-type: none"> • Slot 1: 1 x8 Gen5 or 1 x8/1 x16 Gen4 Full height, Half-length or 1 x16 Gen4 Full height, Full length • Slot 2: 1 x8/1 x16 Gen5 or 1 x8 Gen4 Full height, Half-length or 1 x16 Gen5 Full height, Full length • Slot 3: 1 x16 Gen4 Low profile, Half-length • Slot 4: 1 x8 Gen4 Full height, Half-length • Slot 5: 1 x8/1 x16 Gen4 Full height, Half-length or 1 x16 Gen4 Full height, Full length • Slot 7: 1 x8/1 x16 Gen5 or 1 x8 Gen4 Full height, Half-length or 1 x16 Gen5 Full height, Full length • Slot 7 SNAPI: 1 x16 Gen5 Full height, Half-length • Slot 8: 1 x8 Gen5 or 1 x8 Gen4 Full height, Half length <p>Operating System and Hypervisors</p> <ul style="list-style-type: none"> • Canonical Ubuntu Server LTS • Microsoft Windows Server with Hyper-V • Red Hat Enterprise Linux • SUSE Linux Enterprise Server • VMware ESXi <p>Inclusions: Warranty Certificate</p> <p>UPS for Server x 1 - 10KVA, 230V</p> <p>Operating System x 1 - Windows Server Standard 2019/2022</p> <p>Others: Labor and Installation</p> <p>For other requirements, please refer to the Terms of Reference (ToR)</p>			
Total				Php 2,999,997.54

BLOOMSOCIAL INC. with Total Contract Price of *Php 1,697,000.00 inclusive* of local taxes for the items listed below:

AUDIO AND VIDEO EQUIPMENT SUPPLY, DELIVERY AND INSTALLATION

ITEM NO	PARTICULAR	Quantity	Unit	TOTAL Amount (Php)
1	<p>PH5mm Indoor Fixed Front Maintenance LED Display System</p> <p>Technical Specifications: IC driver: 1920 hz/s Pixel Pitch: 5mm Module Size: 320mm x 160mm Color Configuration: SMD 3in1 1R1G1B Module Resolution: 64dots x 32 dots Pixel Density: 40000 dots/m2 Driver Mode: 1/16 Scan Weight/ pcs: 0.36kg</p> <p>Cabinet Size (W X H): 960mm(W) x 960mm (H) Cabinet Resolution: 192dots x 192 dots Module Quantity:18 pcs Pixel Density: 40000 dots/m2 Average Power Consumption: 400W/m2 Max. Power Consumption: 800W/m2 Material: Iron Cabinet Weight: 35kg/pc</p> <p>Screen size: Width(3.84m) x Height(2.56 m) Screen Side</p>	1	lot	1,697,000.00

[Handwritten signatures]



Department of Health
 Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105

Mobile: 0968-8525-604; Office of the Medical Center Chief: 0968-852-6726 mail@mmwgh.gov.ph mmwgh.gov.ph

<p>Resolution: 768dots x 512dots Screen Total Resolution: 393216 dots Cabinet Size(W X H): 960mm W x 1280mm H Cabinet Thickness:10.8 cm Module Quantity: 192 pcs Refresh rate: Normally 1920 Hz/s, can be adjusted Power Supply: 220V 5V 40A Brightness:800 cd/m² View Angle: Horizontal 140° Vertical 140° Min. Viewing Distance: ≥5 meter Grayscale: 8192×8192×8192 Colors: 549 Billion Input Voltage:AC220V/50Hz or AC110V/60Hz MTBF: >10,000 hours Life span: ≥100,000 hours IP rating(Front/Rear): IP31 Temperature-operating: - 10°C~60°C Humidity-operating: 10%~90% Certifications: CE, ROHS, ISO9001</p> <p>INCLUSIONS: P5 Indoor Fixed Simple Cabinet Front Maintenance LED Display 3.84m W x 2.56m H:9.83 sqm Power Supply: 8 set Receiving Card: 8 pcs Video Processor VX400: 1pc Replacement Module: 20 pcs Replacement Module: 1 pcs (For factory preservation) Replacement Receiving Card: 6 pcs Replacement Power Supply: 2 pcs Main Power Cable 10m: 3 pcs Main Signal Cable 10m: 1 pc LED Software: 1 set Wooden case: 1 pc 4-CH SDI and HDMI Video Switcher / Video Controller</p> <p>SOUND SYSTEM</p> <p>MULTI-PURPOSE HALL 15 Inches 800W 8 Ohms 2-Way system Reflex Passive Plastic Molded Speaker System Speaker Stand or Bracket Wireless Handheld Microphone System Patch Cable Professional Audio Mixer with Effects, USB Playback, Bluetooth, and PC Audio Recording Speakon Connector Speaker wires #14 Power Amplifier 600W x 2 at 8 Ohms with Xover MC-12U with Legs Proc case with mixer on top with wheels 15" Powered Subwoofer 600W Amplifier 3" Voice Coil 8" 200W Monitor Speaker 2 Way Bass Reflex (Active & Passive) MIC Stand Lyric Stand</p> <p>AUDITORIUM 15 Inches 800W 8 Ohms 2-Way system Reflex Passive Plastic Molded Speaker System Speaker Stand or Bracket Wireless Handheld Microphone System Patch Cable Professional Audio Mixer with Effects, USB Playback, Bluetooth, and PC Audio Recording Speakon Connector Speaker wires #14 Power Amplifier 600W x 2 at 8 Ohms with Xover MC-12U with Legs Proc case with mixer on top with wheels 15" Powered Subwoofer 600W Amplifier 3" Voice Coil MIC Stand</p>			
---	--	--	--

[Handwritten signatures]



Department of Health
 Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105

Mobile: 0968-8525-804; Office of the Medical Center Chief: 0968-852-6726 mail@mmwgh.gov.ph mmwgh.gov.ph

	<p>WARRANTY - 2 years' Service and Parts Warranty – Semi-annually Preventive Maintenance Schedule within the Warranty Period (2 years)</p> <p>Training (at least Five (5) IMISU and Five (5) Engineering and Maintenance Personnel) - Installation, Operation, Maintenance, and Troubleshooting with return Demo</p> <p>Additional Requirements</p> <ul style="list-style-type: none"> - Equipment must have an updated calibration certificate upon delivery - Supply, Delivery, Installation, Testing, and Commissioning of all/complete electrical requirements for the functionality of the equipment - All Civil works, Construction, and Reconstruction of the affected area/facility where the equipment is to be installed (if applicable) - Must have established a service center to cater to the aftersales components of this project - For in-warranty concerns of installed components SUPPLIER must be able to respond within 3 hours and shall be able to fix if not provide a replacement of the said component within 72 hours upon receipt of complaint at no extra charge - The Supplier must be located within Pampanga, Bataan, and the National Capital Region for faster after-sale service and has a dedicated technician to ensure faster troubleshooting if any technical problem arises that needs assistance on-site and all service concerns. <p>For other requirements, please refer to the Terms of Reference (ToR)</p>			<p>Total</p> <p>1,697,000.00</p>
--	---	--	--	----------------------------------


Signed this 7th of March 2025 at the Mariveles Mental Wellness and General Hospital, Mariveles, Bataan.

BIDS AND AWARDS COMMITTEE (BAC)


 ANGELO A. TACDERAS, MD
 BAC Member



 MARY JOY LOVEN R. SUBINGSUBING, RN
 BAC Member


 CHERRY V. CASTRO
 BAC Member


 KIMBERLY ABBEY M. PEREZ, MPA
 BAC Vice-Chairperson


 RELIA I. VILLEGAS, RN, MAN, Ed. D
 BAC Chairperson

APPROVED BY:


 DENNIS DAYAO L. ORDONA, MD
 Medical Center Chief II
 Head of the Procuring Entity



Department of Health
Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Manao Street, Polovina, Mariveles, Bataan, Philippines, 2105

Mobile: 0968-8525-804 : Office of the Medical Center Chief: 0968-852-8726 mail@mmwh.gov.ph mmwh.gov.ph

NOTICE OF AWARD

REBIDDING OF SUPPLIES, EQUIPMENT, AND INSTALLATION SERVICES FOR VARIOUS IMISU PROJECTS (IGF)

March 7, 2025

BLOOMSOCIAL INC.
3rd Floor 201 N Domingo St.
Ermitaño 1500 City of San Juan
Metro Manila

Sir/Madam:

This is to inform you that the result of the Public Bidding for REBIDDING OF SUPPLIES, EQUIPMENT, AND INSTALLATION SERVICES FOR VARIOUS IMISU PROJECTS (IGF) conducted last February 26, 2025 the following items are awarded to you:

ITEM No.	QTY.	UNIT	ITEM & DESCRIPTION	BRAND	UNIT COST	AMOUNT
1	1	lot	<p>Audio and Video Equipment Supply, Delivery, and Installation</p> <p>P5 Outdoor Movable Back Maintenance LED Display 640mm x 640mm Cabinet 3.84m W x 2.56m H, quantity: 1</p> <p>Novastar: Controller VX400, quantity: 1</p> <p>Novastar: Receiving Card, quantity: 1</p> <p>+ Delivery to Bataan + Installation/Labor</p> <p>Auditorium Set, quantity: 1</p> <p>-6pcs Kevler Wave15 (speaker)</p> <p>-6 pcs Speaker Stand or Bracket</p> <p>-2 sets HzA U211H-II (wireless microphone)</p> <p>-10 pcs Patch Cable</p> <p>-1 pc HzA Hx16 (audio mixer)</p> <p>-12 pcs Speakon Connector</p> <p>-1 roll Speaker Wire #14</p> <p>-2 pcs IMIX CA5 (power amplifier)</p> <p>-1 pc 12RU MIXER ON TOP CASE</p> <p>-2 pcs KEVLER KRX615SA (Subwoofer)</p> <p>-2 pcs BOOM MIC STAND</p> <p>Covered Court Set, quantity: 1</p> <p>-12 pcs Kevler Wave15 (speaker)</p> <p>-12 pcs Trident stand or bracket</p> <p>-2 sets HzA U211H-II (Wireless Microphone)</p> <p>-10 pcs 2m Patch Cable</p> <p>-1pc HzA Hx12 (Audio mixer)</p> <p>-24pcs Speakon Connector</p> <p>-2 rolls Speaker wire #14</p> <p>-4 pcs IMIX CA5 (Power Amplifier)</p> <p>-1 pc 12RU MIXER ON TOP CASE</p> <p>-4 pcs KEVLER KRX615SA (Subwoofer)</p> <p>-2pcs KEVLER ZLX8D (monitor speaker)</p> <p>-3pcs BOOM MIC STAND</p> <p>-3pcs LYRIC STAND</p>		1,697,000.00	1,697,000.00


		FREE: , quantity: 1 Accessories Replacement Module Replacement Power Supply Replacement Receiving Card Main Power Cable 10m Main Signal Cable 10m +75 inches Interactive smart whiteboard +-6pcs 10M SIGNAL CABLE +3pcs LYRIC STAND Power Supply Wooden Case LED Control Software Diver IC LED Lamps Module Power Cable Module Data Cable Training and Support (Included) LED Warranty: 2 Years Parts and Service DELIVERY LEAD TIME: Approximate 45 Calendar Days			
		Nothing Follows			
				TOTAL	1,697,000.00

You are hereby required to provide within ten (10) days the performance security in the form and the amount stipulated in the Instruction to Bidders. Failure to provide the performance security shall constitute sufficient ground for cancellation of the award and forfeiture of the bid security.

Very truly yours,



 RELIA I. VILLEGAS, RN, MAN, Ed. D
 Chairperson - Committee on Bids and Awards

APPROVED:


 DENNIS DAYAO L. ORDOÑA, MD
 Medical Center Chief II
 Head of Procuring Entity

CONFORME:

NAUERIE E. STAMPIA
 Name of Representative


 Signature

03/11/2025
 Date



Department of Health
Central Luzon Center for Health Development
MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL

P. Maras Street, Palmdes, Marikina, Metro Manila, Philippines, 2005

Mobile: 0968-8525-804; Office of the Medical Center Chief: 0968-852-8725 mail@mmwgh.gov.ph mmwgh.gov.ph

NOTICE OF AWARD

REBIDDING OF SUPPLIES, EQUIPMENT, AND INSTALLATION SERVICES FOR VARIOUS IMISU PROJECTS (IGF)

March 7, 2025

TEKZONE COMPUTER SALES AND SERVICES INC.

Ground Floor BB Commercial

32 Pilar St., Cor. Araullo St.

Addition Hills, San Juan City, Metro Manila


Sir/Madam:

This is to inform you that the result of the Public Bidding for REBIDDING OF SUPPLIES, EQUIPMENT, AND INSTALLATION SERVICES FOR VARIOUS IMISU PROJECTS (IGF) conducted last February 26, 2025 the following items are awarded to you:

ITEM No.	QTY.	UNIT	ITEM & DESCRIPTION	BRAND	UNIT COST	AMOUNT
			Supplies and Equipment for Implementation of Public WIFI			
1	1	lot	20 pcs Stainless Steel Cable Ties Self-sealing Cable Zipper Tie Multi-Purpose Exhaust Sealing Tie (BOX), quantity: 10 FiberHome SC Connector Butterfly Fast Connector, quantity: 100 SG2005P-PD Omada 5-Port Gigabit Smart Switch with 1-Port PoE++ in and 4-Port PoE+ out, quantity: 15 Hardrack HR-WM-6406 6U, quantity: 12 Dyna Bolt Stainless Steel Expansion Bolt, quantity: 50 D-Link NCB-C6UBLKL-305-24-PE Outdoor Cable, quantity: 3 NCB C6UBLUR 305-24 Cat 6 24AWG (305 mtrs), quantity: 1 RB5009UG+S+IN, quantity: 10 K-79 (RME5009) Rackmount kit, quantity: 10 PG 1000VA Lite, quantity: 15 3 in 1 Modular Plug Crimper, quantity: 4 Rj45 Metal Shield Connectors, quantity: 5 HR HP1U-U(6)-K "10A 6way PDU US type 220v 16#cable*2m+US plug" 3200W, quantity: 15 RG-RAP6262(G) AX1800 Dual Band Outdoor Wi-Fi6 Access Point, quantity: 20		943,169.31	943,169.31
			Server and UPS for File Storage and Hosting of In-House Systems with Installation			
2	2	lot	DELL-PowerEdge R760XS, quantity: 1 Kebos GH11 Pro 10KVA, quantity: 1 DELL-PowerEdge R760, quantity: 1 Kebos GH11 Pro 10KVA, quantity: 1	DELL / KEBOS	2,999,997.54	2,999,997.54
			Nothing Follows			
					TOTAL	3,943,166.85

You are hereby required to provide within ten (10) days the performance security in the form and the amount stipulated in the Instruction to Bidders. Failure to provide the performance security shall constitute sufficient ground for cancellation of the award and forfeiture of the bid security.

Very truly yours,


RELIA I. VILLEGAS, RN, MAN, Ed. D
Chairperson - Committee on Bids and Awards

APPROVED:


DENNIS DAYAO L. ORDOÑA, MD
Medical Center Chief II
Head of Procuring Entity

CONFORME:
meire natson c. manuel *[Signature]* 03-11-25
Name of Representative Signature Date