Department of Health
Central Luzon Center for Health Development
**MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL**
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105
Mobile: 0968-854-5320/ (047) 613-6711
procurement@mmh.gov.ph/ procurement.mmwgh@gmail.com / mmwgh.gov.ph

# REQUEST FOR QUOTATION (RFQ)

DATE: 17-Aug-2026
RFQ NO. 155-2026 (Procurement of Medical Devices for 2026)
PR. NO. Various PR

A. BUSINESS NAME _____
ADDRESS: _____
CONTACT NO./EMAIL _____
TIN _____

B. SIR/ MADAM:

The Mariveles Mental Wellness and General Hospital (MMWGH) through its Bids and Awards Committee invites all eligible and PhilGEPS-registered suppliers, contractors and consultants to quote the best offer for the item/s described herein subject to the Terms and Conditions and/or Technical Specifications and within the Approved Budget for the Contract. (ABC)

**This pro-forma quotation maybe submitted either in a sealed envelope to the BAC Office at the address provided, or electronically via email to *bidsandawardscommittee.mmwgh@gmail.com* adhering to the conditions stated below on or before:** **September 01, 2026, 2:00 PM**

Very Truly Yours,

**VINCENT A. ISIP, MPA**
Chief Administrative Officer - HOPSS

**MINIMUM REQUIRED DOCUMENTS/ INFORMATION TO BE SUBMITTED AS ATTACHMENTS TO THE QUOTATION/ PROPOSAL**

- PhilGEPS Registration Certificate or PhilGEPS Number
- Mayor's/ Business Permit
- DTI/ SEC Certificate / CDA Certificate
- BIR Form 2303
- Sample Sales Invoice
- PCAB License (for Infrastructure)
- Professional License/ Curriculum Vitae (for Consulting Services)
- Updated Tax Clearance (for ABCs above 50K)
- Income/ Business tax Return (for ABCs above 500K)
- Notarized Omnibus Sworn Statement with duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable
  (for ABCs above 50K; must be submitted by the winning bidder within two (2) days from notification of Procurement Office

**C: TERMS AND CONDITIONS:**

1. Quotations shall be accepted through **MANUAL SUBMISSION IN A SEALED ENVELOPE** at the above-stated address and **EMAIL** at the above-stated email address.
2. The official bid offer must be duly signed by the bidder or by the authorized representative. All entries must be typewritten or must be legible, if handwritten. Do not alter the contents of this form in any way.
3. In case the supplier use their pro-forma quotation bearing either the company's or supplier's letterhead, such quotation shall contain all the mandatory requirements/provisions including manifestation on the agreement with the Terms and Conditions in this RFQ.
4. All prices offered herein are valid, binding and effective for **sixty (60) calendar days** from the deadline of submission.
5. Price quotations to be denominated in Philippine Peso shall **include all applicable government taxes, duties and/or levies payable.**
6. In case of tie quotations, the BAC shall adopt and employ "toss coin" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
7. MMWGH reserves the right to reject any and all quotations, declare a failure, or not award the contract pursuant to Section 41 of the same RIRR.
8. Salient provisions of the Implementing Rules and Regulations (IRR) of Republic Act (RA) 12009: Section 97 - Liquidated Damages and Section 98 - Section 105 - Suspension and Blacklisting shall be observed.
10. **Delivery terms: Delivery to MMWGH within ten (10) working days upon receipt of Purchase Order (PO) or within the working days indicated in the PO.** The entirety of the items listed in the Purchase Order/ Job Order must be delivered.
11. Payment terms: **Fifteen (15) working days** upon completion of delivery.
12. **Warranty: To ensure the delivery of the quality goods and ensure that manufacturing defects will be corrected by the supplier, the supplier shall provide a warranty security.**
    For **GOODS**, the supplier shall impose a three (3) month-period in case of Expendable Supplies or a minimum of one (1) year in the case of Non-Expendable Supplies after acceptance of the delivered supplies.Warranty security may be obligated by the supplier through special bank guarantee or retention money in an amount equivalent to **2.5% of the total contract price.**
    For **INFRASTRUCTURE**, contractor shall be required to post a warranty in accordance with the following schedule.The warranty security shall be denominated in Philippine Pesos, remain effective for one (1) year from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity, and returned only after the lapse of the said one (1) year period.
    - Cash or Letter of Credit issued by a Universal or Commercial Bank: Provided, however, That the Letter of Credit shall be confirmed or auntheticated by a Universal or Commercial Bank, if issued by a foreign bank. (Equivalent to 5% of the Total Contract Price)
    - Bank guarantee confirmed by a Universal or Commercial Bank. (Equivalent to 5% of the Total Contract Price)
    - Surety bond callable upon demand issued by GSIS or a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security (Equivalent to 30% of the Total Contract Price)

Department of Health
Central Luzon Center for Health Development
**MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL**
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105
Mobile: 0968-854-5320/ (047) 613-6711
procurement@mmh.gov.ph/ procurement.mmwgh@gmail.com / mmwgh.gov.ph

# REQUEST FOR QUOTATION (RFQ)

**DATE:** August 17, 2026
**RFQ NO.** 155-2026 (Procurement of Medical Devices for 2026)
**PR. NO.** Various PR

D.

| TO BE FILLED BY THE PROCUREMENT UNIT | | | | | | TO BE FILLED BY THE BIDDER | | |
|---|---|---|---|---|---|---|---|---|
| ITEM NO. | QTY | UNIT | UNIT COST | ABC | TECHNICAL SPECIFICATIONS AND DESCRIPTION | BRAND/MODEL (Suppliers shall include the Brand and Model) | UNIT COST | TOTAL AMOUNT |
| 1 | 8 | piece | 864.00 | 6,912.00 | Amniotome<br>Material: Medical-grade stainless steel, corrosion-resistant, autoclave-safe<br>Length: 10 in ± 0.5 in<br>Weight: Approx. 3 g ± 0.2 g<br>Teeth: 5×6 serrated, inward-curved for secure grip<br>Design: Ergonomic finger rings; smooth non-serrated areas to minimize tissue trauma<br>Packaging: Individually packed, sterilizable, tamper-evident with clear labeling | | | |
| 2 | 20 | set | 701.80 | 14,036.00 | Bag Valve Mask (BVM) Set<br>• Type: Pedia<br>• Components: mask, bag, oxygen reservoir, and tubing<br>• Material: medical-grade silicone<br>• Expiry: with at least 1 - 2 year expiration. | | | |
| 3 | 4 | unit | 12,100.00 | 48,400.00 | Blood and IV Fluid Warmer<br>Technical Specifications:<br>Compatible with standard blood transfusion sets and IV infusion lines.<br>Temperature control range: 37°C ± 1°C (with adjustable settings up to 42°C).<br>Warming capacity: Capable of continuous operation for multiple transfusion/infusion cycles.<br>Flow rate capacity: At least 50–500 mL/min (suitable for both blood and IV fluids).<br>Safety features:<br>Overheat protection with automatic shut-off<br>Audible and visual alarms for high/low temperature, system error, or malfunction<br>Display: Digital or LED screen showing real-time fluid temperature.<br>Compact, portable design suitable for bedside and emergency use.<br>Power supply: 220–240V, 60Hz, with standard Philippine plug.<br>Supplied with:<br>User's manual<br>At least 1 reusable blood/IV fluid warming set (or compatible disposable warming sets available locally)<br>Warranty: At least 1 year on parts and service. | | | |
| 4 | 1 | piece | 4,680.00 | 4,680.00 | Cast Spreader<br>Type: Orthopedic Surgical instrument<br>material: German Stainless steel<br>Size:11 inches<br>Durability: made of high-tensile, rustproof stainless steel, making it reusable and sterilizable by autoclaving<br>Packaging: 1 piece | | | |
| 5 | 180 | piece | 15.27 | 2,748.60 | Catheter<br>• Type: Nelaton, Sterile<br>• Size: French Size 12 (Fr 12)<br>• Material: medical grade natural red rubber, latex based.<br>• Design Features: Smooth rounded tip with two opposing eyes<br>and integral tapered funnel end.<br>• Length:Standard Length 16 inches (40 cm).<br>• Expiry: with at least 1-2 years expiration. | | | |
| 6 | 5 | piece | 1,045.00 | 5,225.00 | Catheter<br>• Type: Umbilical, sterile<br>• Size: French 5<br>• Material: Medical grade plastic<br>• Expiry: with at least 1 - 2 year expiration. | | | |

Department of Health
Central Luzon Center for Health Development
**MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL**
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105
Mobile: 0968-854-5320/ (047) 613-6711
procurement@mmh.gov.ph/ procurement.mmwgh@gmail.com / mmwgh.gov.ph

# REQUEST FOR QUOTATION (RFQ)

**DATE:** August 17, 2026
**RFQ NO.** 155-2026 (Procurement of Medical Devices for 2026)
**PR. NO.** Various PR

D.

| TO BE FILLED BY THE PROCUREMENT UNIT | | | | | | TO BE FILLED BY THE BIDDER | | |
|---|---|---|---|---|---|---|---|---|
| ITEM NO. | QTY | UNIT | UNIT COST | ABC | TECHNICAL SPECIFICATIONS AND DESCRIPTION | BRAND/MODEL (Suppliers shall include the Brand and Model) | UNIT COST | TOTAL AMOUNT |
| 7 | 12 | box | 242.00 | 2,904.00 | Clamp<br>Type: for umbilical cord<br>Material: medical-grade plastic<br>Packaging: 100 packs per box<br>Expiry: with at least 1 - 2 year expiration. | | | |
| 8 | 24 | piece | 422.40 | 10,137.60 | Collar<br>• Type: Cervical with pre-formed shape, tracheotomy opening and adjustable Velcro straps.<br>• Material: Polyethylene Foam soft lining<br>• Size: Large<br>• Safety features: hypoallergenic, radiolucent. | | | |
| 9 | 24 | piece | 422.40 | 10,137.60 | Collar<br>• Type: Cervical with pre-formed shape, tracheotomy opening and adjustable Velcro straps.<br>• Material: Polyethylene Foam soft lining<br>• Size: Medium<br>• Safety features: hypoallergenic, radiolucent. | | | |
| 10 | 11 | piece | 130.68 | 1,437.48 | Cotton Plier with Lock<br>Type: Locking (College-type/surgical)<br>Material: Medical-grade stainless steel<br>Size: Approx. 15 cm (6")<br>Features: Fine-tapered serrated tips, ratchet locking mechanism, textured/ribbed handle, satin/matte finish, corrosion-resistant, reusable and autoclavable<br>Compatibility: Standard surgical procedures<br>Packaging: Individually packed and labeled<br>Warranty/Shelf Life: ≥1 year against manufacturing defects | | | |
| 11 | 10 | set | 423.50 | 4,235.00 | Cuff<br>• Type: for BP with Inflation bag, Pedia<br>• Cuff Dimensions: 4 inches x 15 inches<br>• Tubing Length: 19.5 inches<br>• Material: polyester<br>• Features: adjustable straps | | | |
| 12 | 36 | set | 423.50 | 15,246.00 | Cuff<br>Type: for BP with Inflation Bag<br>Cuff Size: Adult, 25 cm - 40 cm (circumference)<br>Material: polyester<br>Features: adjustable straps | | | |
| 13 | 6 | set | 294.80 | 1,768.80 | Cuff<br>Type: for BP with Inflation Bag<br>Cuff Size: Infant<br>Material: polyester<br>Features: adjustable straps | | | |
| 14 | 5 | piece | 838.80 | 4,194.00 | Curette, Recamier Uterine<br>Material: Stainless Steel (autoclavable)<br>Dimensions: 12 ½ inches in length; 21 mm loop width<br>Tip: Oval fenestrated loop—BLUNT<br>Material: Satin-finished surgical stainless steel, reusable weight: 1 kg approximately. | | | |
| 15 | 5 | piece | 838.80 | 4,194.00 | Curette, Recamier Uterine<br>Material: Stainless Steel (autoclavable)<br>Dimensions: 12 ½ inches in length; 21 mm loop width<br>Tip: Oval fenestrated loop—SHARP<br>Material: Satin-finished surgical stainless steel, reusable weight: 1 kg approximately. | | | |

Department of Health
Central Luzon Center for Health Development
**MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL**
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105
Mobile: 0968-854-5320/ (047) 613-6711
procurement@mmh.gov.ph/ procurement.mmwgh@gmail.com / mmwgh.gov.ph

# REQUEST FOR QUOTATION (RFQ)

**DATE:** August 17, 2026
**RFQ NO.** 155-2026 (Procurement of Medical Devices for 2026)
**PR. NO.** Various PR

D.

| TO BE FILLED BY THE PROCUREMENT UNIT | | | | | | TO BE FILLED BY THE BIDDER | | |
|---|---|---|---|---|---|---|---|---|
| ITEM NO. | QTY | UNIT | UNIT COST | ABC | TECHNICAL SPECIFICATIONS AND DESCRIPTION | BRAND/MODEL (Suppliers shall include the Brand and Model) | UNIT COST | TOTAL AMOUNT |
| 16 | 3 | set | 31,231.20 | 93,693.60 | Dilation & Curettage (D&C) Instrument Set<br>Contents:<br>Knife Handle #3 – 1 pc<br>Knife Handle #4 – 1 pc<br>Thumb Dressing Forceps – 1 pc, 8"<br>Backhaus Towel Clamp – 1 pc, 5 ¼"<br>Sponge Holding Forceps – 1 pc, straight, 9.5"<br>Bozeman Uterine Forceps – 1 pc, 10 ¼"<br>Mayo-Hegar Needle Holder – 1 pc, 8"<br>Graves Vaginal Speculum – 3 pcs (Small, Medium, Large)<br>Auvard Weighted Speculum – 1 pc<br>Hegar Uterine Dilator Set – 1 set of 8 pcs, double-ended, sizes 1–8<br>Sims Uterine Curettes (Sharp) – 4 pcs (#00, #1, #3, #5)<br>Beacham Uterine Forceps – 1 pc, 10 ¼"<br>Total: 24 instruments (including Hegar dilator set of 8)<br>Material: Surgical grade Stainless steel, autoclavable, reusable | | | |
| 17 | 40 | piece | 880.00 | 35,200.00 | Draw Sheet<br>Type: Reusable, sliding<br>Size: 26 inches x 53 inches<br>Made: medical polymer material, washable, stain and fluid resistant. | | | |
| 18 | 34 | piece | 866.80 | 29,471.20 | Ear Infrared Thermometer<br>for infants and young children.<br>Product Features<br>– 9 Sets memory<br>– 1 Second Quick Measurement<br>– Fever Alarm with Beeper (for body temperature 37.5°,C (99.5°,F)<br>– Selectable °,C / °,F mode<br>– Ergonomic Design for easy handling | | | |
| 19 | 5 | unit | 1,489.20 | 7,446.00 | ECG Lead Wires<br>Type: ECG monitoring cables<br>Compatibility: 12-pin round connector (Mindray monitors)<br>Patient End: Clip-type connectors<br>Cable Length: Approx. 2.5 m<br>Material: TPU-coated, medical-grade, latex-free<br>Features: Color-coded, EMI shielded, reusable, disinfectable<br>Use: ECG monitoring, minimizes signal interference<br>Safety: Latex-free, suitable for sensitive patients | | | |
| 20 | 5 | piece | 238.80 | 1,194.00 | Emergency Trauma Shear<br>Type: Surgical/cutting instrument<br>Length: Approx. 18.4 cm (7¼")<br>Material: Surgical-grade stainless steel blade; reinforced plastic/composite handle (non-latex)<br>Features: Serrated upper blade, blunt angled lower blade, rounded tip, ergonomic ambidextrous handle, rust-resistant, reusable, autoclavable (up to 134°C)<br>Packaging: Individually pack | | | |
| 21 | 2 | piece | 4,200.00 | 8,400.00 | FETAL DOPPLER:<br>LCD Display<br>Built-in Speaker<br>Waterproof Ultrasonic Probe<br>Automatic Switch Off<br>Audio Output can connect to the Recorder<br>Three FHR Mode, Real Time, Average, Manual<br>Sound Alarm Function when FHR is not in the normal range<br>Ultrasonic Frequency 2.5 MHz or 2.0 MHz<br>Continue work time 8 Hours.<br>3.6V Rechargeable Batteries, Charger, Manual | | | |

Department of Health
Central Luzon Center for Health Development
**MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL**
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105
Mobile: 0968-854-5320/ (047) 613-6711
procurement@mmh.gov.ph/ procurement.mmwgh@gmail.com / mmwgh.gov.ph

# REQUEST FOR QUOTATION (RFQ)

**DATE:** August 17, 2026
**RFQ NO.** 155-2026 (Procurement of Medical Devices for 2026)
**PR. NO.** Various PR

D.

| TO BE FILLED BY THE PROCUREMENT UNIT | | | | | | TO BE FILLED BY THE BIDDER | | |
|---|---|---|---|---|---|---|---|---|
| ITEM NO. | QTY | UNIT | UNIT COST | ABC | TECHNICAL SPECIFICATIONS AND DESCRIPTION | BRAND/MODEL (Suppliers shall include the Brand and Model) | UNIT COST | TOTAL AMOUNT |
| 22 | 2 | piece | 1,833.13 | 3,666.26 | File, Bone<br>Design: Cross-cutting double-ended tip for versatile use<br>Length: 14 cm overall<br>Material: German stainless steel; durable and corrosion-resistant, sterile | | | |
| 23 | 3 | piece | 624.00 | 1,872.00 | Fire Blanket with PVC Pouch<br>Type: Fire safety device<br>Size: 1.2 × 1.2 m<br>Material: 2 layers woven fiberglass with fire-retardant film<br>Features: Smothers small fires or wraps around person, nonflammable, mess-free, no expiry/maintenance required<br>Packaging: Includes PVC pouch for storage and access | | | |
| 24 | 2 | piece | 1,588.00 | 3,176.00 | Folding Walker<br>Material: Stainless Steel<br>Adjustable Height until 30-37 inches<br>Foldable with two-button release<br>Weight Capacity: 250-300 pounds<br>Handle: Foam padded hand grips<br>Feet: Anti-slip rubber feet (no wheels)<br>Frontal Width: at least 505mm | | | |
| 25 | 62 | piece | 132.00 | 8,184.00 | Forceps<br>Type: Kelly Hemostatic, curved<br>Material: Stainless Steel<br>Size: 6 inches | | | |
| 26 | 40 | piece | 99.00 | 3,960.00 | Forceps<br>Type: Kelly, Curved<br>Material: Medical-grade stainless steel<br>Size 5.5 inches | | | |
| 27 | 25 | piece | 99.00 | 2,475.00 | Forceps<br>Type: Kelly, Straight<br>Material: Stainless steel<br>Size 5.5 inches | | | |
| 28 | 51 | piece | 123.20 | 6,283.20 | Forceps<br>Type: Mosquito, curved<br>Material: stainless<br>Size: 5" | | | |
| 29 | 31 | piece | 114.40 | 3,546.40 | Forceps<br>Type: Mosquito, straight<br>Material: medical grade stainless steel<br>Size: 5" | | | |
| 30 | 1 | piece | 2,365.20 | 2,365.20 | Forceps, Alligator<br>Material: Surgical-grade stainless steel (autoclavable)<br>Tip Type: Long, slender shaft with a small, single-action jaw at the distal tip<br>Size: 3.5" (8.9cm)<br>Handle: Ring Type<br>Jaw Shape: Serrated "alligator-style" jaw<br>Finish: Matte | | | |
| 31 | 2 | piece | 5,160.00 | 10,320.00 | Forceps, Stille-Liston Bone Cutting<br>Material: stainless steel, corrosion-resistant, surgical grade<br>Size: 10.5 inches<br>Jaw Design: Strong, sharp cutting edges designed for precise bone cutting<br>Packaging: Individually packed<br>Handle: Ergonomic, ring handles with ratchet lock for secure grip<br>Type: Bone cutting forceps, straight<br>Sterility: Autoclavable | | | |

Department of Health
Central Luzon Center for Health Development
**MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL**
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105
Mobile: 0968-854-5320/ (047) 613-6711
procurement@mmh.gov.ph/ procurement.mmwgh@gmail.com / mmwgh.gov.ph

# REQUEST FOR QUOTATION (RFQ)

**DATE:** August 17, 2026
**RFQ NO.** 155-2026 (Procurement of Medical Devices for 2026)
**PR. NO.** Various PR

D.

| TO BE FILLED BY THE PROCUREMENT UNIT | | | | | | TO BE FILLED BY THE BIDDER | | |
|---|---|---|---|---|---|---|---|---|
| ITEM NO. | QTY | UNIT | UNIT COST | ABC | TECHNICAL SPECIFICATIONS AND DESCRIPTION | BRAND/MODEL (Suppliers shall include the Brand and Model) | UNIT COST | TOTAL AMOUNT |
| 32 | 10 | piece | 240.00 | 2,400.00 | Forceps, thumb<br>Sizes: 10" (25cm)<br>Material: German Stainless-Steel | | | |
| 33 | 5 | piece | 822.00 | 4,110.00 | Histology Container, Non-Sterile<br>Material: Clear or white polypropylene with plastic handle<br>Design: flip-top, tamper-evident caps; leak-proof construction for secure storage<br>Function: For the collection and storage of histology specimens<br>Packaging: by piece<br>Size:<br>5 L, White, Square | | | |
| 34 | 40 | piece | 162.00 | 6,480.00 | Histology Container, Non-Sterile<br>Material: Clear or white polypropylene with plastic handle<br>Design: flip-top, tamper-evident caps; leak-proof construction for secure storage<br>Function: For the collection and storage of histology specimens<br>Packaging: by piece<br>Size:<br>500 ml, clear | | | |
| 35 | 10 | piece | 324.00 | 3,240.00 | Histology Container, Non-Sterile<br>Material: Clear polypropylene with plastic handle<br>Design: flip-top, tamper-evident caps; leak-proof construction for secure storage<br>Size:2L | | | |
| 36 | 18 | piece | 183.60 | 3,304.80 | Histology Container, Non-Sterile<br>Material: Clear polypropylene with plastic handle<br>Size: 1L | | | |
| 37 | 11 | piece | 174.00 | 1,914.00 | Holder, Blade<br>Shape/Model: Shape no 4<br>Length: Approx. 14.5 cm (at least 5 1/4")<br>Material: Surgical-grade stainless steel<br>Compatible Blade Types: Surgical Blades No. 20,21,22,23,24 and 25<br>Grip Design: Ribbed handle with slip-resistant grip<br>Locking Mechanism: Slotted tip design for secure blade insertion and retention<br>Finish: Matte<br>Sterilization: Reusable and autoclavable<br>Packaging: Individually packed in protective pouch with manufacturer label, model and lot number. | | | |
| 38 | 8 | piece | 838.80 | 6,710.40 | Holder, Masson Needle<br>Material: German Stainless Steel (autoclavable, non-corrosive)<br>Length: 10.5"<br>Curvature: Straight<br>Surface Tip: Serrated<br>Finish: Matte<br>weight: 0.11–0.12 kg | | | |
| 39 | 88 | piece | 495.00 | 43,560.00 | Hospital Bed Sheets: Material -100% Cotton<br>Size -Flat Sheets: Fitted Sheets: 36x80 inches (twin)<br>Design Features- Elastic corners, reinforced edges, moisture-resistant, antimicrobial finishes<br>Color- White, light blue, green, with the provided logo<br>Washability- Machine washable, durable for frequent laundry | | | |

Department of Health
Central Luzon Center for Health Development
**MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL**
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105
Mobile: 0968-854-5320/ (047) 613-6711
procurement@mmh.gov.ph/ procurement.mmwgh@gmail.com / mmwgh.gov.ph

# REQUEST FOR QUOTATION (RFQ)

**DATE:** August 17, 2026
**RFQ NO.** 155-2026 (Procurement of Medical Devices for 2026)
**PR. NO.** Various PR

D.

| TO BE FILLED BY THE PROCUREMENT UNIT | | | | | | TO BE FILLED BY THE BIDDER | | |
|---|---|---|---|---|---|---|---|---|
| ITEM NO. | QTY | UNIT | UNIT COST | ABC | TECHNICAL SPECIFICATIONS AND DESCRIPTION | BRAND/MODEL (Suppliers shall include the Brand and Model) | UNIT COST | TOTAL AMOUNT |
| 40 | 3 | unit | 7,800.00 | 23,400.00 | Hospital Bedside Table with Wheels<br>Material: Stainless steel frame<br>Formica top surface<br>Tubular structure with guard rails<br>Rubber footings or optional wheels<br>Includes 1 drawer and 1 lower shelf<br>Size: Height: 31", Length: 19", Width: 16"<br>Color: neutral tones (e.g., silver, beige) | | | |
| 41 | 8 | piece | 1,210.00 | 9,680.00 | Jar<br>type: for forceps, without lid<br>size: Diameter: 50 mm<br>Height: 175 mm<br>material: medical grade stainless steel | | | |
| 42 | 24 | piece | 389.40 | 9,345.60 | Kidney Basin<br>Material: Medical-grade 304 stainless steel<br>Size: 8 inches<br>Type/Use: Standard kidney-shaped basin for medical procedures | | | |
| 43 | 3 | set | 13,653.00 | 40,959.00 | Lead Gown<br>Inclusion: with thyroid shield<br>Material: Front 0.5mmPb Back - 0.25mmPb<br>L: maximum 43.30 inches<br>W: maximum 23.6inches<br>Weight: maximum 5.6kg/pc | | | |
| 44 | 8 | set | 1,870.00 | 14,960.00 | Leg Traction<br>Size: large (length: 30-40 inches), width including padding, should be around 4-5 inches<br>Weight Capacity: 113 kg<br>Material: Frame: aluminum alloy or carbon fiber, Foam Padding: non-toxic, hypoallergenic, and moisture-wicking cover.<br>Straps: nylon webbing, adjustable inclusion of thigh and ankle support, adjustable foot plate, knee support cushioning. | | | |
| 45 | 6 | set | 1,820.00 | 10,920.00 | Leg Traction<br>Size: large (length: 24-34 inches), width including padding, should be around 4 inches.<br>Weight Capacity: 68 kg,<br>Material: Frame: aluminum alloy or carbon fiber, Foam Padding: non-toxic, hypoallergenic, and moisture-wicking cover.<br>Straps: nylon webbing, adjustable inclusion of thigh and ankle support, adjustable foot plate, and knee support cushioning. | | | |
| 46 | 8 | set | 1,870.00 | 14,960.00 | Leg Traction:<br>Size: large (length: 38-48 inches), width including padding, should be around 5 inches (12.7cm)<br>Weight Capacity: 300 lbs (136 kg)<br>Material: Frame: aluminum alloy or carbon fiber, Foam Padding: non-toxic, hypoallergenic, and moisture-wicking cover.<br>Straps: nylon webbing, adjustable inclusion of thigh and ankle support, adjustable foot plate, knee support cushioning. | | | |
| 47 | 1 | set | 1,219.20 | 1,219.20 | Multifunctional Diagnostic Reflex Hammer Set<br>Type: Percussion/reflex hammers<br>Includes: 1 Pinwheel/Geer Wheel Hammer, 1 T-Shape/Triple-cornered Hammer, 1 Taylor Buck Hammer, 1 Babinski/Metal Rod Hammer, 1 Plastic Rod Hammer<br>Quantity/Packaging: 5 pieces per set<br>Use: Neurological examination and reflex testing | | | |

Department of Health
Central Luzon Center for Health Development
**MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL**
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105
Mobile: 0968-854-5320/ (047) 613-6711
procurement@mmh.gov.ph/ procurement.mmwgh@gmail.com / mmwgh.gov.ph

BAGONG PILIPINAS

# REQUEST FOR QUOTATION (RFQ)

**DATE:** August 17, 2026
**RFQ NO.** 155-2026 (Procurement of Medical Devices for 2026)
**PR. NO.** Various PR

D.

| TO BE FILLED BY THE PROCUREMENT UNIT | | | | | | TO BE FILLED BY THE BIDDER | | |
|---|---|---|---|---|---|---|---|---|
| ITEM NO. | QTY | UNIT | UNIT COST | ABC | TECHNICAL SPECIFICATIONS AND DESCRIPTION | BRAND/MODEL (Suppliers shall include the Brand and Model) | UNIT COST | TOTAL AMOUNT |
| 48 | 2 | unit | 11,990.00 | 23,980.00 | Nebulizer "Size: 10.1" W x 10.5" H x 6.5" D<br>Weight: 7-lbs<br>Power requirements: 1.3 amps, 115VAC 60Hz<br>Power consumption: 90 watts" | | | |
| 49 | 2,146 | set | 27.26 | 58,499.96 | Nebulizing Kit, adult.<br>1 Mask<br>1 Medication chamber cup<br>1 Oxygen tube<br>Expiry: with at least 1 - 2 year expiration. | | | |
| 50 | 2,180 | set | 27.26 | 59,426.80 | Nebulizing Kit, with mask, pedia<br>1 mask<br>1 Medication chamber cup<br>1 Oxygen tube<br>Expiry: with at least 1 - 2 year expiration. | | | |
| 51 | 1 | piece | 473.76 | 473.76 | Needle Destroyer<br>Type: Non-electric, hand-operated<br>Material: Stainless steel cutter, ABS plastic body<br>Cutting Capacity: 18G–26G needles<br>Features: Manual lever/rotary handle, fully enclosed blade, integrated/removable sharps container, hands-free and safe disposal<br>Dimensions: H 12–18 cm × W 8–12 cm × D 12–16 cm<br>Weight: 1.0–2.5 kg | | | |
| 52 | 10 | piece | 408.00 | 4,080.00 | Non-Invasive Blood Pressure (NIBP) – Adult<br>Type: Single-tube with inflation bag<br>Material: PU, non-latex, reusable<br>Size: Thigh, 40–66 cm<br>Hose: Brown (Pantone), 0.5 m length, 4 mm ID × 8 mm OD<br>Warranty/Shelf Life: ≥6 months | | | |
| 53 | 15 | piece | 420.00 | 6,300.00 | Non-Invasive Blood Pressure (NIBP) Cuff – Pediatric<br>Type: Single-tube with inflation bag<br>Material: PU, non-latex, reusable<br>Size: Thigh, 30-42 cm<br>Hose: Brown (Pantone), 0.5 m length, 4 mm ID × 8 mm OD<br>Warranty/Shelf Life: ≥6 months | | | |
| 54 | 1 | unit | 6,600.00 | 6,600.00 | Paraffin Wax Warmer Machine<br>Voltage: 110V-120V/220V-240V<br>Frequency: 50Hz/60Hz<br>Power: 220W<br>Volume: 2800mL<br>Highest Temperature: 65°C<br>Adjustment Range: 40-65°C<br>Outside Material: ABS<br>Inside Material: Aluminum<br>Packaging Size: 42.5*28*23.5cm<br>Packaging Weight: 2.5kgs | | | |

Department of Health
Central Luzon Center for Health Development
**MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL**
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105
Mobile: 0968-854-5320/ (047) 613-6711
procurement@mmh.gov.ph/ procurement.mmwgh@gmail.com / mmwgh.gov.ph

# REQUEST FOR QUOTATION (RFQ)

**DATE:** August 17, 2026
**RFQ NO.** 155-2026 (Procurement of Medical Devices for 2026)
**PR. NO.** Various PR

D.

| TO BE FILLED BY THE PROCUREMENT UNIT | | | | | | TO BE FILLED BY THE BIDDER | | |
|---|---|---|---|---|---|---|---|---|
| ITEM NO. | QTY | UNIT | UNIT COST | ABC | TECHNICAL SPECIFICATIONS AND DESCRIPTION | BRAND/MODEL (Suppliers shall include the Brand and Model) | UNIT COST | TOTAL AMOUNT |
| 55 | 2 | unit | 40,786.68 | 81,573.36 | Phototherapy Machine<br>Light source: LED preferred (for energy efficiency and longer lifespan); compact fluorescent lamp acceptable if meeting spectral and irradiance requirements.<br>Spectral output: Blue spectrum approx. 430-490 nm, optimal for bilirubin breakdown.<br>Medscape<br>+2<br>PMC<br>+2<br>Irradiance: ≥30 µW/cm²/nm at skin surface for intensive phototherapy; adjustable intensity levels are preferable.<br>Medscape<br>+1<br>Display: Operating status indicator; timer to monitor treatment duration.<br>Physical adjustability: Height and angle of light source must be adjustable (to suit bassinets or incubators).<br>Mobility: Device should be lightweight, durable, and mobile; include lockable caster wheels.<br>Thermal safety: Built-in cooling system; overheating protection; automatic shut-off; low voltage protection.<br>Power supply: 220-240 V, 60 Hz.<br>Accessories: At least 2 neonatal eye protectors, supplied with unit.<br>Documentation: User manual in English. | | | |
| 56 | 1 | unit | 23,000.00 | 23,000.00 | Physical Therapy Bed<br>Extra Wide, Adjustable<br>Color: Black<br>Max Working Weight: 600 lbs.<br>Dimension: L: 70-80inches, W: 30inches Adjustable Height up to 42inches<br>Weight Capacity: can support at least 500lbs<br>Material: upholstery, easy to clean vinyl with face cut out on head section (1.5-2inches thick), three sections with adjustable head and/or foot sections<br>Frame: constructed with steel<br>Caster System: Single Lever Retractable (4-inch caster) | | | |
| 57 | 87 | box | 209.75 | 18,248.25 | Plaster, paper tape<br>Adhesive<br>1" x 10yd x 12s<br>latex-free<br>odourless<br>Can be torn by hand:<br>Strong adhesive but skin friendly<br>Expiry: with at least 1 - 2 year expiration. | | | |
| 58 | 62 | box | 214.50 | 13,299.00 | Plaster, paper tape<br>Adhesive<br>1/ 2" x 10yd x 24s<br>latex-free<br>odourless<br>Can be torn by hand:<br>Strong adhesive but skin friendly<br>Expiry: with at least 1 - 2 year expiration. | | | |

Department of Health
Central Luzon Center for Health Development
**MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL**
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105
Mobile: 0968-854-5320/ (047) 613-6711
procurement@mmh.gov.ph/ procurement.mmwgh@gmail.com / mmwgh.gov.ph

# REQUEST FOR QUOTATION (RFQ)

**DATE:** August 17, 2026
**RFQ NO.** 155-2026 (Procurement of Medical Devices for 2026)
**PR. NO.** Various PR

D.

| TO BE FILLED BY THE PROCUREMENT UNIT | | | | | | TO BE FILLED BY THE BIDDER | | |
|---|---|---|---|---|---|---|---|---|
| ITEM NO. | QTY | UNIT | UNIT COST | ABC | TECHNICAL SPECIFICATIONS AND DESCRIPTION | BRAND/MODEL (Suppliers shall include the Brand and Model) | UNIT COST | TOTAL AMOUNT |
| 59 | 116 | box | 260.30 | 30,194.80 | Plaster, paper tape<br>Adhesive<br>2" x 10yd x 6's<br>latex-free<br>odourless<br>Can be torn by hand:<br>Strong adhesive but skin friendly<br>Expiry: with at least 1 - 2 year expiration. | | | |
| 60 | 4 | unit | 3,187.80 | 12,751.20 | Portable Suction Machine.<br>• Oil-free lubrication pump,<br>• Square negative pressure dial<br>• Large Reservoir Bottle at 1000ml<br>• Low noise<br>Technical Data:<br>• Power supply: AC 220V± 10% 60Hz± 2%<br>• Input Power: 44VA<br>• Power: ≤ 90VA<br>• Max negative pressure value: ≥ 0.075MPa<br>• Pumping rate: ≥ 15L/min<br>• Reservoir volume: 1000mL<br>• Noise: ≤ 65dB(A) | | | |
| 61 | 98 | unit | 935.00 | 91,630.00 | Pulse Oximeter<br>- Rechargeable<br>- with HD / OLED Display<br>- Measurements : SpO2, Pulse rate,Perfusion index<br>- One-button operation, auto shut-off<br>- Battery: Lithium battery or equivalent, at least 8 hours run time | | | |
| 62 | 5 | piece | 900.00 | 4,500.00 | Pulse Oximeter – Pediatric<br>Material: ABS plastic with built-in silicone finger case, super soft rubber pad<br>Weight: 0.06 kg<br>Display: LED, large reading numbers<br>Features: Rechargeable, compact, lightweight, portable, finger-friendly for infants<br>Package Includes: Charging cord, lanyard, user manual<br>Expiry/Shelf Life: ≥1–2 years | | | |
| 63 | 10 | piece | 1,762.80 | 17,628.00 | Pulse Oximeter, Pediatric<br>Dual-Color LED Display – Shows SpO2, PR, Pulse Bar, and Waveform; Low Power Consumption – Battery-low indicator for extended use; Adjustable Brightness & 6 Display Modes – Customize for comfort and visibility; Auto Power-Off Feature – Conserves battery life when not in use; Portable & Lightweight – Includes sling strap for easy carrying | | | |
| 64 | 1 | piece | 950.00 | 950.00 | Refrigerator and Freezer Thermometer<br>Type: Round Dial Thermometer<br>Temperature Range: 20°F – 80°F<br>Material: Stainless Steel<br>Mounting: Hanging or Standing | | | |

Department of Health
Central Luzon Center for Health Development
**MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL**
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105
Mobile: 0968-854-5320/ (047) 613-6711
procurement@mmh.gov.ph/ procurement.mmwgh@gmail.com / mmwgh.gov.ph

# REQUEST FOR QUOTATION (RFQ)

**DATE:** August 17, 2026
**RFQ NO.** 155-2026 (Procurement of Medical Devices for 2026)
**PR. NO.** Various PR

D.

| TO BE FILLED BY THE PROCUREMENT UNIT | | | | | | TO BE FILLED BY THE BIDDER | | |
|---|---|---|---|---|---|---|---|---|
| ITEM NO. | QTY | UNIT | UNIT COST | ABC | TECHNICAL SPECIFICATIONS AND DESCRIPTION | BRAND/MODEL (Suppliers shall include the Brand and Model) | UNIT COST | TOTAL AMOUNT |
| 65 | 8 | set | 1,210.00 | 9,680.00 | Resuscitator<br>Type: Manual<br>Material: Silicone<br>Size: adult<br>Inclusions:<br>Tackle-box<br>bagvalve mask<br>Reservoir Bag<br>Instruction Manual<br>Connector / Oxygen Tubing's<br>Additional accessories (airway, mouth opener)<br>Expiry: with at least 1 - 2 years expiration. | | | |
| 66 | 3 | piece | 6,600.00 | 19,800.00 | Retractors, Doyen Abdominal<br>Material: German stainless steel<br>Length: 9.5"<br>Tip Type: Angled blades with blunt lower tip<br>Blade Edge: One serrated blade for grip; one smooth blade<br>Tip Design: Multiple sharp interlocking teeth<br>Weight: at least 0.5 kg | | | |
| 67 | 231 | piece | 291.50 | 67,336.50 | Safety box and incineration container for used needles, 5 liters | | | |
| 68 | 4 | piece | 1,800.00 | 7,200.00 | Satinsky Vascular Clamp<br>Variant: Straight<br>Size: 10.5 inches (26cm)<br>Material: Premium German Stainless steel<br>Sterility: Autoclavable | | | |
| 69 | 21 | pair | 143.00 | 3,003.00 | Scissors<br>Type: Bandage<br>Blades: Curved and serrated<br>Tips: Blunt<br>Material: medical grade stainless Steel<br>Length: 5.5 inches | | | |
| 70 | 15 | per piece | 690.00 | 10,350.00 | Scissors, Mayo<br>Type: Curved blades.<br>Length: 7 1/4 inches (approximately 18.4 cm).<br>Material: german stainless steel | | | |
| 71 | 15 | per piece | 780.00 | 11,700.00 | Scissors, Mayo<br>Type: straight blades.<br>Length: 7 1/4 inches (approximately 18.4 cm).<br>Material: german stainless steel | | | |
| 72 | 4 | piece | 1,080.00 | 4,320.00 | Speculum<br>Type: Vaginal, Pederson<br>Material: Medical-grade stainless steel<br>Size: Extra-large<br>Features: Smooth edges, reusable, autoclavable | | | |
| 73 | 2 | piece | 1,467.60 | 2,935.20 | $SpO_2$ Sensor – Adult<br>Type: Finger clip, reusable<br>Compatibility: Comen monitor, 12-pin round connector (blue)<br>Material: TPU-jacketed cable, latex-free<br>Cable Length/Diameter: 10 ft, 3.2 mm<br>Packaging: Individually packed in a bag<br>Warranty/Shelf Life: ≥12 months | | | |
| 74 | 2 | piece | 1,245.60 | 2,491.20 | $SpO_2$ Sensor – Pediatric<br>Type: Finger clip, reusable<br>Compatibility: Comen monitor, 12-pin round connector (blue)<br>Material: TPU-jacketed cable, latex-free<br>Cable Length/Diameter: 10 ft, 3.2 mm<br>Packaging: Individually packed in a bag<br>Warranty/Shelf Life: ≥12 months | | | |

Department of Health
Central Luzon Center for Health Development
**MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL**
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105
Mobile: 0968-854-5320/ (047) 613-6711
procurement@mmh.gov.ph/ procurement.mmwgh@gmail.com / mmwgh.gov.ph

BAGONG PILIPINAS

# REQUEST FOR QUOTATION (RFQ)

DATE: August 17, 2026
RFQ NO. 155-2026 (Procurement of Medical Devices for 2026)
PR. NO. Various PR

D.

| TO BE FILLED BY THE PROCUREMENT UNIT | | | | | | TO BE FILLED BY THE BIDDER | | |
|---|---|---|---|---|---|---|---|---|
| ITEM NO. | QTY | UNIT | UNIT COST | ABC | TECHNICAL SPECIFICATIONS AND DESCRIPTION | BRAND/MODEL (Suppliers shall include the Brand and Model) | UNIT COST | TOTAL AMOUNT |
| 75 | 5 | piece | 645.12 | 3,225.60 | Strap, Silicone Head<br>Type: Adjustable head strap for anesthesia mask fixation<br>Material: Soft, stretchable, latex-free elastic fabric; hypoallergenic<br>Design: Dual-strap configuration with hook-and-loop (Velcro) fastening system for secure and adjustable fit<br>Size/Adjustability: Adjustable to accommodate various head sizes<br>Use: Designed to secure anesthesia masks in place during procedures, ensuring an airtight seal<br>Sterility: Non-sterile; for single-patient use only<br>Compatibility: Universal fit with standard anesthesia masks<br>Packaging: Individually packed in tamper-evident packaging | | | |
| 76 | 1 | unit | 49,278.90 | 49,278.90 | Stretcher trolley Emergency Bed, heavy duty, Manual Handle<br>Adjustment: Turn right to raise, left to lower—quick and intuitive,<br>Adjustable Backrest: Max back angle up to 65° for patient comfort,<br>Heavy-Duty Build: Supports up to 159 kg,<br>Self-Weight: 85 kg<br>Load Bearing: 159 kg<br>Packing Size: 198 x 73 x 64 cm<br>Gross Weight: 105 kg | | | |
| 77 | 1 | piece | 1,053.60 | 1,053.60 | Surgical Instrument tray with lid<br>Material: Medical-grade stainless steel (SS 304/316) for durability and corrosion resistance<br>Finish: Natural metallic, polished; non-painted, autoclavable<br>Dimensions: 12 x 10 in (30.5 x 25.4 cm), height 2–3 in (5–7.5 cm)<br>Weight: ~0.8–1.2 kg with cover; capacity ~2.5–3 liters<br>Features: Stackable, reusable, and sterilizable in autoclaves | | | |
| 78 | 1 | piece | 9,468.00 | 9,468.00 | Table, Anesthesia<br>Material: Stainless steel (G-22 sheet), rust-resistant and easy to clean<br>Dimensions: 14" x 20" x 37"<br>Design: Stainless tubular frame (7/8" x 1.5mm) with one built-in drawer, two stainless steel trays, and four caster wheels<br>Packaging: piece | | | |
| 79 | 3 | piece | 578.40 | 1,735.20 | Temperature Probe<br>Type: Single-channel, reusable<br>Compatibility: Comen monitor, round 2-pin yellow connector<br>Material: TPU-jacketed cable, latex-free<br>Specifications: NTC series resistor (2.252K); temperature range 25–45°C (77–113°F)<br>Cable Length/Diameter: 11 ft, 4.0 mm<br>Warranty/Shelf Life: ≥6 months | | | |
| 80 | 4 | Set | 1,476.20 | 5,904.80 | Transfer and Assist Belt Guard<br>Length: Adjustable until 72 inches<br>Foam padded<br>Material: Cotton webbing<br>Width: 2 inches<br>Quick release buckles (metal)<br>Any color<br>6 pieces | | | |
| 81 | 2 | piece | 5,394.00 | 10,788.00 | Vaccine Carrier, 12 L<br>Type: Cold chain transport container<br>Material: Insulated box<br>Capacity: 12 liters<br>Features: External thermometer | | | |

Department of Health
Central Luzon Center for Health Development
**MARIVELES MENTAL WELLNESS AND GENERAL HOSPITAL**
P. Monroe Street, Poblacion, Mariveles, Bataan, Philippines, 2105
Mobile: 0968-854-5320/ (047) 613-6711
procurement@mmh.gov.ph/ procurement.mmwgh@gmail.com / mmwgh.gov.ph

BAGONG PILIPINAS

# REQUEST FOR QUOTATION (RFQ)

**DATE:** August 17, 2026
**RFQ NO.** 155-2026 (Procurement of Medical Devices for 2026)
**PR. NO.** Various PR

D.

| TO BE FILLED BY THE PROCUREMENT UNIT | | | | | | TO BE FILLED BY THE BIDDER | | |
|---|---|---|---|---|---|---|---|---|
| ITEM NO. | QTY | UNIT | UNIT COST | ABC | TECHNICAL SPECIFICATIONS AND DESCRIPTION | BRAND/MODEL (Suppliers shall include the Brand and Model) | UNIT COST | TOTAL AMOUNT |
| 82 | 2 | unit | 2,420.00 | 4,840.00 | Weighing Scale<br>size: 300×300×24.55mm<br>Weighing unit: kg, jin<br>Weighing range: 0.1~150kg<br>Minimum graduation: 0.1kg<br>Shell material: reinforced glass + engineering plastic<br>Working temperature: 0°C~40°C<br>Product net weight: 1.45kg<br>Wireless connection: Bluetooth 5.0<br>Rated voltage: 4.5V= (AAA alkaline batteries × 3)<br>Supported system: Android 8.0 or iOS 12.0 and above | | | |
| 83 | 4 | piece | 3,587.00 | 14,348.00 | Wheelchair, Double Cross Bar (Stainless Steel)<br>Material: High-strength steel or lightweight aluminum frame; double cross brace for enhanced stability; solid or pneumatic tires<br>Size: Seat width: 20–24 inches (varies by model); overall weight: 18–25 kg; foldable dimensions for compact storage<br>Color: Typically available in medical-grade silver, black, or neutral tones (varies by manufacturer)<br>Performance: Weight capacity: up to 250–300 kg; hand-operated braking system; foldable design for portability; includes IV stand and oxygen cylinder holder | | | |
| | | | | | ***nothing follows**** | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | Note: This is a staggered delivery. The delivery schedule will be provided once the item is awarded. | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | Total | 1,247,265.07 | | | | |

**Will not participate due to:**

- ☐ Budget is too low.
- ☐ Requested item not available
- ☐ Venue is fully booked
- ☐ Does not have eligibility documents
- ☐ Non-conformity with government payments
- ☐ Others, please specify _____

After having carefully read and accepted the General Terms and Conditions, I/We quote you on the item at prices noted above.

RFQ served by:

Jumel S. Patdu
Canvasser

_____
Printed Name and Signature of Bidder